

This is to be certified that the proposed Project (IWMP-XV) comprising eight micro-watersheds of district Jhansi, Uttar Pradesh has been selected for its sustainable development on watershed basis under Integrated Watershed Management Programme. The land is physically available for proposed interventions and is not overlapping with any other schemes. It will be developed as per Common Guidelines for Watershed Development Project-2008, GOI, New Delhi. The significant results will be achieved through proposed interventions on soil and water conservation, ground water recharge, availability of drinking and irrigation water, agricultural production systems, live stock, fodder availability, livelihoods of asset less, capacity building, etc. The proposed **Detailed Project Report of IWMP-XV, 2011-12** is approved for its implementation.

Soil Conservation Officer,
IWMP-XV,
Agriculture Department, UP.

Chief Development Officer
Distt.-Jhansi, UP

CONTENTS

CHAPTER	PARTICULARS	PAGE NO.
	EXECUTIVE SUMMARY	
1.	INTRODUCTION AND BACKGROUND	2
2.	GENERAL DESCRIPTION OF PROJECT AREA	9
3.	BASELINE SURVEY AND PARTICIPATORY RURAL APPRAISAL	17
4.	INSTITUTIONAL BUILDING AND PROJECT MANAGEMENT	41
5.	MANAGEMENT / ACTION PLAN	53
6.	CAPACITY BUILDING PLAN	118
7.	PHASING OF PROGRAMME AND BUDGETING	123
8.	CONSOLIDATION AND WITHDRAWAL STRATEGY	137
9.	EXPECTED PROJECT OUTCOME	138
10.	DESIGN AND ESTIMATES OF ACTIVITIES	140
13.	MAPS	184

CHAPTER - 1

INTRODUCTION AND BACKGROUND

1. Project Background

The project IWMP XV is located in Tehrauli Sub-Divisions of Jhansi District of Uttar Pradesh. The project is cluster of seven micro watersheds with 2C2A8a1f, 2C2A6f2c, 2C2A8a1c, 2C2A8a1b, 2C2A6f2b, 2C2A6f2e and 2C2A6d2e being their respective codes. The project area is consisting twenty seven villages as per detailed mentioned in the following table with total geographical area of 6707.27 ha, out of which 4235.00 ha. area is is proposed for treatment by Integrated Watershed Management Programme (IWMP-XV) starting from year 2011-12 and onwards .

Table-1.1: Details of village wise treatable area in the IWMP-XV

Name of microwatershed	Code of microwatershed	Name of villages	Treatable area (ha)	Total geographical area (ha)
Rora	2C2A8a1f	Rora	221.430	785.9903
		Bamanwan	0.000	13.5103
		Madhu pura	0.000	16.0285
		Silori	0.000	15.3243
		Tai	.000	177.5954
		Bakayan	195.570	196.7148
Total			417.000	1205-1636
Tahrauli khas	2C2A6f2c	Jhala	.000	21.2602
		Tenduwa	.000	19.0164
		Tahrauli kalan	451.000	551.8038

		Jaswant pura	0.000	5.4465
		Tahrauli khas	237.000	374.4277
		Barwai	0.000	0.5659
		Khoh	.000	102.0904
		Gundaha	0.000	0.5157
		Gadhikargaon	0.000	0.5494
Total			688.00	1075.6760
Bakayan	2C2A8a1c	Parsa	30.000	153.7573
		Madhu pura	0.000	6.5540
		Bakayan	551.000	577.8334
		Bamanwan	.000	76.7116
		Rora	.000	11.4813
Total			581.000	826.3378
Parsha	2C2A8a1b	Parsa	326.500	380.9958
		Bakayan	0.000	7.2407
		Bamanwan	64.550	68.9443
		Chandwari	0.000	1.5014
		Barwai	48.950	115.0660
Total			440.000	573.7482

Name of microwatershed	Code of microwatershed	Name of villages	Treatable area (ha)	Total geographical area (ha)
Bamanua	2C2A6f2b	Bamanua	350.000	414.5294
		Barwai	135.000	149.4074
		Khoh	0.000	8.6891
		Rora	.000	23.5717
		Tahrauli kalan	114.000	317.8010
		Tenduwa	.000	93.2504
Total			599.00	1007.2489
Khillavari	2C2A6f2e	Baghaira	380.00	554.6663
		Gaghikargaon	0.000	10.8151
		Khillla	200.000	233.4971
		Pipara	.000	40.6689
		Saigon	300.00	307.0562
		Sitora	.000	28.9926
Total			880.000	1175.6962
Marhadilavali	2C2A6d2e	Achausa	108.520	120.140
		Atrasuwan	10.170	29.0516
		Baghaira	29.700	69.9542
		Marhadilavali	335.180	392.8268
		Mawai	38.200	39.8020
		Pipara	36.470	70.037
		Seriya	81.930	121.5947
Total			630.000	843.4065

The nearest town is Chirgaon which is about 15 to 25 km from the intersecting villages of the watershed and well connected with rural pucca roads. The watershed area falls in agro-climatic zone of Central Plateau Hill Region based on all-India classification of DoLR. The climate is tropical sub-humid to semi-arid and comes in hot moist semi-arid ecological sub-region. The elevation of the project area varies from 158 to 309 m above mean sea level with the relief of 17 drains. The general topography of the watershed is mixed to gentle.

The household's families of the watershed are dependent mainly on agriculture and its allied activities for their income and livelihood. The majority of the population belongs to backward and SC/ST community.

Rainfed agriculture is widely in practice. Sesum, green gram and black gram in Kharif and gram, pea, red gram, wheat and linseed are the major crops grown in the watershed area.

1.2 Need and Scope for Watershed Development

Bundelkhand region comes in the semi-arid zone based on all India agro-climatic classification. Owing to the characteristics of semi arid region, weather uncertainty is the most pronounced and perennial phenomenon frequently faced by all stakeholders of the region. In addition to the natural calamities non-judicious use of land and water for crop production and other activities are the serious cause of concern. Open animal grazing (*anna pratha*) is also very common in practice which adversely affects the vegetative cover and causes further rapid degradation of soil. The employment opportunities are rare, except in agriculture and its allied activities for landless communities; therefore migration of among these communities are very common to urban areas in search for their income and livelihood.

In order to attain the sustainable development a holistic approach based on watershed management is necessary to protect, conserve and improve the land resource for efficient and sustained production by improving soil organic matter, to protect and enhance water resources and other traditional water bodies, increase water use efficiency through saving irrigation and conserve rain water for crops and thus mitigate droughts and finally utilize the natural local resources for improving agricultural and allied occupation (small and cottage industries) to improve socio-economic conditions of local residents. The long term objectives are as follows:-

Long Term Objectives:

- To optimize productivity of the land
- To restore ecological balance in degraded and fragile eco-system
- To narrow down the disparity between rainfed and irrigated areas
- To create sustained employment opportunities

Watershed development programme is prioritized on the basis of seventeen parameters mentioned in the table 1.2 ranking was developed on the basis of these parameters. The seventeen criteria were taken with total of 205 weightage points. The criterion taken are availability of drinking water, irrigation, degree of soil erosion, water holding capacity, area under rainfed agriculture, status of field bund/contour bund/graded bund, presence of hardrock below the land, options for livelihood, percentage of small and marginal farmers, degraded lands, ground water status, status of technical knowledge for improved farming systems, weather conditions, poverty index (% of poor population), virginity of land, productivity potential of land and soil organic carbon status. The weightage for project is about 90 percent.

Table 1.2: Criteria and weightage for selection of watershed

S. No.	Criteria	Maximum Score	Range & Score			
1	Drinking water	15	Very poor Dependence on water supply through tanker (15)	Poor Partial availability within the periphery of 3-4 km (10)	Good Round the availability within the periphery of 3-4 km (5)	Very Good Round the year availability in watershed (0)
2	Irrigation	10	No irrigation (10)	Life saving irrigation (7.5)	Partial life saving irrigation (5)	Fully covered (0)

3	Degree of soil erosion	10	Severe (10)	Medium (7.5)	Low (5)	No erosion (0)
4	Water holding capacity	10	Very poor (10)	Poor (7.5)	Good (5)	Very Good (0)
5	Area under rainfed agriculture	15	More than 90% (15)	80 to 90 % (10)	70 to 80 % (5)	Below 70% (Reject) (0)
6	Status of field bund/contour bund / graded bund	10	Below 20 % (10)	50 to 20 % (7.5)	80 to 50 (5)	Above 80% (2.5)
7	Presence of hard rock below the land	15	Hard rock starts from 5 to 20 feet (15)	Hard rock starts from 21 to 50 feet (10)	Hard rock starts from 51 to 100 feet (5)	Deep soil depth (0)
8	Options for livelihood	10	Very poor (10)	Poor (7.5)	Good (5)	Very Good (0)
9	% of small and marginal farmers	10	More than 80% (10)	50 to 80 % (5)	Less than 50% (3)	
10	Degraded land	15	High above 50% (15)	Medium 25 to 50% (10)	Low less than 10 – 25 % (5)	Very low Less than 10% (0)
11	Ground water status	10	Very poor (10)	Poor (7.5)	Good (5)	Very Good (0)
12	Status of Technical Knowledge for improved farming systems	10	Very poor (10)	Poor (7.5)	Good (5)	Very Good (0)
13	Weather condition	15	Uncertain weather condition / Continuous drought for three years (15)	Drought comes one in five years (10)	Drought comes one in ten years (5)	Normal weather condition (0)
14	Poverty index (% of	10	Above 80% (10)	80 to 50 (7.5)	50 to 20 % (5)	Below 20 %

	poor population)					(2.5)
15	Virginity (No treatment /intervention in last five years)	10	Above 80% (10)	80 to 50 (7.5)	50 to 20 % (5)	Below 20 % (2.5)
16	Productivity potential of land	15	Lands with low production & where productivity can be significantly enhanced with reasonable efforts (15)	Lands with moderate production & where productivity can be enhanced with reasonable efforts (10)	Lands with high production & where productivity can be marginally enhanced with reasonable efforts (5)	-
17	Organic carbon status	15	Very low (15)	Low (10)	Medium (5)	Normal (0)

Table 1.3: Weightage of the project

S. No.	Criteria	Weightage points
1	Drinking water	10
2	Irrigation	10
3	Degree of soil erosion	10
4	Water holding capacity	10
5	Area under rainfed agriculture	10
6	Status of field bund/contour bund / graded bund	10
7	Presence of hard rock below the land	10
8	Options for livelihood	10
9	% of small and marginal farmers	10
10	Degraded land	15
11	Ground water status	10
12	Status of Technical Knowledge for improved farming systems	10
13	Weather condition	15
14	Poverty index (% of poor population)	10
15	Virginity	10
16	Productivity potential of land	10
17	Organic carbon status	15
	Total Weightage (Out of total 205)	185
	Weightage Percentage	90.24

1.3 General Description of the Watershed

Table 1.4: Project at a Glance

S. No.	Particulars	Details
1.	Name of State	Uttar Pradesh
2.	Name of Project	IWMP-XV
3.	Name of District	Jhansi
4.	Name of Block	Gursarain, Chirgaon
6.	Four Major reasons for selection of watershed	Erosion Nutrient loss Water scarcity Low productivity
8.	Catchment	Betwa River
9.	Name, Address of PIA	Bhumi Sanrakshan Adhikari, Deptt. of Agriculture, IWMP-XV, N. W. Chirgaon, Jhansi
10.	Area of the Project (ha)	6707.2773
11	Area proposed to be treated (ha)	4235.00
12	Year of Sanction	2011-12
13	Duration of Project	4 yrs
14	Project Cost (Rs. In Lakh)	508.20

1.4 Details of ongoing schemes in watershed area

Previously a number of schemes related to soil and water conservation work were taken up by state department namely, Agriculture and Ramganga Command. In social sector swarnajayanti Gram Swarajgar Yojna (SGSY) and Indra Awas Yojana (IAY) by Rural Development Department. A number of other developmental projects are ongoing in the watershed area some of them are as follows :-

1. MNREGA : Village Panchayat and other departments with its convergence engaged in soil and water conservation work.
2. RIDF-16 : NABARD funded Rural Infra-structure Development Fund for soil and integrated rain water conservation in rainfed areas.
3. NWDPR: By Deptt. of agriculture, Govt of India.
4. RADP: Rainfed area development programme.
5. Development Alternatives (NGO)
6. ATMA: Agriculture Technology Development Agency run by Deptt. Of Agriculture primarily disseminating agriculture production techniques amongs farmers through demonstrations, farmers training and revalidation of local innovative techniques in agriculture production.

CHAPTER - 2

GENERAL DESCRIPTION OF PROJECT AREA

2.1 Location: The IWMP-XV micro-watershed is located in Gursarain and Chirgaon block of Jhansi district. It is about 46 km from Jhansi on Jhansi to Tahrauli road (Index Map). The details of location of each micro-watershed are given below:

IWMP XV	Longitude	79° 03' 39.06" - 78° 55' 42.70" E
	Latitude	25° 28' 43.31" - 25° 37' 36.29" N

2.2 Area and Landuse: The total geographical area of the all micro-watershed is 6707.27 ha, out of which 4235.00 ha is the treatable. The entire watershed is rainfed and about 10 per cent area has life saving irrigation mainly through open shallow dug wells. General topography of the watershed is mild to gentle (<1%). It has the general appearance of a plain dotted with isolated low and undulated area. The details of each MWS in respect of land use is depicted in Table 2.1:

Table 2.1: Details of land use IWMP-XV Project (Area in ha)

S. No.	Name of Village	Total Geographical Area	Rainfed Area	Waste Land	Total Treatable Area (ha)	Settlement and Road	Area under assured irrigation (ha)	
							Water Bodies	Dug/Bore wells
1.	Rora	1205.16	82.20	334.80	417	788.16	23.2	38.99
2	Khillavari	1175.69	160.10	719.90	880	295.69	18.06	22.18
3	Marhadilavali	843.41	126.20	503.80	630	213.41	6.42	40
4	Tahraulikhas	1075.68	140.10	547.90	688	387.68	22.7	37.72
5	Bamanua	1007.25	121.50	477.50	599	408.25	22.7	32.32
6	Parsa	573.75	88.60	351.40	440	133.75	15	13.02
7	Bakayan	826.34	106.30	474.70	581	245.34	28.08	21.45
	Total	6707.27	825.00	3410.00	4235	2472.27	149.86	239.068

2.3 Physiography:

The IWMP-XV watersheds is situated at an elevation of some 158 to 309 m above mean sea level and has relief from 151m. The watershed has a general slope of less than 1 per cent. General topography of the watershed is mild to gentle. The recharge of wells is very slow as it depends on perched water. Most of the area is mono-cropped due to lack of irrigation facilities. In the absence of effective field/contour/graded bunding area is affected by severe soil erosion along with nutrient loss. Heavy erosion in the absence of bunds is the major reason for the development of multi-directional slopes in the watershed. The details of Digital Elevation Model, slope and drainage pattern of the micro-watershed are described in subsequent section.

2.3.1 Digital Elevation Model (DEM) A DEM is a digital file of terrain elevations for ground positions. It is a raster representing the elevations of the ground and objects. Besides providing a source of elevation, the DEM may be used for topographic information, flow pattern, flood risk areas identification and to determine accessibility. The DEM of IWMP-XV micro-watershed is shown in map section. Outlet of the watershed was located at 158 m above msl, whereas land elevation varied from 158 to 309 m in the watershed.

Elevation

Name of MWS	Minimum	Maximum	Relief
IWMP-15	158	309	151

2.3.2 Slope Map Slope and aspect of a region are vital parameters in deciding suitable land use, as the degree and direction of the slope decide the land use that it can support. Slope is also very important while determining the land irrigability and land capability classification and has direct bearing on runoff.

Spatial distribution of different slope classes was prepared using Arc GIS and is shown in map section. Slope was divided into three classes viz. 0-3, 3-5, and more than 5 per cent. Per cent areal extent of different slope classes in IWMP-XV micro-watershed is shown in Table 2.2. The dominant slope category in the micro-watershed were 0-5 per cent (80%) followed by 5-8 per cent (15.50%). It was also noticed that slope of major area of agricultural land varied from 0-8 per cent.

Table 2.2. Areal extent of various slope classes in the micro-watershed

Slope categories (%)	Area (ha)	Percent of total area
MWS-		
0-0.5	3135.00	62.45
0.5-1	868.96	17.31
1-3	528.10	10.52
3-5	331.82	6.61
>5	156.12	3.11
Total	5020.00	100

2.3.3 Drainage Map

Drainage of the watershed was digitized in GIS environment (Fig. 2.1). Maximum order of micro-watersheds varied from IWMP-XV. The detailed description of the drainage network are given in section 2.5.

Fig. 2.1: Drainage network of different MWS of IWMP-XV

2.4 Climate:

The annual rainfall of the Bundelkhand region varies from 800 to 1300 mm, about 90% of which is received during South-West monsoon period (Singh *et al.* 2002). The major part of the rainfall is received during the month of July and August. The length of growing season in Bundelkhand ranges between 90 to 150 days depending upon rainfall and temperature regimes. The winter rains are erratic, occasional, meager and uncertain. The total rainy days/year vary from 30-45 in the region with an average of 37. The distribution of rainfall is very erratic. Low rainfall and drought are common features. Long dry spells during rainy season are also experienced often, which adversely affect the crops. It has been observed that in a cycle of 5 years, 2 are normal, 2 drought years and 1 is excessive rainfall year (Tiwari *et al.* 1998). Further, with the analysis of fifty years (1946-1995) rainfall data of Jhansi it was observed that 18 % of the years were drought, 68% normal and 14% were surplus years, implying that there is likelihood of one drought year in 5 year span (Singh *et al.* 2002). However, since last 9 years, 7 were drought years (2002, 2004, 2005 2006, 2007, 2009, 2010), out of which, 4 years (2004-2007) were severe drought. This phenomenon is likely to be recurrent in view of rise in temperature due to global warming. This acute drought led to heavy out migration to the extent of 48% of total population towards big cities in search of livelihood in 2007-08 (Anonymous 2008a). A long term 64 years of rainfall and rainy days (Fig. 2.3) analysis of Jhansi indicates a declining trend. However, a slight increase in average maximum temperature during Nov.-Feb. months (Table 2.6) and a slight decrease in average temperature during Jan. and Feb. (Table 2.5) was observed.

The climate of Jhansi is characterized by a hot dry summer and cold winter and is marked for high variability of rainfall year to year. There are primarily four seasons: – Dry Summer season – from March to May i.e. before advent of monsoon, moist summer season – from June to September (Monsoon) transition period - in October and November, which is the post monsoon period, and winter season – from December to February The coldest months in the year are December and January.




Fig. 2.3: Annual rainfall and rainy days during last 64 years at Jhansi*

Table 2.3: Cumulative yearly rainfall, average maximum and minimum temperature at Jhansi, (1975-2009)*.

Year	Rainfall (mm)	Avg. maximum temp. ($^{\circ}\text{C}$)	Avg. minimum temp. ($^{\circ}\text{C}$)
1975	875.4	32.0	17.2
1976	1104.3	32.1	17.2
1977	859.5	32.5	17.5
1978	1066.9	31.7	17.4
1979	632.5	32.5	17.8
1980	1236.7	33.0	19.0
1981	712.7	33.0	18.3
1982	1193.3	31.3	17.4

1983	1268.8	32.2	16.8
1984	769.4	32.5	16.3
1985	1137.9	33.5	18.3
1986	867.6	32.1	17.7
1987	855.2	34.6	18.5
1988	815.9	33.6	18.2
1989	610.5	32.5	17.2
1990	1097.4	31.8	17.4
1991	944.0	31.7	16.1
1992	806.4	32.2	16.6
1993	722.8	32.1	16.4
1994	559.8	32.2	16.8
1995	778.9	32.3	16.4
1996	965.7	31.8	17.1
1997	907.7	30.4	16.9
1998	971.6	32.1	18.0
1999	1159.8	32.6	17.5
2000	705.6	32.4	16.8
2001	1173.7	32.1	16.6
2002	546.3	33.2	17.6
2003	1163.3	32.1	17.8
2004	491.3	32.5	17.5
2005	-	-	-
2006	375.2	31.4	17.1
2007	558.1	-	-
2008	1238.3	-	-
2009	578.0		

Table 2.4: Dynamics of rainfall and rainydays*

Parameters	1944-2009	1944-2000	2001-2010
Average rainfall (mm)	877.4	900.8	729.4

Average rainydays	44	45	37
-------------------	----	----	----

Table 2.5: Dynamics of average minimum temperature (Degree Celsius)*

Period	Nov.	Dec.	Jan.	Feb.
1975-84	11.6	7.0	6.5	8.8
1985-94	11.1	6.4	6.1	8.7
1995-2004	11.4	7.0	5.8	8.6
2005-2011	11.2	6.3	5.5	8.2

Table 2.6: Dynamics of average maximum temperature (Degree Celsius)*

Parameters	Nov.	Dec.	Jan.	Feb.
1975-84	29.5	24.1	23.2	26.5
1985-94	29.4	24.0	23.5	26.6
1995-2004	29.9	24.7	21.6	25.9
2005-2011	29.2	24.6	22.0	27.0

**Source: Indian Grassland and Fodder Research Institute, National Research Centre for Agroforestry, Jhansi and IMD, Pune)*

The average rainfall of Jhansi district is 877.4 mm (1944-2009) with average rainy days of 44. Out of 66 years, 35 years received less than the average rainfall. In spite of the fairly decent average rainfall of the districts, its uncertainty and erratic behavior leads to dry spells causing droughts. There has been severe drought, a famine like situation from 2004 until 2007. The uncertainty in the rainfall is the main reason of poor agriculture yield. Rain is also received in a very small amount during November to May, but this rain is very important for agriculture in this region. This rain is called “Mahawat” in the vernacular language. The brief account of drought since 2004 in the region is depicted in Table 2.7.

Table 2.7: Details of drought in the project area

Sr. No.	Particular	Villages	Years	Intensity
1.	Drought	IWMP-XV	2004-05 2005-06 2006-07 2007-08 2008-09	Severe Severe Severe Severe Normal

			2009-10	severe
--	--	--	---------	--------

2.8 Soil and Land Capability Classification

The total area of the project is 6760.27 ha, out of which 4235.00 ha is under treatment. Most of the soil is black (*Mar, Kabar & Mar Kabar* mixed). The nutritional health of soil is very poor due to severe erosion from the watershed. The nutrient status of the micro-watershed is depicted in Table 2.8. The land capability classification of each micro-watershed was also studied and presented in individual DPR of micro-watershed.

Table: Nutrient status of soils in IWMP-XV project

S. No.	MWS	Type of Soil	pH	Organic Carbon %	Available Phosphorus kg/ha	Available Potash kg/ha
1	IWMP-15	Mar/Kabar mixed	7.7	.35	.22.00	300.12
		Rakar	6.9	.21	14.50	250.80
		Purwa	7.3	.26	18.50	265.92

CHAPTER – 3

BASELINE SURVEY AND PARTICIPATORY RURAL APPRAISAL

Participatory rural appraisal (PRA) is a tool to appraise the socio-economic conditions along with all kind of resources available in the watershed through the active participation of the villagers. There are several tools and techniques of PRA. The PRA of Rora ,Bakayan, Parasa, khilla, Taharauli khas, Bamanua and Madhadilawali micro-watershed was conducted and described in the subsequent sections.

3.1. Social-Economic Analysis

The Rora, Bakayan, Parasa, khilla, Taharauli khas, Bamanua and Madhadilawali micro-watershed mainly dominated by OBC and schedule caste.

Table 3.1: Demographic pattern of villages in Rora micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Rora	247	370	308	555	1481
2	Silori	135	203	169	305	677
3	Tai	137	206	171	308	685
	Total	545	817	681	1226	2972

Bakayan micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Bakayan	118	148	131	393	672
2	Parasa	99	124	110	330	564
3	Bamanua	35	43	39	117	199
	Total	444	766	493	1480	2739

Parasa micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Parasa	277	346	308	923	1577
2	Barway,	90	113	100	300	513
3	Bamanua	206	257	229	687	1173
	Total	583	729	648	1943	3320

Khillawari micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Sitora	89	89	111	99	297
2	Baghaira	208	208	260	231	693
3	khilla	32	32	39	35	105
4	Pipara	47	47	59	52	157
	Total	534	534	666	593	1778

Taharauli khas micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Taharauli khas	295	237	216	576	1029
2	Taharauli kala	168	134	123	327	584
3	Tanduaw	22	17	16	43	76
4	Khoh	95	80	73	195	348
	Total	580	469	428	1141	2037

Bamanua micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Bamanua	339	423	377	1130	1930
2	Taharauli kala	30	38	33	100	171
3	Barway	11	14	12	37	63
4	Tanduaw	20	60	50	45	155
	Total	380	475	422	1267	2164

Madhadilawali micro-watershed

S.No.	Name of Village	No. of Families	Population			Total
			Male	Female	Children	
1	Madhadilawali	145	138	110	303	551
2	Mabai	209	200	158	436	794
3	Pipara	76	73	57	158	288
4	sariya	128	122	97	267	486
5	Baghaira	12	11	9	25	45
	Total	570	544	431	1189	2164

It is apparent from the social profile that the micro-watershed is inhabited by different caste and class. In the micro-watershed, big and medium farmers have their pucca house while majority of marginal and small farmers have kachha houses. There was no definite pattern of settlement based on housing structure. The watershed dwellers get drinking water from hand pumps and face severe scarcity during summer. It was observed that the small and marginal farmers are not conscious about the education of children. The literacy of the MWS villages is very low.

The main occupation of the MWS dwellers is agriculture and animal husbandry; the landless families generate income for their livelihood mainly from labour. Category wise population and no. of families were depicted in Fig 3.1, however, migration from the project is depicted in Table 3.2.






Fig 3.1: Category wise population and no. of families

Table 3.2: Migration status in the watershed during 2009-10

Sr. No.	Name of village	Total population	Migration			Migration Days			Reason for migration	Income during migration / month/head
			Male	Female	Total	<3 months	3-5 months	>5 months		
1	Rora	2972	130	120	250	50	75	125	Due to drought	3000 to 4000
2	Tahrauli khas	2739	80	60	140	30	40	70	Due to drought	3000 to 4000
3	Bakayan	3320	110	90	200	50	100	50	Due to drought	3000 to 4000
4	Parsha	1778	60	50	110	30	40	40	Due to drought	3000 to 4000
5.	Bamanua	2037	120	80	200	60	80	60	Due to drought	3000 to 4000
6.	Khillavari	2164	90	70	160	60	50	50	Due to drought	3000 to 4000
7.	Marhadilavali	2695	140	110	250	80	100	70	Due to drought	3000 to 4000


3.2 Transect Walk

The main objective of the transect is to understand the major land uses, terrain, water resources, natural vegetation and different ecological zones by observing, interacting and discussing with the key informants, while walking in the different directions in all micro-watersheds. Two transect walk was taken with the key informants and the zone wise information are as follows:



Particulars	Zone I	Zone II	Zone III	Zone IV
Land	Parwa, Mar and mar Mixed	Mar, Kabar & Parwa Mixed	Parwa & Kabar Mixed	Parwa, Kabar Mixed, Submerged area
Animal	Grazing Animals (Cow, Buffalo, Goat)	Grazing Animal (Cosw, Goat)	Grazing Animals (Goat)	Grazing Animal (Cow, Goat)
Habitat	Kaccha & Pacca House		-	-
Trees	Babool, Desi Ber. Neem, Bamboo	Mahua, Palas, Babool, Desi Ber, Neem, Pipal, Bamboo	Mahua, Neem, Babool, Desi Ber	Neem, Pipal, Gular, Palas
Dug Well / Bore Well	-	01 (almost dry)	02 50-60 Feet (almost dry)	-

Rabi Crops	Lentil, Chickpea, Durum Wheat with Linseed / Mustard mixed	Lentil, Chickpea, Durum Wheat with linseed	Field pea, Lentil, chickpea, Durum Wheat + linseed	Wheat, Durum Wheat with Linseed / mustard
Kharif (Through discussion)	Jawar, Urd, Moong – Fallow	Til, Arhar + Jawar, Urd	Til, Urd, Moon, N	Urd, Arhar - Fallow
Drain / River	-	-	North – West	Present



Second Transect Walk



Particulars	Zone I	Zone II	Zone III	Zone IV
Land	Mar, Parwa and Mixed	Parwa & Kabar Mixed	Parwa, Mar & Kabar Mixed	Parwa & Mar Mixed
Animal	Grazing Animal (Cow, Baffalo,	Grazing Animal (Cow, Goat)	Grazing Animals (Goat)	Grazing Animals (Cow, Goat)

	Goat)			
Habitat	-	-	-	-
Trees	Neem, Babool, Desi Ber, Mahua, Palas	Neem, Babool, seasam	Neem, Babool, Palas, Desi Ber	Babool, Desi Ber. Neem,
Dug Well / Bore Well	02 (2-3hr capacity)	03 Almost dry	-	03 3-4hr Capacity
Crops	Pea, Chickpea, Durum Wheat with Linseed mixed	Lentil, Chickpea,	Lentil, chickpea, Fiel Pea Durum Wheat	Field pea, wheat, linseed
Kharif (Through discussion)	Urd, Moong – Fallow	Arhar + Jawar, Til, Urd	Arhar + Jawar, Urd, Til, Moong	Til, Urd, Arhar
Drain / River	Present	Present	Present	Present

3.3.1 General time line

In IWMP-XV Prpject development of major temporal events were as follows:

Sr. No.	Development Activity	Year
1	Establishment of Rora, Bakayan, Parasa, khilla, Taharauli khas, Bamanua and Madhadilawali	Around 18 th to 19 th Century
2	Opening of Primary school and Junior High school	1983 to 1988
3	Introduction of Tractor	1996
4	First Tube well	1984
5	First Motor cycle	1985
6	T.V. & D.V.D. player introduced	2005
7	Electricity in the villages	2007
8	Introduction of Mobile phone	2007

3.3.2 Agriculture and animal husbandry time line

Sr. No.	Particular	Year
	Agriculture	
1	Growing of pulses and Oilseeds	Since starting
2	Durum wheat	Since starting
3	Growing of wheat	1974
4.	Introduction of mixed cropping	1980
	Animal Husbandry	
1	Milking animals	Since starting
2	Introduction of cross-breed cows	1990
3	Goat	1995
4	Attack of diseases in animals	1997

3.4 Seasonality

3.4.1 Climate: The climate of IWMP-XV Project is characterized by a hot dry summer and cold winter and is marked for high variability of rainfall year to year. There are primarily four seasons: – Dry Summer season – from March to May i.e. before advent of monsoon, moist summer season – from June to September (Monsoon) transition period - in October and November, which is the post monsoon period, and winter season – from December to February. August is the wettest month followed by July.

3.4.2 Crop and cropping pattern: The major crops cultivated in the micro-watershed area are lentil, chickpea, durum wheat, field pea and wheat and linseed mixed with mustard in *rabi* season. Out of total cultivated area of micro-watershed pulses alone occupied 79 per cent area. Rest of the area is occupied by wheat and oilseed crops.

3.4.3 Crop rotation: The following major crop rotation are being followed/

Sorghum + Arhar (duration 250 days)

Urd – Durum wheat

Urd/Moong - Field pea









Moong/Urd – Lentil + Linseed (Mixed)

Til - Chickpea / filed pea

Moong/urd – Wheat (Mustard mixed)

3.4.4 Pulses production calendar: Pulse crops cover maximum area in IWMP-XV. During *kharif* season urd and moong are major pulse crop sown during monsoon season and entirely depends on rain. During *Rabi* season major pulses are lentil, chickpea and field pea which was grown by the farmers on conserved moisture during rainy season. The performance of *rabi* crops entirely depends on winter rains as the irrigation by open shallow dug wells is limited due to several factors. Farmers start preparation for *rabi* crop from the month October.

Crop calendar of Lentil at IWMP-XV

	<i>Rabi</i>					<i>Kharif</i>				<i>Rabi</i>		
Crop cutting & Threshing												
Plant Protection	No											No
Irrigation	No										No	No
Weed Management												No
Tillage _ Nirai & Gudai												No
Land treatment										No		
Seed Treatment										No		
Sowing												
Use Fertilizer												
Land Preparation												
	January	February	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.

3.5 Availability of Fodder

Animal condition in IWMP-XV Project was not found good due to unavailability of enough green fodder. It was observed that farmers of micro-watershed do not grow green fodder except sorghum in between the arhar crop during *kharif* season. During monsoon period animals freely grazed on the fields and in winter they fed on dry stems of sorghum and wheat straw (Annapratha).

3.6 Demand of Energy for Agriculture

Maximum energy is required in agriculture for land preparation and for life saving irrigation followed by harvesting and threshing. Maximum fuel requirement is observed in the month of October followed by February and March. For preparation of food and other domestic preparation farmers use cow dung (upla) and fuel wood of different trees as well as stem of pigeon pea. Some rich families also use LPG gas for food preparation.

3.7 Labour Requirement

Labour requirement was highest for agriculture operations in the month of February and March followed by September and October. Minimum labour was required in the month of August, December, January, May and June. Due to mono-cropping less labour requirement is observed in the micro watershed. Expenditure was relatively highest in the month of October followed by February and March with the corresponding increase in demand of agriculture production activities viz. fuel for agriculture, fertilizers, seeds and labour credit need.

3.8 Changing Trends

The analysis of changing trend revealed that the population, number of crops, fertilizer application follow increasing trend, while cropping intensity, water availability and milk production are in decreasing trend mainly due to deficit rainfall and low water holding capacity of soil in the watershed. Detailed trend for past, present and future is depicted in the Table 3.4.

Table 3.3 Changing trends in the micro-watershed

Particulars	Past	Present	Future
Population	***	*****	*****
Water Availability	000000	00	000000
Number of crops	###	#####	#####
Use of fertilizers	@ @	@ @ @ @ @	@ @ @ @
Use of Bio fertilizers	Nil	Nil	++++
Cropping Intensity	\$\$\$	\$\$	\$\$\$\$
Food Quality	★ ★ ★	★ ★ ★	★ ★ ★ ★
Agriculture Production	△ △ △	△ △	△ △ △ △
Problems of Crops	○ ○	○ ○ ○ ○	○ ○ ○ ○ ○
No. of Animals	***	****	*****
Milk Production	★ ★ ★	★ ★	★ ★ ★ ★
Milk availability	△ △ △ △	△ △	△ △ △ △ △ △
Electricity	-	**	****
Technical Knowledge Availability	-	↑	↑ ↑ ↑
No. of Tractor	⊕	⊕ ⊕ ⊕ ⊕	⊕ ⊕ ⊕ ⊕ ⊕
Employment	◇ ◇ ◇ ◇ ◇	◇ ◇	◇ ◇ ◇ ◇ ◇ ◇
Orchards	-	-	#####
Vegetable Production		△	△ △ △
Grass Land/Fodder cultivation	+++++++	+++	++++

3.9 Family Livelihood Analysis

Livelihood analysis is a helpful tool to analyse farmer's aptitude and deciding their future plan. In our study we have categorised the farmers in the four groups on the basis of their income generated from different sources. The major source of income of big farmers is agriculture and few members of such family are also employed and generated extra income to his family kitty. For second groups 80 per cent income came from agriculture and rest 20 per cent from animal husbandry and other enterprises. Likewise the poor groups arranged their livelihood through *batai* by big farmers (50%) and rest 50% came from their own agriculture and animal husbandry specially goat rearing. However, very poor groups arranged their livelihood mainly from wages.


3.10 SWOT Analysis for Watershed Development Programme

Strength	
1.	Community are willing to make joint efforts for the development
2.	Average land holding is high i.e. 2.0 ha
3.	Average animal population per family is 5. It indicates greater possibilities of organic farming.
4.	Sufficient work force is available locally.
Weakness	
1	Less vegetative cover resulted into high runoff, soil and nutrient loss
2	Crisis of water for drinking and irrigation due to dependency on perched water
3	Very poor cropping intensity (30-40%) during <i>kharif</i> season
4.	Health of the soil is poor to very poor due to severe erosion.
5.	High frequency of irrigation due to low water holding capacity
6.	Multidirectional slopes creates hurdles in applying conservation techniques
7.	Majority of the farming community are laggard in adopting new technologies
8.	Grazing / browsing of crops by stray cattle / goat (<i>Annapratha</i>).
Opportunities	
1.	Opportunity for increasing cropping intensity during <i>kharif</i> season
2.	Scope for diversification and alternate land use which provides regular employment
3.	High opportunity of breed improvement and organic farming
	Presence of extensive ephemeral drain provides opportunity for water harvesting
4.	Greater scope of increasing water use efficiency by adopting micro irrigation as majority of the farmers have their own well and pumping system
5.	Sufficient availability of forest as well as community lands and traditional knowledge of goatary provides opportunity of livelihoods for landless families
6.	Opportunity of dairy industry
Threats	
1.	Non availability of markets
2.	Presence of granite at a depth of 10 to 100 feet provides less opportunity of water storage and it may creates chaos if water resources not managed properly
3.	High incidences of theft for all kinds of tools and machineries related to agriculture

3.11 Village – Institution Linkages

3.11.1 Mobility analysis

The institution visited by the farmers frequently for their different enterprises are cooperative societies for fertilizers, Block Development Office, plant protection unit, veterinary hospital, electricity department, police station and agriculture department etc. The distances of different institution are given as follows:



3.11.2 Venn Diagram

Venn diagram shows the presence of institution within and outside of micro-watershed and services given by these institutions to the farmers of micro watershed. The micro-watershed has good linkage with bank, market, mandi and department of Land Development and Water Resource. Though the farmers considered agriculture extension provider and hospital as an important institution but their services are relatively poor. Institution like seed store, development block, registration of societies, agriculture department are less important to the farmers but they are providing better services than police station and veterinary hospital. Other institution like Bundelkhand University, Krishi Vigyan Kendra, National Research Centre for Agro forestry, Indian Grassland and Fodder Research Institute, Jhansi and Minor Irrigation can play significant role than tehsil and block.



Venn Diagram

3.12 Decision Analysis

3.12.1 Matrix ranking

Choice and priority of farmers can be analyzed by matrix ranking. Farmers are cultivating different types of crops viz. lentil, chickpea, field pea, durum wheat, wheat, linseed and mustard/rai in *rabi* season and urd, moong, arhar + sorghum, til and sorghum in *kharif* season. Lentil crop was ranked first in *rabi* season followed by chickpea and field pea, while in *kharif* season arhar + sorghum have the second ranking followed by sesame as fourth ranking. Mustard and linseed crop grown by farmers as mixed with other crop. Lentil crop was preferred by the farmers of micro-watershed due to the black soil which yields better under the conserved moisture. Farmers are cultivating local varieties of lentil called *Malka*. Second preferred crop was chickpea due to black soil with totally depend on rain. The promising varieties of chickpea were *Radhey* and *Awarodhi*. Wilt is the main problem of lentil and chickpea crop in the command area. However, arhar + sorghum preferred by the farmers as second crop in the rotation. It is clear from the analysis that the farmers don't take risk of growing crops as single crop.

Women of the micro-watershed show their priority to knitting, weaving and tailoring. Among the different criterion for deciding suitable enterprises, easily salable items ranked first followed by self dependency and low cost, less labour requiring.

Rural youth of the micro-watershed show their priority to goat rearing followed by poultry, dairy and seed production, organic farming, rabbit, vermi compost unit and nursery unit respectively. Among the different criterion for deciding suitable enterprises, less time taking ranked first followed by self dependency, more marketable and less labour requiring.

Priority of crops (Maximum ranking is 10 points)

Crop	Lentil	Chickpea	Field Pea	Durum Wheat	Wheat	Arhar + Sorghum	Sesamum	Mustard / Rai	Linseed
Standard									
More Profit	5	7	7	6	4	6	6	4	5
Suitability for rainfed condition	9	8	8	5	3	8	4	6	7
Less Insect/Pest & diseases	6	6	5	6	4	7	7	7	6
Less risk	8	8	7	5	5	8	9	5	5
Less labour	9	7	7	8	6	7	8	4	6
Less weeds	8	6	6	7	5	9	7	5	5
No Irrigation required	9	7	5	6	3	8	6	6	6
Total	54	49	45	43	30	53	47	37	40
Rank	I	III	V	VI	IX	II	IV	VIII	VII

Livelihood interest of farm women (Max. 10 point)

Livelihood options	Tailoring Stitching Weaving	Agarbatti / Candle & Dona Pattal, Rope making	Preservation Fruit & vegetable	Goat rearing	Poultry	Nursery	Organic Manure	Rabbit farming	Ranking
Standard									
Self dependency	6	6	7	7	7	3	5	6	III
More sellable	8	4	7	5	8	7	7	7	I
Less Labour	6	5	6	6	5	4	6	8	IV
Low cost	8	7	6	7	6	6	5	6	II
Less Time taking	5	5	4	6	5	5	5	5	V
Ranking	I	VI	IV	III	III	VII	V	II	

Livelihood interest of rural youth (Max. 10 point)

Livelihood options	Vermi unit	Seed production / Bank	Dairy (Cow Buffaloes)	Goat rearing	Poultry	Nursery	Organic Manure	Rabbit farming	Ranking
Standard									
Self dependency	6	7	7	8	7	5	6	6	II
More marketable	7	6	7	6	8	4	4	5	III
Less Labour	5	5	6	8	5	6	5	4	IV
Low cost	4	7	4	7	7	5	3	5	V
Less Time taking	7	6	7	9	8	4	7	7	I
Ranking	VI	III	III	I	II	VII	IV	V	

3.13 Rural People's Knowledge

Major occupation of the micro-watershed is agriculture and animal husbandry and several indigenous technical know how had been practiced by the villagers of micro-watershed which are listed below. Wide scale adoption of the ITKs in a participatory mode will help to increase and stabilize production in the micro-watershed.

A. In-situ moisture conservation practices

Indigenous/Local knowledge	Technical specification/ Improvements
<ul style="list-style-type: none"> • Summer ploughing is generally done • Summer ploughing with desi plough. 	<ul style="list-style-type: none"> • Summer ploughing is generally done across the slope of the field and sometimes along the slope in the month of April and May for increasing porosity and creating mini surface structure like ridge and furrows • There is less runoff and soil loss due to more infiltration and less evaporation due to breaking of the capillaries and pulverization of soil. • Availability of plant nutrients increases due to decomposition of crop residues, weeds etc. • The summer ploughing with either <i>desi</i> plough (99%) or tractor drawn cultivator (1%) is one of the most common practices in rainfed farming areas of the micro watershed.
<ul style="list-style-type: none"> • <i>Kulying</i> is very common during rabi season: tillage operation by <i>kuly</i> for field preparation of <i>rabi</i> crops like chickpea, lentil etc. <i>Kulying</i> is started in <i>kharif</i> fallow land just after the recession of monsoon. 	<ul style="list-style-type: none"> • <i>Kuly</i> is a bullock drawn blade harrow with blade of 75-90 cm length and weight of 15-20 kg. It can cover 1.5 ha land per day and has service life of 8 to 10 years. It carried out at a depth of 5-7 cm at 8-10 days interval at least 5 to 6 times prior to sowing of <i>rabi</i> crops. • Due to repetitive ploughing, the soil is maintained good tilth and weeds are controlled. • <i>Kulying</i> reduces evaporation losses and maintains soil moisture level by breaking the capillaries and pulverization of soil.
<ul style="list-style-type: none"> • <i>Kulphaing</i> is a common inter-culture operation carried out by <i>kulpha</i> in <i>kharif</i> crops cultivated in black series soils. 	<ul style="list-style-type: none"> • <i>Kulphaing</i> is generally done once or twice during crop growing season, when there is a dry spell. • <i>Kulpha</i> is modified form of <i>kuly</i> for intercultural operation and operated by a pair of bullocks. Generally, two <i>kulphas</i> are operated simultaneously to cover more area per unit time. • The working depth varies from 3-5 cm depending upon the soil condition at the time of operation. It can be manufactured by village artisans and weighs 15-20 kg.
<ul style="list-style-type: none"> • Criss-cross ploughing done twice, firstly along the slope and secondly across the slope. 	<ul style="list-style-type: none"> • The main objectives of criss-cross ploughing is to leave no part of field unploughed, as unidirectional ploughing often leaves some unploughed land between two adjacent furrows, and create a number of criss-cross mini surface water storage structure, which help in increasing the intake opportunity time of water infiltrate into the soil, improve soil moisture and reduce runoff from the field. • At the time of ploughing, farmers divides the whole field into a number of small blocks. The number and size depends upon the size of field and number of ploughs working in the field. • The ploughing is started from the border of field and goes towards centre till a block/field is covered. • Criss-cross ploughing is a very old indigenous tillage practice in the region, which helps in reducing runoff and soil loss.
<ul style="list-style-type: none"> • <i>Bundhi</i> (Earthen bund): formerly farmers of MWS area were doing this work, now this is not 	<ul style="list-style-type: none"> • These structures are generally used to retain upslope water and silt. Retention of water behind the <i>bundhi</i> increases infiltration in the field by enhancing opportunity time, increase soil moisture

in working	<p>regime and reduces runoff and soil loss.</p> <ul style="list-style-type: none"> • If <i>bundhi</i> is intact, there is deposition of silt behind the <i>bundhi</i> due to retention of surface runoff, which converts undulating field into nearly plain/level land, and the reclaimed land becomes more fertile. • <i>Bundhies</i> must be strengthened with grasses and legumes having good soil binding capacity like <i>Dichanthium annulatum</i>, <i>Cenchrus ciliaris</i>, <i>Cynodon dactylon</i>, <i>Stylosanthes hamata</i>, etc. These plants apart from stabilizing the bundhies are also very good source of fodder for the cattle.
<ul style="list-style-type: none"> • <i>Pucca Bandha</i> (Stone): Old <i>pucca bandhas</i> were visible in the area with poor condition, now this is not in working 	<ul style="list-style-type: none"> • MWS programme IWMP will executes this work. • Like <i>bundhies</i>, <i>bandhas</i> retain water and silt, enable uniform distribution of rainwater, which increases infiltration in the field by enhancing opportunity time, increases soil moisture regime, reduces runoff and soil loss, converts undulating field into nearly plain/level land, and makes the land fertile. • Most of these structures are unscientifically constructed, which has resulted in side cutting and damage.

B. Runoff management practices

Indigenous/Local knowledge	Technical specification/ Improvement / Interventions
<ul style="list-style-type: none"> • Talab (Pond) • Talab is an embankment type pond of various sizes (smaller ponds called <i>talai</i>) constructed near human settlements or at depression site of village. 	<ul style="list-style-type: none"> • The structure harvested huge amount of surface runoff, otherwise going waste, and thereby reduces soil loss and increases ground water recharge down below the open/tube well, and meets the water demand for irrigation, animal and domestic consumptions. • Bed silt of the <i>talabs/talais</i> can be used for soil fertility improvement and construction/repair/maintenance of mud houses by the farmers.
<ul style="list-style-type: none"> • <i>Sagar</i> (Submergence bund) are large submergence bunds constructed as a barrier across the slope of catchment with a provision of <i>nikas</i> (sluice) for removing excess water. 	<ul style="list-style-type: none"> • The harvested runoff from catchment is retained during the monsoon season behind the bund to recharge the soil profile. The harvested water is either lost through seepage and evaporation or it is drained out by September/October for sowing of <i>rabi</i> crops in the submerged area. • Deposition of fertile soil and increase in moisture regime gives 70-80% higher <i>rabi</i> crop yields as compare to adjoining land without submergence bund. • MWS programme IWMP will executes this work.

C. Crop production practices and animal husbandry

Indigenous/Local knowledge	Technical specification/ Improvement / Interventions
<ul style="list-style-type: none"> Mixed cropping: lentil, chickpea, durum wheat and wheat crop sown mixed with linseed and mustard in <i>rabi</i>. Sorghum and Arhar mixed crop in <i>kharif</i>. 	<ul style="list-style-type: none"> Crops area growing under set row system without any scientific approach. Crops should be grown under row system. An optimum plant density of different crops should be maintained.
<ul style="list-style-type: none"> Use of <i>Ghurey ki khad</i> (un-decomposed FYM) 	<ul style="list-style-type: none"> Farmers were using un-decomposed farm yard manure, which spread the weeds, insects/pest and disease incidence on the crop. Use of Vermi-compost, NADEP compost, green manuring etc. should be encouraged.
<ul style="list-style-type: none"> Shaking of plant (Pigeonpea) 	<ul style="list-style-type: none"> During attack of <i>H. armigera</i> farmers shaking the plant.
<ul style="list-style-type: none"> Use of Neem leaf & Kernel suspension 	<ul style="list-style-type: none"> During the attack of different insect/pest on crops they use suspension of neem leaf and kernel as well.
<ul style="list-style-type: none"> Use of neem leaf in the storage of pulses and cereals 	<ul style="list-style-type: none"> Neem leaf suspension 10 kg leaf + 20 lit. water boiled when water remains 10 kg. This suspension used to treat the bags, room, windows and door where grains to be stored. Leaf of neem stored in shed for 10-15 days and used for grain storage approximate 50 to 100 gm per quintal of grain. Grains should be fully dry and have only 10-12% moisture in it.
<ul style="list-style-type: none"> Animal husbandry - Use of 8 Badi Ilaichi for adult buffaloes and cow for curing of fever. - Rapeseed/Mustard seed used with curd/matha for gas/aphara in animals 	<ul style="list-style-type: none"> They use 8 badi ilaichi (large cardamum) with 100 gm gur and give two doses, one in the morning and one in the evening. 100 gm Rapeseed/Mustard seed crushed with stone and mixed in 2 lit. curd and matha for aphara and gas problem.

3.14 Problem Identification

During the process of collecting the important information related to the micro-watershed village's socio-economic status and different enterprises practiced by the villagers, certain problems which have adverse effect both directly and indirectly on their economy are identified after having detailed discussion with participatory farmers groups.

3.14.1 Prioritization of problems


Major factor responsible for low yield of all crops of micro-watershed

1. Less water availability
2. Undulating topography
3. Low fertility due to severe water erosion
4. Uncertain and erratic rainfall
5. Low water holding capacity of soils

6. Heavy weed problem at initial stage of crop growth particularly in *kharif*
7. Insect, pest and disease problem
8. Imbalance use of fertilizers
9. Use of local and desi varieties
10. Rat problem at maturity stage

3.14.2 Problem – cause analysis

Lentil is the major crop of the micro-watershed and as such cumulative pulses covers about 79 per cent area. During discussion it was narrated by the farmers of the area that production of lentil and other pulse crops gradually reduced due to the low water availability. Problem mentioned by the farmers were heavy weed infestation at initial stage, wilt problem in all pulses, use of local varieties, insects and pest, imbalance use of fertilizers, etc. Amongst these factors, low water availability is mainly responsible for low yield of all crops. There could be many more problems as mentioned above but of less significance.



3.14.3 Area, production and productivity of kharif/ rabi/ summer season Crop

Area, production and productivity of different crops in the watershed is shown in Table 3.1.

Table 3.4: Area, production and productivity of *kharif/rabi/summer* season crops



S.No.	Name of Crop (Season wise)	Area (ha)	Production (quintal)	Productivity q/ha
1	Til (Sesamum)	750.00	1275.00	1.70
2	Urd	650.00	2210.00	3.40
3	Moong	450.00	1395.00	3.10
4	Arhar	260.00	1638.00	6.30
5	Jawar	280.00	1344.00	4.80
6	Jawar + Arhar	340.00	2584.00	7.60
	Total	2730.00	10446.00	
1	Lentil	1120.00	6328.00	5.65
2	Field Pea	950.00	6887.50	7.25
3	Chickpea	850.00	5406.00	6.36
4	Wheat	1450.00	27187.50	18.75
5	Barley	160.00	2752.00	17.20
6	Linseed + Chickpea (Mixed)	210.00	1648.50	7.85
7	Linseed + Lentil (Mixed)	260.00	1677.00	6.45
8	Mustard / Rai	300.00	1350.00	4.50
	Total	5300.00	53236.50	
	Single crop Area	3770.00		
	Double crop area	2130.00		
	Cropping Intensity		116.74	
3.	Summer Season	Nil	Nil	Nil
4	Home Stead Plantation of Vegetables for domestic use	Round the year some domestic vegetable growing habit present among the farmers		
	(Cucurbits, Cole crops, Egg Plant, Tomato, Potato etc)	40	950	Ave. 23.75

3.14.3 Area, production and productivity of kharif/ rabi/ summer season Crop

Area, production and productivity of different crops in the watershed is shown in Table 3.1.

Table 3.4: Area, production and productivity of *kharif/rabi/summer* season crops

S.No .	Name of Crop (Season wise)	Area (ha)	Production (quintal)	Productivity q/ha	Cost /ha	Rate Rs /ha	Gross Return Rs	Total Cost Rs	Net Return	Net Return /ha	B:C Ratio
1	Til (Sesamum)	750.00	1275.00	1.70	5500	6500	6740500	3355000	3385500	5550	2.0
2	Urd	650.00	2210.00	3.40	7500	4200	7854000	4125000	3729000	6780	1.9
3	Moong	450.00	1395.00	3.10	7750	4600	7415200	4030000	3385200	6510	1.8
4	Arhar	260.00	1638.00	6.30	9580	4350	1918350	670600	1247750	17825	2.9
5	Jawar	280.00	1344.00	4.80	4500	1400	1209600	810000	399600	2220	1.5
6	Jawar + Arhar	340.00	2584.00	7.60	8544	3250	1852500	640800	1211700	16156	2.9
	Total	2730.00	10446.00								
1	Lentil	1120.00	6328.00	5.65	8850	3850	18489625	7522500	10967125	12903	2.5
2	Field Pea	950.00	6887.50	7.25	7520	3200	18560000	6016000	12544000	15680	3.1
3	Chickpea	850.00	5406.00	6.36	7985	3150	14424480	5749200	8675280	12049	2.5
4	Wheat	1450.00	27187.50	18.75	11250	1275	17929688	8437500	9492188	12656	2.1
5	Barley	160.00	2752.00	17.20	9850	1025	4407500	2462500	1945000	7780	1.8
6	Linseed + Chickpea (Mixed)	210.00	1648.50	7.85	9845	3650	3438300	1181400	2256900	18808	2.9
7	Linseed + Lentil (Mixed)	260.00	1677.00	6.45	8954	3860	2738670	984940	1753730	15943	2.8
8	Mustard / Rai	300.00	1350.00	4.50	9586	3650	4106250	2396500	1709750	6839	1.7
	Total	5300.00	53236.50								
	Single crop Area	3770.00									
	Double crop area	2130.00									
	Cropping Intensity		116.74								
3.	Summer Season	Nil	Nil	Nil							
4	Home Stead Plantation of Vegetables for domestic use	Round the year some domestic vegetable growing habit present among the farmers									
	(Cucurbits, Cole crops, Egg Plant, Tomato, Potato etc)	40	950	Ave. 23.75	13000	500	1635000	46800	1167000	32417	3.5



3.15 Analysis of Problem

Table 3.5: Analysis of Problems with Regard to Existing Farming System (EFS)

Sl. No.	Type of enterprises/ commodities	Combi-nation of enter-prises in EFS (P/S/T)	Specific problems with each enterprise	No. of affected persons (%)	Proposed solution	Reasons for non-adoption of proposed solution	Action
1.	Agricultural crops - <i>Irrigated</i> Wheat - <i>Rainfed</i> Wheat Durum Wheat Lentil Field Pea Linseed Mustard	P	Less water availability Low nutrient status affect all crop production Use of old varieties Disease/Insect pest infestation Weed infestation	95	Improved method of crop production & resource conservation	Lack of Interest, Lack of Resource Management	Training & demonstration, Organizing of field days for improved varieties and cultivation practices

	Arhar Sorghum Urd Moong Til						
2.	Horticultural crops - Orchards - Vegetables - Floriculture	S	No Planned Orchards / Vegetable / Floriculture	-	-	-	Need Intensification
3.	Animal husbandry - Cows - Buffalows - Sheep - Goat - Pigs	S S S	Breed degradation, Anestrous problem, and low productivity of animals and fodder	80	Breed improvement through AI, feeding of minerals mixture, Fodder cultivation	Lack of Interest Lack of Resource Management	Training & demonstrations
4.	Fisheries	-	-	-	-	-	-
5.	Sericulture	-	-	-	-	-	-
6.	Poultry	-	-	-	-	-	-
7.	Bee keeping		-	-	-	-	-
8.	Duckeries	-	-	-	-	-	-
9.	Agriculture labour	T	Unskilled labour depends on Agriculture land	-	-	-	-
10.	Any other	-	-	-	-	-	-

P= Primary, S = Secondary, T = Tertiary

CHAPTER – 4

INSTITUTIONAL BUILDING AND PROJECT MANAGEMENT

4.1 Project Implementing Agency

The Project Implementing Agency (PIA) is Soil Conservation Officer, Department of Agriculture N.W. Chirgoan Jhansi and The PIA was given responsibility to develop the micro-watershed by District Watershed Development Unit (WCDC) and State Level Nodal Agency (SLNA) considering its vast experiences in handling land and water management issues in the region. The PIA has well experienced, trained and sufficient staff to handle the watershed management programme efficiently. Most of the staff of PIA has exposure of several watershed projects including Garhkundar-Dabar watershed, which is successfully implemented by NRCAF, Jhansi in Tikamagarh district of Bundelkhand region and identified by Govt. of India as one of the most successful model of watershed in the country. In addition the PIA has access for technical backstopping from the ICAR viz. IGFRI and NRCAF, and KVK located at Jhansi. Details of PIA are presented in subsequent section.

Table- 4.1: Details of Project Implementing Agency

Sr. No.	Particulars of PIA	
1	Name of organization	Department of Agriculture, Uttar Pradesh
2	Designation & Address	Bhoomi Sanrakshan Adhikari, N.W. Chirgaon, District -Jhansi
3	Telephone/Mobil No.	BSA- 09235629644 JE - 09452119449
4	Fax	NA
5	E-mail	NA

Table- 4.2.: Details of Staff at Project Implementing Agency

Sr. No.	Name	Designation	Experience (Years)
1	Shri S. S. Chauhan	B.S.A.	28
2	Shri B.B. Singh	Junior Engineer	29
3	Shri K.K. Khare	Junior Engineer	28
4	Shri Laxman Bhaskar	T.A. Group B	34
5	Shri Rewati Singh	T.A. Group B	33
6	Shri Mahendra Singh Rana	T.A. Group B	33
7	Shri Gulab Singh Yadav	T.A. Group B	32
8	Shri Rama Kant Sharma	T.A. Group B	36
9	Shri C.P. Singh	T.A. Group B	33
10	Shri Santosh Kumar Niranjana	T.A. Group B	32
11	Shri Shambhu Dayal Sharma	T.A. Group B	33
12	Shri Shiv Kumar Sharma	T.A. Group B	32

13	Shri Balak Ram Kushawaha	T.A. Group B	32
14	Shri Hukum Singh Yadav	T.A. Group B	32
15	Shri Soran Singh	T.A. Group C	32
16	Shri Ashok Kumar Gupta	T.A. Group C	15
17	Shri K.K. Sabita	T.A. Group C	33
18	Shri Pramod Kumar Vyas	T.A. Group C	20
19	Shri Jashawant Kumar Nirranjan	T.A. Group C	15
20	Shri Vijay Singh Nirranjan	T.A. Group C	30
21	Shri Rajendra Singh Nirranjan	T.A. Group C	15
22	Shri Shaty Narayan Dixit	T.A. Group C	15
23	Shri Anil Kumar	Accountant	14
24	Shri Ajeet Kumar Singh	Draftman	26
25	Shri Mansa Ram Yadav	Senior Clerk	27
26	Shri Jag Prasad Singh	Casheir	22
27	Shri SatyVeer Singh	Computer Operator	4

Table 4.3: Details of Watershed Development Team (WDTs)

Sr. No.	Name of the PIA	Names of WDT members	M/F#	Age	Qualification / Experience
1.	B.S.A. (N.W.) Chirgaon	Shri S. S. Chauhan	M	55	M.Tec.
		Shri. B. B.. Singh	M	55	Diploma in Agri. Engg.
		Shri K. K.. Khare	M	53	Diploma in Civil. Engg.
		Shri Shaty Narayan Dixit	M	35	B.sc. (Ag)

M – Male, F - Female

4.2 Watershed Committee

The Rora Bakayan Parasa khilla Taharauli khas Bamanua and Madhadilawali micro-watershed will be developed in participatory mode. For the purpose of true participation of community, Watershed Committee (WC) has been elected in general meeting of Gram Sabha. Gram Sabha elected President and Secretary of the committee for smooth function. The By Laws of the WC had been prepared and registration is done under Societies Registration Act XXI, 1860 (certificate enclosed). The WC will follow the By Laws in taking different interventions in the watershed for its sustainable development. SHGs of landless people were also constituted to take up different micro-enterprises. The details of members of WC and SHGs are presented in Table 4.4 and 4.5.

Table- 4.4: Details of Watershed Committees (WC)- Tahrauli Khas

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Kishori Karan S/o Shri Pancham Rajput	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	President
2	Shri Narottam Kumar S/o Shri Krishn Kumar	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Secretary
3	Smt Shusila W/o Shri Munna Lal	House Wife	Village & Post Tahrauli Khas Distt. Jhansi.	Member (SC)
4	Shri Jagdish S/o Shri Hardayal	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (SC)
5	Shri Uday Bhan S/o Shri Sukh Nandan	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (User Group)
6	Shri Ashok Kumar S/o Shri Govind	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (User Group)
7	Shri Brajesh Kumar S/o Shri Param Lalr	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (SHG Group)
8	Shri Jalam S/o Shri Ratan Lal	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (User Group)
9	Smt. Vinita Devi W/o Shri Liladhar	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (SC Gram Panchayat)
10	Shri Narayan Das S/o Shri Sukh Nandan	Agriculture	Village & Post Tahrauli Khas Distt. Jhansi.	Member (User Group)
11	Shri Soran Singh S/o Shri Shambhoo Dayal	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Raura

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Manohar Singh W/o Shri Narayan Dasi	Agriculture	Village Raura Tehsil Tahrauli, Distt. Jhansi.	President
2	Smt Sudha Devi S/o Shri Vir Singh	House Wife	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Shri Ram Lal S/o Shri Laxman Prasad	Agriculture	Village Raura Dhawari, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
4	Shri Ram Din S/o Shri Chhote Lalj	Agriculture	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
5	Shri Vinod Kumar S/o Shri Saraman	Agriculture	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
6	Shri Devi Das S/o Shri Chhndi	Agriculture	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Member(SC SHG, Group)
7	Shri. Shatru Ghan S/o Shri Vetali	Agriculture	Village Raura , Tehsil Tahrauli, Distt. Jhansi.	Member (SC Self User Group)
8	Shri Suresh Kumar S/o Shri Jamuna	Agriculture	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Member (, Self User Group)
9	Shri Durga Prasad S/o Shri Ram Nath	Agriculture	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
10	Shri Rajendra kumar S/o Shri Mal Khan	Agriculture	Village Raura, Tehsil Tahrauli, Distt. Jhansi.	Member (Gram Panchayat)
11	Shri Hukum Singh Yadav S/o Shri Sav Dal Singh	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Parsa

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Mahesh Chandra S/o Shri Shambhu Dayal	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Virendra Singh S/o Shri Laxmi Prasad	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Smt Chhaya Devi W/o Shri Krishna Pal Singh	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member(SC User Group)
4	Shri Nan Ram S/o Shri Kalu	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member(SC User Group)
5	Shri Dharmendra Singh S/o Shri Valvan Singh	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
6	Shri Nirbhan Singh S/o Shri Jagat Singh	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member (SHG User Group)
7	Shri Rakesh Kumar S/o Shri Guljari	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member (SHG User Group)
8	Shri Svarup Singh S/o Shri Raghuvir Singh	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member (Lenless)
9	Shri Thakur Das S/o Shri Pashu Ram	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
10	Shri. Anand Ram W/o Shri Puran Singh	Agriculture	Village Parsa, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
11	Shri Rajendra Singh S/o Shri Parvat	Service	. Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Bamunua

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Bhagawan Das S/o Shri Lukhar	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	President
2	Shri Asha Ram S/o Shri Shiv Din	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Secretary
3	Shri Jamuna Prasad S/o Shri Raghu	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (SC Self Help Group)
4	Shri Karan Singh S/o Shri Bala Ram	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (SC Self Help Group)
5	Smt Raj Kumari W/o Shri Dhu Ram	House Wife	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (Self Help Group)
6	Smt.Madan Lal S/o Shri Braje	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (Women, Self Help Group)
7	ShriPrem Narayan S/o Shri Harju	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (SC)
8	Shri Har Charan S/o Shri Jagdish	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (User Group)
9	Shri Chhimadhar S/o Shri Raghuvir	Labour	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (Landless)
10	Shri Parmole S/o Shri Durjan	Agriculture	Village Bamunua, Tehsil Tahrauli, Distt.Jhansi.	Member (User Group)
11	Shri Vijay Singh Niranjans/o Shri Bal Ram	Service	. Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Madadilawali

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Hasamat Khan S/o Shri Alladin	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Prahalad S/o Shri Prabhu Dayal	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Shri Gur Dayal S/o Shri Tiju	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
4	Shri Santosh Kumar S/o Shri Khushali	Labour	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (Landless)
5	Shri Ashok Kumar S/o Shri Rameshwar	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
6	Shri Shashi Kumar S/o Shri Vir Singh	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (Gram Panchayat)
7	Smt. Vinita Devi W/o Shri Hari Om	House Wife	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (Self Help Group)
8	Shri Rajesh S/o Shri Ram Charan	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (Self Help Group)
9	Shri Ram Nath S/o Shri Guwar	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
10	Shri Parashu Ram S/o Dhanni	Agriculture	VillageMadadilawali, Tehsil Tahrauli, Distt. Jhansi.	Member (Gram Panchayat)
11	Shri Santosh Kumar	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Achausa

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Sultan singh S/o Shri Ranmat singh	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Rameswar S/o Shri Jwala Prasad	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Shri Kailas S/o Shri Patu	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
4	Shri Bablu S/o Shri Maniram	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
5	Smt. Malti Devi W/o Shri Vinod	House Wife	Village Achausa, Tehsil Tahrauli, Distt. Jhansi..	Member (Gram Panchayat)
6	Shri Dwarika Prasad S/o Shri RamPrasad	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi..	Member (Gram Panchayat)
7	Shri Mahadev S/o Ram charan	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	Member (Self Help Group)
8	Shri Balram S/o Shri Latore	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi..	Member (SC)
9	Shri Sundar S/o Shri Nathuram	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	Member (Woman)
10	Shri Rampal S/o Shri Jhandu Lal	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi..	Member (Landless)
11	Shri Ramesh Prasad S/o Shri Ghurake	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
12	Shri Narayan Das S/o Shri Phode	Agriculture	Village Achausa, Tehsil Tahrauli, Distt. Jhansi..	Member (SC)
13	Shri Santosh Kumar	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Atarsuva

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Jagdis Pradas S/o Shri Mohan Lal	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Harish kumar S/o Shri Ramswaroop	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Shri Pramnarayan S/o Shri Junde	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (User Group)
4	Shri Hariom S/o Shri Parushuram	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (User Group)
5	Shri Parushuram S/o Shri Ramnarayan	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (SC)
6	Shri Mahendra S/o Shri Mansingh	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (SC)
7	Shri Kishori S/o Shri Harivansh	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (SC)
8	Shri Gajraj S/o Shri Matadin	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
9	Smt. Rasmi W/o Shri Ramgopal	House Wife	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (Landless, SC)
10	Shri Santosh Kumar S/o Shri Summer	Agriculture	Village Atarsuva, Tehsil Tahrauli, Distt. Jhansi	Member (SC)
11	Shri Santosh Kumar	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

PiPara

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Antim kumar S/o Shri Hajari	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	President (SC)
2	Shri Rajnarayan S/o Shri Manpyare	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Shri Mava Lal S/o Shri Guman	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi..	Member (SC)
4	Shri Chand Khan S/o Shri Satole khan	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Member (User Group)
5	Shri Jairaj S/o Shri Guvindi	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
6	Shri Rajiv kumar S/o Shri harcharan	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
7	Shri Ramsevak S/o Shri Laxaman	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Member (ST)
8	Shri Ramsevak S/o Shri Chhimadhar	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
9	Shri jay Prakash S/o Shri Param	Agriculture	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
10	Smt. Guddi devi W/o Shri Gulab singh	House Wife	Village 'Pipara, Tehsil Tahrauli, Distt. Jhansi..	Member (Gram Panchayat)
11	Shri Santosh Kumar	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Tahrauli Kila

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Hind S/o Shri Ramesh Prasad	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Dan singh S/o Shri Ram dayal	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Smt. Ashok kumari W/o Shri Sahab singh	House Wife	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
4	Shri Bharat Lal S/o Shri Desh raj	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
5	Smt. Mardana bagam W/o Shri Ershad Ali	House Wife	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
6	Shri shri Ram S/o Shri Manne	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
7	Shri Brajlal S/o Shri Magan Lal	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
8	Shri Santosh S/o Shri Shyam Lal Pal	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
9	Shri Prabhu dayal S/o Shri harivansh	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
10	Shri Raju S/o Shri Dyaram	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
11	Shri Balram S/o Shri Lala ram	Agriculture	Village Tahrauli Kila , Tehsil Tahrauli, Distt. Jhansi	Member (Self User Group)
12	Shri Santosh Kumar	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Baghaira

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Kailash Narayan S/o Shri Daniram	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Sudhir kumar S/o Shri Ram kisor	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi	Secretary
3	Shri Bahadur singh S/o Shri Chatu singh	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
4	Smt. Kastiri Devi W/o Shri Ram Kisor	House Wife	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi .	Member (Self User Group)
5	Shri Virendra S/o Shri Darele	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi	Member (SC)
6	Shri Nandu S/o Shri Ghansu	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi	Member (SC)
7	SmtKapuri Devi W/o Shri Vraj Lal	House Wife	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi	Member (SC)
8	Shri Lal singh S/o Shri Vanmali	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
9	Shri Sanjay Ram S/o Shri Sita Ram	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
10	Shri Radhanjit Singh S/o Shri Govind Singh	Agriculture	Village Baghaira , Tehsil Tahrauli, Distt. Jhansi	Member (Self User Group)
11	Shri Ashok Kumar Gupta S/o Shri Ram Prakash	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Khilla Bari Bujurg

Sr. No.	Name & Father's Name	Occupation	Complete Address	Post
1	Shri Hari Prakas S/o Shri Halkai	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	President
2	Shri Parmole S/o Shri Jagan	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Secretary
3	Shri Durgae S/o Shri Sumer	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
4	Smt. Chatti Raja W/o Shri Pahadh singh	House Wife	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member
5	Shri Jeevan S/o Shri Deshraj	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member
6	Shri Raghuvir S/o Shri Ramdin	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member
7	Shri Gomati S/o Shri Parmole	House Wife	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
8	Shri kishori S/o Shri Tuduu	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi..	Member (Self User Group)
9	Shri GotiRam S/o Shri Thakur Das	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member (SC)
10	Shri Avadh kishor S/o Shri Ramsevak	Agriculture	Village KhillaBari Tehsil Tahrauli, Distt. Jhansi.	Member (Self User Group)
11	Shri Ashok Kumar Gupta S/o Shri Ram Prakash	Service	Office- BSA, N.W. Department of Agriculture Chirgoan Jhansi	Member

Table-4.5: Details of self help groups (SHGs) in the project area

Sr. No.	Name of the Gram Panchayat	Details of the SHGs	
		No. of SHGs	Major Activity
1	Achausea	02	Goat, dairy, seed production, vermi-compost
2	Madadilawari	02	Seed production unit, mini dal mil
3	Pipara	01	Masala making unit, rope making unit, nursery
4	Baghaira	02	Organic farming, nursery
5	Atar suan	02	Seed production unit, mini dal mil
6	Bamunua	02	Pattal dona unit, goat Masala making unit, , nursery
7	Bervai	01	Organic farming, nursery
8	Taharauli Khash	02	Goat, dairy, seed production, vermi-compost
9	Taharauli Kalan	01	Seed production unit, mini dal mil
10	KhillaBari bujurgh	02	Pattal dona unit, goat Masala making unit,
11	Raura	03	Goat, papad unit

Table-4.5: Details of self help groups (SHGs) in the project area

Sr. No.	Name of the village	Details of the SHGs				Date of Formation of SHG
		Name of SHG	Gram Panchayat	Major Activity	Name of President, Secretary	
1.	Achausea	Jai Ma Durgey SHG	Achausea	Goat rearing	Sri Deeraj Sri Ram Kumar	25.07.2010
2.	Madadilawari	Jai Kanshi Ram SHG Sivaji Krashak SGH	Madadilawari	Goat rearing	Sri Ram Prakash Sri Pram Narayan	25.11.2012
3.	Baghaira	Jai Bajrang Bali SHG	Pipara	Dairy	Sri Ram Kumar Sri Ramswar	25.07.2010
4.	Atar suan	Maha Rani LakshiBai SHG	Baghaira	Tailoring & Weaving	Smt Kriti Devi Smt Bhuwan	25.07.2010
5.	Bamunua	Dr Bheem Rao Ambedkar SHG	Atar suan	Goat rearing and Kids unit	Sri Neeraj Sri Ayodhya Prasad	25.07.2010
6	Bervai	Om sai krapa SHG	Bamunua	Pattal dona unit	Sri Ravindra Kumar Sri Gari Shankar	25.12.2012
7	Taharauli Khash	Dr Bheem Rao Ambedkar SHG	Bervai	Goat rearing and Kids unit	Sri Neeraj Sri Ayodhya Prasad	20.12.2012
8	Taharauli Kalan	Jai Bajrang Bali SHG	Taharauli Khash	Pattal dona unit	Sri Ravindra Kumar Sri Gari Shankar	18-12-2012
9	KhillaBari bujurgh	Dr Bheem Rao Ambedkar SHG	Taharauli Kalan	Goat rearing and Kids unit	Sri Neeraj Sri Ayodhya Prasad	10-12-2012
10	Raura	Jai Bajrang Bali SHG	KhillaBari bujurgh	Pattal dona unit	Sri Ravindra Kumar Sri Gari Shankar	28-12-2012
11	Achausea	Jay shri sidhnath SHG	Raura	Goat rearingt	Sri Babu Lal Sri Sundar	20.11.2012

Table-4.5: Details of self help groups (SHGs) in the project area

Note: List of different activities is mentioned in Chapter 7 with detailed analysis.

Sr. No.	Gram Panchayat	Name of SHG	Proposed Activity	Name of Secretary & President	Status of SHG
1.	Achasa	Jai Maa Gaurea SHG	Goatary	Sri Sultan singh Sri Rameswar dyal	Under working need assistance
2.	Madadilawari	Jai GadhheSh SHG	Papad Making Unit and Mini Dal Mill	Smt. Geeta davi Smt. Meera devi	Under working need assistance
3.	Baghaira	Jai Maa Kali SHG	Papad Making Unit and Vermi Unit	Smt. Savitri Devi Smt Mamata Devi	Under process
4.	Atar suan	Dr. Ambedkar SHG	Goatary Dairy	Sri Ram kisan Sri Kamalesh	Under working need assistance
5.	Bamunua	Om Sai Krapa SHG	Pattal Dauna Making Unit	Sri Ravindra Sri Gauri shankar	Under working need assistance
6	Bervai	Shera Wali SHG	Goatary Dairy & weaving	Sri Vinod Sri Ashok dube	Under working need assistance
7	Taharauli Khash	Dr. Bhim rao Ambedkar	Tent house	Sri Om Prakash Sri Kraparam	Under working need assistance
8	Taharauli Kalan	Swami vivekanand	weaving Tailoring and Seed Bank	Sri Ram Prakash Sri Shukh Lal	Under working need assistance
9	KhillaBari bujurg	Jai Thakur Baba SHG	Goatary Dairy & weaving	Sri Prakash Sri Pushpendra	Under working need assistance
10	Raura	Jai Maa Durge SHG	Goatary Dairy	Sri Virendra Sri Govinddas	Under working need assistance

4.3 Central/State sponsored schemes

Several programmes are running in the area which are sponsored by Central and State Govt. and could be converged with watershed programmes. Some of them are listed in Table 4.6.

Table 4.6: List of Central/State sponsored schemes

S.No.	Name of Programme	Implementing Agency	Objectives of the Programme	Project Cost
1	Seed Distribution Programme (Pulse Development & ISOPAM)	U.P. Agriculture Deptt.	To increase seed replacement ratio for higher productivity	25,000/ year/village
2	Pump set Distribution (Food Security Mission)	Agriculture Deptt.	Providing irrigation	10,000 per farmer
3	Training Programme	Agriculture Deptt., KVK	Capacity building of the farmers	-
4	HDPE pipe	Agriculture Deptt.	Errigation	50%
5	National Horticulture Mission (NHM)	Horticulture Deptt.	Increasing the area under fruits and vegetables	-
6	Sanitation Programme	Gram Vikash	To make hygienic condition in the rural areas	-
7	Mid Day Meal	Gram Panchayat (DSO)	To provide education to all children without hunger	-
8	MGNERGA (Bunding, Farm Pond, Adarsh Jalashay, Blast well, Chakroad, etc.)	Gram Panchayat	To provide work to the all village personnel under the rojgar guarantee yojana	-
9	ATMA	U.P. Ag. Deptt.	Horizontal spread of improved technologies	-

CHAPTER - 5

MANAGEMENT/ACTION PLAN

5.1 Preparatory Phase

Over exploitation of existing vegetation, expansion of agricultural activities on non-arable lands without due care of soil and water conservation and faulty cultural practices on medium to shallow deep black soils have resulted in wide spread erosion and land degradation. In many of the areas the parent rock is exposed. Even most of the agricultural lands have been converted to wasteland. Due to reduction in vegetal cover and no provision for surface water storage, all the rain water goes off, as such, ground water recharge is negligible causing slow growth of trees and low yield of crops. This situation can certainly be corrected by *in-situ* water harvesting and planting of trees on field bunds and wastelands. Thus, not only degradation process can be checked but also sustainable development can be achieved.

Watershed development has been agreed as the best approach for natural resource management through out the world. However, in the past certain watershed based development projects did not yield desired benefits because of partial treatments in catchments. This project envisages investigating location specific technologies for successful rehabilitating degraded lands in Bundelkhand region.

Integrated approach of development involving diverse societies through active people's participation has been visualized as key to success in overall development of rural society. Following principles have been taken into account before preparing technical plan:

- Land capability classes and agro-climate of the region
- Measures to arrest land degradation
- Maximizing opportunity time for rain drops to facilitate deep infiltration into soil for better moisture conservation *in-situ* and ground water recharge.
- Rain water harvesting and surface storage of rain water
- Safe disposal of excess water
- Ensuring permanent vegetal cover as ultimate saviour of land and water and ensuring availability of fruit, fodder, fuel and small timber from the watershed
- Crop diversification and increasing cropping intensity.
- Maximizing productivity through improved package of practices
- Generation of employment
- Increasing economic returns
- Encouraging participatory rural approach and improvement in existing know-how of farmers
- Encouraging agro-based, house hold and self employment programmes so as to benefit landless people
- Cost effective and low input requiring technology
- Technology giving early dividends

- Suitable distribution of selected technology among the beneficiaries

The details of Preparatory Phase, Works Phase and Convergence planning are described in subsequent section

5.1.1 Entry Point Activities (EPA)

Entry point activities were executed with the consent of stake holders and it helped in winning the confidence of the villagers for moving ahead the other programmes of watershed. In total 18 EPA activities were executed in the project area which costed Rs. 20.328 Lakh

5.1.2 Institutional and Capacity Building

The details are available in Chapter 6.

5.2 Works Phase

Runoff

Design of any erosion measures is mainly dependent on runoff from a catchment. Therefore, estimation of probable runoff from any catchment is the first step towards designing and construction of soil and water conservation measures. Runoff is drainage of precipitation from a catchment, which flows out through its natural drainage system. After the occurrence of infiltration and other losses from the precipitation, the excess rainfall flows out through the small natural channels on the land surface to the main drainage channel. Such types of flows are called surface flows. A part of the infiltrated rainwater moves parallel to land surface as subsurface flow, and reappears on the surface at certain other points. Such flows are called interflows. The other part of the infiltrated water percolates downwards to ground water, and moves laterally to emerge in depressions and rivers, and joins the surface flow. This type of flow is called the subsurface flow or ground water flow.

Runoff is a rainfall driven process and depends upon biophysical characteristics of the catchments. Runoff estimation includes its volume and peak rate of flow volume. In designing spillways and outlets or waterways, peak rate of runoff is required while for assessing the storage in earthen dam, tanks and ponds etc. the estimates of runoff volumes are required. Another important variable of interest in drainage line treatment is the flow velocity that is required for determining scour pattern in the river bed and along the banks. In this way, various characteristics parameters of runoff are required for the design of soil and water conservation structures.

Methods of Runoff Computation

There are many methods available for runoff estimation. The most commonly adopted methods are the Curve Number method of the Soil Conservation Service of the USDA for estimation of both excess runoff volume and peak flow rate and the Rational method for the peak flow rate. Many empirical relationships are also widely used for estimation of flow rates. Runoff of the watershed was estimated using Curve Number Method.

Curve number method

The Curve Number method was developed for the determination of the rainfall excess of agricultural watersheds, on per storm basis.

$$Q = \frac{(p - 0.2S)^2}{P + 0.8S}$$

Where, Q= direct runoff, mm
P= storm rainfall, mm
S= a parameter for surface retention
The parameter S is defined as

$$S = \frac{25400}{CN} - 254$$

Where, CN = an arbitrary curve number varying from 0 to 100

The amount of rainfall (P) is also affected by duration. For design considerations, maximum runoff volume is required. It is established that minimum storm duration for flood estimation can be taken as 6 hours. But in certain conditions design rainfall for greater durations can also be taken.

Estimation of Runoff from the Watershed

Runoff from the watershed is estimated by Curve Number method of the Soil Conservation Service of the USDA using 18 years data (1990-2009) with a gap of 2005 and 2006). It is estimated that runoff potential of the project area is 141 mm, equivalent to 17 per cent of average annual rainfall. On the basis of runoff estimated, engineering measures were designed. The works related to natural resource conservation, production system and livelihoods are described in subsequent sections:

5.2.1 Natural resources conservation (Soil and moisture conservation measures, rain water harvesting and water resource development)

To control the damaging runoff which is a cause of erosion from agricultural as well as non agricultural lands, structural measures are required. Following measure are recommended for watershed development in arable and non arable land. The estimate and detailed design of all kinds of interventions are given in Chapter 10. However, summary of physical and financial requirement of different activities is given at the end of this chapter and its yearwise phasing has been given in Chapter 7.

5.2.1.1 Engineering measures for degraded agricultural lands

- Contour bund/field bunds/graded bunds with suitable surplusing arrangements are proposed to prevent erosion of natural resources and improved the moisture regime of having slope 0-3 per cent.
- Marginal/peripheral/submergence bunds with suitable surplusing arrangements are proposed to prevent erosion of natural resources from agricultural lands having slope in the range of 3 to 5 per cent.
- Earthen checkdams/gully plugs /water harvesting bund with suitable weir structures are proposed to conserve runoff and prevent erosion.
- In the lower reach of the watershed, vegetative bunds of vetiver, munj, and other locally available grasses will be taken up.
- Excess runoff will be disposed off safely from the fields through grassed water ways and suitable structures.
- Well recharging units
- Field drainage structures

5.2.1.2 Agronomical measures for agricultural lands

Agronomical measures like contour farming, crop geometry, mulching, deep ploughing, strip, mixed and intercropping, crop rotation and residue management will be taken care in the watershed development programme.

5.2.1.3 Conservation measures for wastelands/ degraded lands/forest areas

To rehabilitate the wasteland/degraded lands/forest areas, vegetative barriers, all types of gully pluggings including drop spillways, installation of gabions, etc. are describes in subsequent section.

- **Vegetative barriers:** It will be introduced to prevent soil erosion.

- **Gully plugging**

It has been observed that the plugging of gullies is very much effective in grade control and gully stabilization as well as ground water recharge. Gully plugs which are categorized as temporary, semi-permanent and permanent will be constructed in the watershed.

The watershed is having number of wells, which is ultimate source of drinking and irrigation water supply. These shallow open dug wells' recovery is dependent on perched water. The ephemeral streams of the watershed offer an opportunity to check and store surface water. By checking these streams, wells in the down slope get recharged faster and ultimately more and more area can be brought under irrigation. Following structures have been proposed in the scheme to augment water resources.

- **Gabion**

NRCAF, Jhansi has demonstrated the effectiveness of the gabion for soil and water conservation at Garhkundar-Dabar watershed in Teekamgarh district of M.P. in Bundelkhand region. The Centre has also imparted trainings for fabrication/installation of gabions to the NGOs. Gabions are being widely used for construction of soil conservation structures now a days. Gabion is large mesh boxes of different sizes, generally rectangular in shape and filled with stones larger than the mesh openings. Galvanized iron wire of 8-10 gauge thickness is used in the fabrication of wire nets and the mesh size is generally kept 10-15 cm. Gabion structures have long life (20-25 years) almost similar to cement permanent structures.

Gabions constructions have the following advantages over the cement ones :

1. Flexibility: In uneven sinking foundation gabions can be bending without breaking, whenever there is some unequal settlement in the foundation. These structures do not collapse like rigid structure.
2. Permeability: Gabion structure is highly permeable and act as self draining units. Seepage or base flow is easily drained off by them and thus structure is safer against hydrostatic pressure.
3. Stability: A gabion is a heavy gravity unit, able to withstand earth thrust.
4. Economy: Gabion structures are comparatively cheaper than concrete structure.
Fabrication of a gabion of 3 cum requires about 28-30 kg of GI wire and its fabrication and installation in the field may be done by 8 semi skilled labours. The details are given in Table 5.1.

Table 5.1: Estimate for fabrication of a gabion (3 m³) and its installation in the watershed

S. No.	Material	Quantity	Rate (₹)	Amount (₹)
1.	G.I.Wire 8-10 gauge	30 kg	45.00/kg.	1350.00
2.	Stone / Boulders	4.5 cum	700.00/cum	3150.00
3.	Labour for fabrication and its laying	8 Semi Skilled	150.00/mandays	1200.00
	Total			5700.00

The detailed technical design and estimates of these structures are given in Chapter 11. Capacity survey of the sites of weir structures was conducted and analyzed for water storage and submergence area using software Surfer. The details of the study are presented in Chapter 7.

5.2.2 Production System Interventions

To improve the production and productivity of different crops in the project area, first of all analysis of gaps in the production technologies for cereals, pulses and oilseeds have to be identified. Following gap analysis has been worked out for different catagories of crops.

Gap analysis in cultivation of Pulses (Urd, Moong and Arhar): Kharif Season

Sl. No.	Items of package	Recommended practice	Existing practice	Gap in adoption (F/P/N) (*)	Specific reasons for the gap (**)	Farmer proposed strategy (***)
01	Varieties	Improved variety as per recomendetion	Old seeds	P	1 & 2	1 & 2
02	Seed rate (per ha.)	As per crop wise recomendation	As per crop wise recomendation	N	N	N
03	Seed treatment	According to problem as fungicides and rizobium	-	F	1	1 & 2
04	Organic manure (tons /ha)	FYM 150-200 NADEP compost – 60-70 Vermicompost – 25-30	Use undecomposed matter	F	1	1 & 2
05	<u>Fertilizer / nutrient (kg/ha)</u> - Basal (N+P+S)	20:40:40(N:P:K) (Use	N	F	1, 2 & 5	1, 2, 3 & 5

	- Top dress (N)	SSP for P)		F		
06	<u>Micro nutrient (specify) :</u> - Dose (kg/ha) - Method of application	2-3 kg witable sulphur or 2q zypsum	-	-	-	-
07	<u>Pest management</u>	IPM	Only chemical	P	1	1 & 2
08	<u>Disease management</u>	IPM	Only chemical	P	1	1 & 2
09	<u>Weed management</u> - Mechanical - Herbicide	Hand weeding Pedimethaline 3.3 lit /ha	No hand weeding -	F	1	1&2
10	Any other	-	-	-	-	-
11	<u>Average Yield (Q / ha.)</u> - Grain - Timber	16- 30 q/ha 15 q/ha	9.10 q/ha Burning	F F	1 1	1&2 1 & 2

(*) **F = Full**

P = Partial

N = Nil

** Code for specific reasons for gap in adoption

1- Lack of knowledge about appropriate practices

2- Lack of organic carbon in the soil

3- Lack of knowledge about plant protection measurer

4- Lack of appropriate varieties according to climatic zone.

5- Non-availability of inputs.

*** Code for farmer proposed extension strategy

1- Training of appropriate soil fertility management

2- Demonstration of balance fertilizer, use of biofertilizer,

Use of micro nutrients and new seeds

3- Linkage with credit societies.

1- Exposure visit same climatic zone institute as

Jabalpur Indore.

5- Availability of inputs zinc sulphate, MOP.

Gap Analysis in cultivation of Pulses (Pea, Gram and Lentil)- Rabi Season

Sl. No.	Items of package	Recommended practice	Existing practice	Gap in adoption (F/P/N) (*)	Specific reasons for the gap (**)	Farmer proposed strategy (***)
01	Varieties	Improved variety as per recomendetion	Old seeds, Awarodhi	P	1 & 2	1 & 2
02	Seed rate (per ha.)	80 kg	100 kg	P	1	1
03	Seed treatment	According to problem as	-	F	1	1 & 2

		fungicides and rizobium				
04	Organic manure (tons /ha)	FYM 150-200 NADEP compost – 60-70 Vermicompost – 25-30	Use undecomposed matter	F	1	1 & 2
05	<u>Fertilizer / nutrient (kg/ha)</u> - Basal (N+P+K) - Top dress (N)	20 : 60 : 40 2% foliar spray of Urea	100 kg DAP	F F	1, 2 & 5	1, 2, 3 & 5
06	<u>Micro nutrient (specify) :</u> - Dose (kg/ha) - Method of application	Use of sulphur (2q zypsum or 3kg wittable sulphur)	Nil	F	1	1 & 2
07	<u>Pest management</u>	IPM	Only chemical	P	1	1,2&5
08	<u>Disease management</u>	IPM	Only chemical	P	1	1,2&5
09	<u>Weed management</u> - Mechanical - Herbicide	Hand weeding Pedimethaline 3.3 lit /ha	No hand weeding -	F	1	1&2
10	<u>Water management :</u> - Number of irrigations - Method of irrigation	01 Check, basin, sprinkler	Nil -	P	3 & 4	1 & 2
11	Method of harvesting	Manual	Manual	N	N	N
12	Any other	-	-	-	-	-
13	<u>Average Yield (Q / ha.)</u> - Grain - Fodder/ Bio- Moss	20-25 q/ha 15 q/ha	9.10 q/ha Burning	F F	1 1	1&2 1 & 2

Gap analysis in cultivation of Oilseeds (Soybean, Groundnut and Til): - Kharif Season

Sl. No.	Items of package	Recommended practice	Existing practice	Gap in adoption (F/P/N) (*)	Specific reasons for the gap (**)	Farmer proposed strategy (***)
01	Varieties	Improved variety as per recomendation in Bundelkhand (zone 6)	Old seeds	F	1& 2	1 & 2
02	Seed rate (per ha.)	As per crop wise recomendation	As per crop wise recomendation	Nil	Nil	Nil
03	Seed treatment &	Thiuram 2.5 gm / kg of	No	F	1	1 & 2

	Soil treatment	seed Azatobactor + PSB	No	F		
04	Organic manure (tons /ha)	FYM 150-200 NADEP compost – 60-70 Vermicompost – 25-30	Use undecomposed matter	F	1	1 & 2
05	<u>Fertilizer / nutrient (kg/ha)</u> - Basal (N+P+K) - Top dress (N)	80 : 60 : 40 Use SSP for P	As mixed crop (No fertilizer)	F F	1, 2 & 5	1, 2
06	<u>Micro nutrient (specify) :</u> - Dose (kg/ha) - Method of application	Use of sulphur (2q zypsum or 3kg wittable sulphur)	Nil	F	1	1 & 2
07	<u>Pest management</u>	IPM	Only chemical	F	1	1 & 2
08	<u>Disease management</u>	IPM	Only chemical	F	1	1 & 2
09	<u>Weed management</u> - Mechanical - Herbicide	Hand weeding	No hand weeding -	F	1	1
10	Any other	Intercropping line (1 : 3)	No	F	1	1
11	<u>Average Yield (Q / ha.)</u> - Grain - Fodder/ Bio- Moss	18-20 q/ha 5 q/ha	9.10 q/ha -	F F	1 1	1 1

Gap analysis of Oilseeds (Rai, Mustard and Toria): Rabi Season

Sl. No.	Items of package	Recommended practice	Existing practice	Gap in adoption (F/P/N) (*)	Specific reasons for the gap (**)	Farmer proposed strategy (***)
01	Varieties	Improved variety as per recomendetion	Old seeds	F	1& 2	1 & 2
02	Seed rate (per ha.)	As per crop wise recomendation	As per crop wise recomendation	Nil	Nil	Nil
03	Seed treatment & Soil treatment	Thirum 2.5 gm / kg of seed Azatobactor + PSB	No No	F F	1	1 & 2
04	Organic manure (tons /ha)	FYM 150-200	Use undecomposed	F	1	1 & 2

		NADEP compost – 60-70 Vermicompost – 25-30	matter			
05	<u>Fertilizer / nutrient</u> (kg/ha) - Basal (N+P+K) - Top dress (N)	80 : 60 : 40 Use SSP for P	As mixed crop (No fertilizer)	F F	1, 2 & 5	1, 2
06	<u>Micro nutrient (specify) :</u> - Dose (kg/ha) - Method of application	Use of sulphur (2q zypsum or 3kg wittable sulphur)	Nil	F	1	1 & 2
07	<u>Pest management</u>	IPM	Only chemical	F	1	1 & 2
08	<u>Disease management</u>	IPM	Only chemical	F	1	1 & 2
09	<u>Weed management</u> - Mechanical - Herbicide	Hand weeding	No hand weeding -	F	1	1
10	Any other	Intercropping line (1 : 3)	No	F	1	1
11	<u>Average Yield (Q / ha.)</u> - Grain - Fodder/ Bio- Moss	18-20 q/ha 5 q/ha	9.10 q/ha -	F F	1 1	1 1

Gap analysis in cultivation of Cereals (Jowar, Bajra and Maize):-Kharif Season

Sl. No.	Items of package	Recommended practice	Existing practice	Gap in adoption (F/P/N) (*)	Specific reasons for the gap (**)	Farmer proposed strategy (***)
01	Varieties	Improved variety as per recomendetion in Bundelkhand (zone 6)	Old seeds	F	1& 2	1 & 2
02	Seed rate (per ha.)	As per crop wise recomendation	As per crop wise recomendation	Nil	Nil	Nil
03	Seed treatment & Soil treatment	Thirum 2.5 gm / kg of seed Azatobactor + PSB	No No	F F	1	1 & 2
04	Organic manure (tons /ha)	FYM 150-200 NADEP compost – 60-	Use undecomposed	F	1	1 & 2

		70 Vermicompost – 25-30	matter			
05	<u>Fertilizer / nutrient (kg/ha)</u> - Basal (N+P+K) - Top dress (N)	80 : 60 : 40 Use SSP for P	As mixed crop (No fertilizer)	F F	1, 2 & 5	1, 2
06	<u>Micro nutrient (specify) :</u> - Dose (kg/ha) - Method of application	Use of Zinc sulphate (25kg)	Nil	F	1	1 & 2
07	<u>Pest management</u>	IPM	Only chemical	F	1	1 & 2
08	<u>Disease management</u>	IPM	Only chemical	F	1	1 & 2
09	<u>Weed management</u> - Mechanical - Herbicide	Hand weeding	No hand weeding -	F	1	1
10	<u>Average Yield (Q / ha.)</u> - Grain - Fodder/ Bio- Moss	25-30 q/ha 150 q/ha	9-10 q/ha 100 q/ha	P P	1 1	1 1

Gap analysis in cultivation of cereals (Wheat and Barley):-Rabi Season

Sl. No.	Items of package	Recommended practice	Existing practice	Gap in adoption (F/P/N) (*)	Specific seasons for the gap (**)	Farmer proposed strategy (***)
01	Varieties	Improved variety as per recommendation in Bundelkhand (zone 6)	Old seeds	F	1 & 2	1 & 2
02	Seed rate (per ha.)	As per crop wise recommendation	2 time seed used	P	2	2
03	Seed treatment & Soil treatment	Thiuram 2.5 gm / kg of seed Azatobactor + PSB	No No	F F	1	1 & 2
04	Organic manure (tons /ha)	FYM 150-200 NADEP compost – 60-70 Vermicompost – 25-30	Use undecomposed matter	F	1	1 & 2
05	<u>Fertilizer / nutrient</u>					

	(kg/ha) - Basal (N+P+K) - Top dress (N)	120:60:40 Half dose of N	100:40:00	P F	1, 2 & 5	1, 2
06	<u>Micro nutrient (specify) :</u> - Dose (kg/ha) - Method of application	Use of Zinc sulphate (25kg)	Nil	F	1	1 & 2
07	<u>Pest management</u>	IPM	Only chemical	F	1	1 & 2
08	<u>Disease management</u>	IPM	Only chemical	F	1	1 & 2
09	<u>Weed management</u> - Mechanical - Herbicide	Hand weeding	No hand weeding -	F	1	1
10	<u>Average Yield (Q / ha.)</u> - Grain - Fodder/ Bio- Moss	25-30 q/ha 150 q/ha	9-10 q/ha 100 q/ha	P P	1 1	1 1

Crop improvement programme will be taken up on farmer's field with participatory approach on pulses, oilseeds, cereals, etc. Improved package of practices will be demonstrated on farmer's fields. Application of recommended doses of fertilizers, pesticides, weedicides and other practices to the crops was not practiced in the area and farmers rarely use these practices in integrated and balanced manner. For the improvement of productivity integrated crop management, integrated pest management and integrated nutrient management demonstrations should be included in the programme. To improve the productivity following should be followed:

- Placement of basal dose of fertilizers at 8-10 cm depth in the root zone
- Application of multi-nutrient fertilizers to supplement the need of sulphur and other nutrients.
- Intercropping: Recommended intercropping systems like sorghum + pigeon pea, pigeon pea + black gram and soybean + pigeon pea are promising only under normal monsoon condition. Their productivity declines significantly if the monsoon gets delayed up to first week of August. Castor + green gram intercropping is an efficient intercropping system for delayed monsoon condition in black soil. Following intercroppings can be tried to improve the productivity of the system.

Sorghum + Pigeon pea Intercropping

- Sorghum is one of the prominent *kharif* crops of this rainfed MWS
- As the rooting pattern and date of maturity between the sorghum and pigeon pea differ, the two crops show good compatibility when grown together. Sorghum is harvested after 100 to 110 days while pigeon pea matures in 230 to 240 days.
- The legume crop of pigeon pea helps in maintaining soil fertility.
- Sorghum + pigeon pea intercropping is the most promising cropping system for normal monsoon rainfall and even under aberrant weather condition in Bundelkhand region in black soil series.
- The crop should be sown in 1:1 row ratio during last week of June to first week of July as per monsoon occurrence.
- The intercropping system is suitable for rainfed farming in Jhansi district as well as for Micro-watershed of black soil series.

Pigeon pea + black gram Intercropping

- Pigeon pea and black gram are the prominent *kharif* crops of this rainfed MWS
- As the rooting pattern and date of maturity between the black gram and pigeon pea differ, the two crops show good compatibility when grown together. Black gram is harvested after 90 to 100 days while pigeon pea matures in 230 to 240 days.
- Both the legume crop of pigeon pea and black gram helps in maintaining soil fertility.
- Pigeon pea + black gram intercropping is the most promising cropping system for normal monsoon rainfall and even under aberrant weather condition in Bundelkhand region in black soil series.
- The crop should be sown in 1:2 row ratios during last week of June to first week of July as per monsoon occurrence.
- The intercropping system is suitable for rainfed farming in Jhansi district as well as for micro-watershed of black soil series.

Soybean + Pigeon pea Intercropping

- Soybean is the new *kharif* crops for this areas where soil is black and has moisture and life saving irrigation near the water harvesting structures.
- As the rooting pattern and date of maturity between the soybean and pigeon pea differ, the two crops show good compatibility when grown together. Soybean is harvested after 110 to 120 days while pigeon pea matures in 230 to 240 days.
- The crop should be sown in 2:1 & 3:1 row ratios during last week of June to first week of July as per monsoon occurrence.

Castor + green gram intercropping

- Castor + green gram intercropping is an efficient intercropping system for delayed monsoon condition as emerged in last five years.
- Castor is a long duration (220-230 days) non-edible crop which grows well under rainfed condition with little effect on its productivity due to delayed sowing upto first week of August than other crop in the area.
- Unlike castor, green gram (*Mung bean*) is a fast growing (65-70 days duration) legume, which escapes competition with castor and is suited well for delayed monsoon conditions.
- Castor and green gram should be sown in separate rows across the slope in 1:2 ratio i.e. 30 cm apart so that the distance between two castor rows remains 60 cm. This would minimize erosion hazard under field conditions.
- This system provides excellent vegetative cover on the ground and reduces runoff and soil loss and improving soil fertility status. It provides employment for 93-95 man-days.

Vegetables and spices

Vegetables and spices were not being grown on commercial scale in the watershed villages. Therefore, it is decided to promote cultivation of onion, garlic, tomato, brinjal, cucurbits, chilies, turmeric and isabgol in areas for income and nutritional security.

Fodder cultivation

Scarcity of fodder in the area emerged as one of the major concern of the watershed community during PRA exercise. Therefore, in addition to the development of community pasture land, fodder cultivation in agricultural fields will be taken up extensively to meet the fodder demands of animals as revealed in fodder requirement analysis.

Replacement of old varieties

Farmers were not aware of high yielding varieties of crops. Certified seeds were rarely used in the area. Therefore, the efforts will be made to replace the prevailing varieties by new high yielding varieties, having wider adaptability against adverse climatic condition. Varieties of urd, moong, sesamum, sorghum and pearl millet in *kharif* season while durum wheat, wheat, lentil, field pea, chickpea, linseed and mustard/rai in *rabi* season will be introduced on farmers field.

5.2.2.2 ON Farm Test

Productivity of different crops in the region is significantly low, therefore, following On Farm Tests are proposed in the project area:

OFT – 01

1. Crop : Chickpea
2. Problem identified : Low yield of chickpea
3. Title : Evaluation of high yielding varieties
4. Farmers practice : Use of local varieties
5. Details of technologies selected for assessment and refinement
Treatments : T1 - Farmers Practice (local variety)
: T2 - KWR-108
: T3 - JG-315
6. Farming situation : Rainfed
7. No. of farmers : 05
8. Initial input : Seed of high yielding varieties
 - 1) No. of pods/plant
 - 2) Yield (q/ha)
 - 3) C:B ratio
9. Area : 4000 Sq. Meter
10. Cost of input : Rs. 4000
11. Total cost : Rs. 20000

OFT – 02

1. Crop: : Lentil
2. Problem identified: : Low yield of Lentil (using local varieties)
3. Title: : Evaluation of high yielding varieties
4. Farmers practice : Use of local varieties
Treatment: : T1 - Farmers practice (local variety)
: T2 - DPL-62
: T3 - DPL 54
5. Farming situation : Rainfed
6. No. of farmers : 05
7. Initial input : Seed
8. Performance indicators : 1) Yield (q /ha)
: 2) C B Ratio
9. Area : One Acre

10. Cost of input : Rs. 2000
11. Total cost : Rs. 10000

OFT – 3

1. Crop : Linseed
2. Problem identified : Mixed crop with chickpea and lentil (Low yield)
3. Title : Screening of high yielding
4. Farmers practices : Sowing of mixed
5. Details of technologies selected for assessment and refinement
 - Treatment : T1 - Farmers Practice
 - : T2 - Padmini
 - : T3 - Parwati
6. Farming situation : Rainfed
7. No. of farmers : 05
8. Sources of Technology : C. S. A. University of Ag., & Tech., Kanpur
9. Initial input : Seed
10. Performance indicators : 1) Yield (q/ha)
- : 2) C B ratio
11. Area : One acre per location
12. Cost of input : Rs. 1500
13. Total cost: : Rs. 7500

OFT – 4

1. Crop / Enterprises : Til
2. Problem identified : Low yield of sesamum
3. Title : Selection of high yielding varieties
4. Farming situation : Rainfed
5. Farmers practice : Local varieties
6. Details of technologies selected for assessment/refinement
 - Treatment : T1 - Farmers Practice
 - : T2 - Shekhar
 - : T3 - Pragati
7. Sources of technology : C. S. A. University of Agric. & Tech., Kanpur
8. No. of farmers : 10
9. Critical input : Seed
10. Performance indicators :

- | | | |
|-----|---------------|-------------------|
| | | : 1) Yield (q/ha) |
| | | : 2) C:B ratio |
| 11. | Area | : One acre |
| 12. | Cost of input | : Rs. 250 |
| 13. | Total cost | : Rs. 2500 |

OFT – 5

- | | | |
|--------------|--|--|
| 1. | Crop / Enterprises | : Arhar (Pigeon pea) |
| 2. | Problem Identified | : Long duration crop with mixed with sorghum |
| 3. | Title | : Introduction of short duration pigeon pea varieties |
| 4. | Farming situation | : Rainfed |
| 5. | Farmers practice | : Long duration varieties |
| 6. | Details of technologies selected for assessment/refinement | |
| 7. | Treatment | : T1- Farmers Practice
: T2- UPAS 150
: T3- Malviya 13 |
| 8. | No. of farmers | : 05 |
| 9. | Critical input | : Seed |
| 10. | Performance indicators | : 1) Yield (q/ha) |
| 3) C.B.ratio | | |
| 11. | Area | : One acre per location |
| 12. | Cost of input | : Rs. 1500 |
| 13. | Total cost | : Rs. 7500 |

OFT – 6

- | | | |
|----|--|---|
| 1. | Crop/Enterprises | : Animal Husbandry |
| 2. | Problem identified | : High mortality due to the endoparasites |
| 3. | Title | : Effect of deworming practices on mortality in kids. |
| 4. | Details of technologies selected for assessment and refinement : | |
| | Treatment: | : T1- Farmers Practice (No Deworming)
: T2-First deworming at 10 days deworming with cubazin
- Second deworming at one month age with piperazine
- Third deworming at two month age with Nelwarm
- Fourth deworming at three month age with Zenil flue drench or Destrocin tab. |
| 5. | No. of kids | : 05 herds (Each herds containing 10-15 kids) |

6. Sources of Technology : IVRI, Bareilly
7. Initial input : Deworming
8. Production system and thematic area : Disease Management
9. Performance indicators : 1) Kid mortality
2) Body weight gain (at 3 and 6 month age)
: 3) Occurrence of other associated health problems, if any
: 4) C: B ratio
10. Cost of input : Rs. 1500
11. Total cost : Rs. 7500

OFT- 7

1. Crop : Durum Wheat
2. Problem identified : Low Yield
3. Title : Assessment of durum wheat varieties in local condition
4. Farmers practices : Local varieties
5. Details of technologies selected for assessment and refinement
6. Treatment: T1 : Farmers practice (Local varieties)
T2 : Malav Shakti
T3 : Malav Ratan
7. Farming situation : Rainfed
8. No. of location : 05
9. Sources of Technology : Indore Ag. University
10. Initial input : Seed
11. Area : One acre
12. Performance indicators : Yield (q/ha)
C:B ratio
14. Cost of input : Rs 2000 / location
15. Total of cost : Rs. 10000

OFT- 8

1. Crop : Wheat
2. Problem identified : Low Yield
3. Title : Screening of low water requirement varieties.
4. Farmers practices : Use of isoproturan 50% @ 1.5 kg / ha
5. Details of technologies selected for assessment and refinement
6. Treatment: T1 : Farmers practice (WH-147 Old)

7. Farming situation : T2 : Maldakani
T3 : Raj 3765
: Three irrigation
8. No. of location : 05
9. Sources of Technology : C. S. A. University of Ag. Tech., Kanpur
10. Initial input : Seed
11. Area : One acre / location
12. Performance indicators : Yield (q/ha)
- C:B ratio
13. Cost of input : Rs 2000 / location
14. Total of cost : Rs. 10000

5.2.2.3 Crop Demonstrations: Following crop demonstrations are proposed to bridge the productivity gap.

A. Pulses:- Kharif season

Name of Crop			Urd, Moong and Arhar	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			5.00 ha	
Number of Demonstration			10	
Situation			Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Given below	75.00		
2. Sowing Time	25 July to August			
3. Required Seed	12-15 kg	15 X 75	1200.00	600.00
4. Land Preparation				By user
5. Sowing Bullock/Seed drill	Line sowing	600	600.00	300.00
6. Intercultural Operation	One manually	900	900.00	450.00
7. Use Weedicide (IPM)	3.3 lit / ha Pendimethalin at pre emergence/ Total	450/lit	1485.00	743.00
8. Use of organic manure as FYM or NEDAD or Vermicompost	100 q/ha or	60/q	6000.00	3000.00
	60 q/ha or	150/q	9000.00	4500.00
	30 q/ha	300/q	9000.00	4500.00
9. Bio Fertilizers/Bio-agents (IPNM)				

	1.50 kg /ha (Soil treatment)	136.00	204.00	102.00
i) Rhizobium + PSB (IPNM)				
ii) Trichoderma (IPM)	Soil 3 kg /ha in Manure	130.00	390.00	195.00
10. Recommended dose of fertilizers (IPNM)				
25:60:30 NPK	130 kg	10	1300	650
i) DAP	375 kg	5	1875	938
ii) SSP	In case of SSP 54 kg Urea applied	6	324	162
iii) Urea		7	350	175
iv) MOP				
11. IPM	At 15 days interval (10 kg)	30	300	150
Spray of Neem Seed Kernal	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Mataka Khad	NA			
Insecticides/Fungicides				
ICM	Total		33052.00	16527.00
Demonstrations on IPM, IPNM, Improved Seed and Technology can be done according to the problem and choice of user				
Variety				
Urd	Shekhar 1, Shekhar 2, Shekhar 3, Azad 1, Azad 2 (Green) & 3			
Moong	T 44, K 851, PDM 11, 54 139			
Arhar	Early- Paras, U.P.A.S.120, Pusa 992, Type 21 Late – Amar, Bahar, Narendra Arhar -1, Azad, Pusa 9, Malviya Vikash, Chamtkar			

Rabi

Name of Crop			Lentil, Chickpea and Field Pea	
Area under each Demonstration			0.5 ha	
Total Area of Demonstration			5 ha	
Number of Demonstration			10	
Situation			Un-irrigated	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Given below			
2. Sowing Time	11th week of October			
3. Required Seed				
Gram and Pea	100 kg/ha	70.00	7000.00	3500.00
Lentil	40 kg / ha (F1,F2, Certified)	80.00	4000.00	2000.00
4. Land Preparation	By User		-	By User
5. Sowing Bullock/Seed drill	By User		-	By User
6. Intercultural Operation	By User		-	By User
7. Use Weedicide	Pendimethalin 3.3 li/ha (Pre emergence)	465.00	1535.00	767.00
8. Use of organic manure as FYM or NEDAD or Vermicompost	100 q/ha or 60 q/ha or 30 q/ha	60/q 150/q 300/q	6000.00 9000.00 9000.00	3000.00 4500.00 4500.00
9. Bio Fertilizers / Bio-agents	24 pkt	7	168	84
i) Rhizobium + PSB	5 Pkt + 5 Pkt = 10 Pkt @ Rs	7.50	75.00	37.50
ii) Trichoderma	1.50 kg /ha (Soil treatment)	136.00	204.00	102.00
10. Recommended dose of fertilizers				
25:60:30 NPK				
i) SSP	375 kg /ha	5	1875	938
ii) Urea	In case of SSP 50 kg Urea applied	6	300	150
iii) MOP	50 kg / ha	7	350	175
11. IPM				
Spray of Neem oil and leaf extract	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62

ICM			39931.00	19965.50
Demonstrations on IPM, IPNM, Improved Seed and Technology can be done according to the problem and choice of user				
Variety				
Lentil	Narendra Masoor-1, DPL-15, L-4076, Pusa Vaibhav Late- IPL-81, K-75			
Chickpea	KWR-108, KGD 1168, JG 315, Pusa 256,			
Field Pea	PJ 885, Indra, Jai, Late – Adarsh			

B. Oilseeds: Kharif season

Name of Crop			Til, Groundnut and Soybean	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			3.00 ha	
Number of Demonstration			6	
Situation			Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Given below			
2. Sowing Time	June last to July last			
3. Required Seed				
Til	5 kg./ ha			
Groundnut	95 kg./ha			
Soybean	80 kg			
4. Land Preparation	By user			
5. Sowing Bullock/Seed drill	Line sowing	410 / hr	615	308
6. Intercultural Operation	Thinning and Digging of plant at raining	2 Labour 120/day	240	120
7. Use Weedicide	-	-	-	-
8. Use of organic manure as FYM or NEDAD or Vermicompost	100 q/ha or	60/q	6000.00	3000.00
	60 q/ha or	150/q	9000.00	4500.00
	30 q/ha	300/q	9000.00	4500.00
1. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB (Til &	With 1 q vermi compost /	300 + 7	450	225

Groundnut)	NADEP 10 Pkt + 10 Pkt in one ha			
ii) Rhizobium + PSB (Soybean)	20 Pkt	7	140	70
12. Recommended dose of fertilizers				
30 : 15 : 25 N : P : Zn NPK				
i) SSP	275 kg	5	1375	688
ii) Urea	55 kg	5	275	140
iii) Zn	25 kg	10	250	125
13. IPM				
Spray of Neem oil and leaf extract	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Insecticides/Fungicides				
ICM			27769	13888
Demonstrations on IPM, IPNM, Improved Seed and Technology can be done according to the problem and choice of user				
Variety				
Til	Shekhar, Pragati			
Groundnut	Prakash, Amber			
Soybean	P.S.564, P.K.416			

*Economics of Demonstration, Observations to be taken on yield / ha

Name of Crop		Castor (On earthen bunds)		
Area under each Demonstration		1.5 X 600 Meter = 900 sq. M or 1000 sq.m.		
Total Area of Demonstration		10 ha		
Number of Demonstration		10 X 10 = 100		
Situation		Rainfed		
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Type -3, Tarai-4, Kalpi 6,			
2. Sowing Time	15 July to 15 August			
3. Required Seed	15 / ha	70	1050	105
4. Land Preparation	-	-	-	-

5. Sowing Bullock/Seed drill	Digging by hand on Bunds	4 labour @ Rs 120 / day	480	48
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	-	-	-	-
9. Use of Vermi-compost	-	-	-	-
10. Use of NEDAP Compost	-	-	-	-
11. Bio Fertilizers/Bio-agents	-	-	-	-
i) Azatobactor + PSB	-	-	-	-
	-			
ii) Rhizobium + PSB		-	-	-
iii) Trichoderma	-	-	-	-
12. Recommended dose of fertilizers	-	-	-	-
50:25:15 NPK				
i) DAP	45 kg	10	450	45
ii) SSP	-	-	-	-
iii) Urea	80 kg	5	400	40
iv) MOP	25 kg	5	125	13
13. IPM				
Spray of Neem oil and leaf extrect	-	-	-	-
Mataka Khad	-	-	-	-
Insecticides/Fungicides	-	-	-	-
Total			2505	251

*Economics of Demonstration, Observations to be taken on yield / ha

Rabi Season

Name of Crop			Mustard/Rai	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			5.00	
Number of Demonstration			10	
Situation			Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Maya, Kranti, Basanti			
2. Sowing Time	September last to Last October			
3. Required Seed	5 kg /ha	150	750	375
4. Land Preparation	By user			
5. Sowing Bullock/Seed drill	Line sowing	-	-	-
6. Intercultural Operation	Topping at the time of before flowering	2 Labour @ 120/day	240	120
7. Use Weedicide	NA			
8. Use of organic manure as FYM or NEDAD or Vermicompost	100 q/ha or 60 q/ha or 30 q/ha	60/q 150/q 300/q	6000.00 9000.00 9000.00	3000.00 4500.00 4500.00
9. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	20 Pkt Soil Treatment	7	140	70
10. Recommended dose of fertilizers				
80:60:40 NPK				
i) DAP	120 kg	10	1200	600
ii) SSP	-	-	-	-
iii) Urea	100 kg	5	500	500
iv) MOP	80 kg	5	400	200
11. IPM				
Spray of Neem oil and leaf extrect	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine	2	124	62

	and Gur (62 kg/lit)			
Insecticides/Fungicides	Melathion/ Indosulphan		700	350
ICM			28354.00	14427.00

Name of Crop			Toriya	
Area under each Demonstration			0.50	
Total Area of Demonstration			4.00	
Number of Demonstration			8	
Situation			Irrigated / Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	T. 9, Bhawani, PT – 303, PT 30			
2. Sowing Time	September			
3. Required Seed	4 kg	150	600	300
4. Seed treatment	2 thirum + 1 gm Carbendazim / kg seed		150	75
5. Sowing Bullock/Seed drill	Line sowing	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By user			
9. Use of Vermi-compost	By user	-	-	-
10. Use of NEDAP Compost	By user	-	-	-
11. Bio Fertilizers/Bio-agents	-	-	-	-
i) Azatobactor + PSB	-	-	-	-
	-	-	-	-
ii) Rhizobium + PSB				
iii) Trichoderma	-	-	-	-
12. Recommended dose of fertilizers	-	-	-	-
50:30:30 NPK				
i) DAP	60 kg	10	600	300

ii) SSP	-	-	-	-
iii) Urea	100 kg	5	500	250
iv) MOP	50 kg	5	250	125
13. IPM				
Spray of Neem oil and leaf extrect	At 15 days interval (10 kg)	30	300	150
	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Mataka Khad				
Insecticides/Fungicides	NA	-	-	-
Total			2524	1262

Name of Crop			Linseed	
Area under each Demonstration			0.50	
Total Area of Demonstration			5.00	
Number of Demonstration			10	
Situation			Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Parwati, Padmini, rashmi etc			
2. Sowing Time	Full October			
3. Required Seed	30 kg	75	2250	1125
4. Seed Treatment	2 thirum + 1 gm Carbendazim / kg seed		150	75
5. Sowing Bullock/Seed drill	Line sowing	410 /hr	820	410
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User	-	-	-
9. Use of Vermi-compost	-	-	-	-
10. Use of NEDAP Compost	-	-	-	-
11. Bio Fertilizers/Bio-agents	-	-	-	-
i) Azatobactor + PSB	-	-	-	-
ii) Rhizobium + PSB	-	-	-	-

iii) Trichoderma	-	-	-	-
12. Recommended dose of fertilizers				
50:40:40 NPK				
i) DAP	80 kg	10	800	400
ii) SSP	-	-	-	-
iii) Urea	65kg	5	325	162
iv) MOP	80	5	400	200
13. IPM				
Spray of Neem oil and leaf extrect	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Insecticides/Fungicides	NA			
Total			5169	2584

C. Cereals and Millets

Kharif season –

Name of Crop			Sorghum, Bajra and Maize	
Area under each Demonstration			0.50	
Total Area of Demonstration			5.00	
Number of Demonstration			10	
Situation			Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties				
2. Sowing Time	June last week			
3. Required Seed				
Sorghum	12 kg /ha			

Bajra	5 kg/ha			
4. Seed treatment	2 thirum + 1 gm Carbendazim / kg seed		150	75
5. Sowing Bullock/Seed drill	Line sowing		900	450
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	Atragene 50% 1.5 kg /ha	235/ acre	588	294
8. Use of organic manure as FYM or NEDAD or Vermicompost	100 q/ha or 60 q/ha or 30 q/ha	60/q 150/q 300/q	6000.00 9000.00 9000.00	3000.00 4500.00 4500.00
9. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	20 Pkt Soil Treatment	7	168	84
ii) Trichoderma	1.5 kg/ha (Soil treatment)	136	204	102
10. Recommended dose of fertilizers				
80:40:30 NPK				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
11. IPM		175	350	175
Spray of Neem oil and leaf extrect	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62

Insecticides/Fungicides	NA			
14. Harvesting			2000	1000
15. Threshing /Weighing			3500	1750
16. Storage			200	100
Variety				
Sorghum	Varsha, CSV 13, 15 Late – Vjeta, Bundela			
Bajra	Raj-171, ICTP-8203, ICMB-155 Late-WCC-75			
Maize	Ganga-11, Sartaj, Prakash, Dakan 107 Late-HQPM-5			

Rabi Season

Name of Crop			Barley, Wheat (<i>aestivum</i>) and Durum Wheat	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			3.00 ha	
Number of Demonstration			06	
Situation			Rainfed	
Detail of Demonstration	Intervention / Technology Adopted	Rate(Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Azad, K-141, Geetajali, Upasna			
	Late- DWR-28, Lakhan			
2. Sowing Time	Oct last week			
3. Required Seed	100 kg/ha			

Barley				
Wheat (<i>aestivum</i>) and Durum Wheat	125kg/ha			
4. Land Preparation	By User		900	450
5. Sowing Bullock/Seed drill	By User		450	225
6. Intercultural Operation	By User			
7. Use Weedicide	Total 2.5 Pkt	450/acre	1125	563
8. Use of organic manure as FYM or NEDAD or Vermicompost	100 q/ha or 60 q/ha or 30 q/ha	60/q 150/q 300/q	6000.00 9000.00 9000.00	3000.00 4500.00 4500.00
9. Bio Fertilizers/Bio-agents	24 Pkts	7	164	84
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Trichoderma	2.5 kg/ha (Soil treatment)	136	340	170
10. Recommended dose of fertilizers				
25:60:30 NPK				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
v) Zinc Sulphate	20 kg/ha	40	800	400
11. IPM		175	350	175
Spray of Neem oil and leaf extrect	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Insecticides/Fungicides	NA			
14. Harvesting			2500	1250
15. Threshing /Weighing			5000	2500
16. Storage			500	250
Variety				
Barley	Azad, K-141, Geetajali, Upasna			

	Late- DWR-28, Lakhan
Wheat (<i>aestivum</i>)	K-8027, C-306, LOK-1, HD-2888, Raj-1555 Late-Marviya-234, UP-2425
Durum Wheat	Malav Shri, Shakti, Ratan

5.2.2.4 Demonstrations on fodder and grass cultivation

Name of Crop			Stylo hamata (on bund)	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			10.00 ha	
Number of Demonstration			20	
Situation			Rainfed	
Seed Requirement			250 kg	
Seed Amount			7500	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Malav Shri, Shakti, Ratan			
2. Sowing Time	Oct to mid Nov			
3. Required Seed	125 kg/ha	20	2500	1250
4. Land Preparation				
5. Sowing Bullock/Seed drill	Line Sowing	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)	600	3600	1800
9. Use of Vermi-compost	By User (Training)	150	3000	1500
10. Use of NEDAP Compost	By User (Training)	100	3000	1500
11. Bio Fertilizers/Bio-agents	24 Pkts	7	164	84
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Rhizobium + PSB				
iii) Trichoderma	2.5 kg/ha (Soil treatment)	136		170

			340	
12. Recommended dose of fertilizers				
25:60:30 NPK				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
	20 kg/ha	40	800	400
13. IPM		175	350	175
Spray of Neem Seed Kernal	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Insecticides/Fungicides	NA			
14. Harvesting			2500	1250
15. Threshing /Weighing			5000	2500
16. Storage			500	250

Name of Crop			Berseem	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			2.00 ha	
Number of Demonstration			4	
Situation			Irrigated	
Seed Requirement			30 kg	
Seed Amount			4500	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Malav Shri, Shakti, Ratan			
2. Sowing Time	Oct to mid Nov			
3. Required Seed	125 kg/ha	20	2500	1250
4. Land Preparation				

5. Sowing Bullock/Seed drill	Line Sowing	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)	600	3600	1800
9. Use of Vermi-compost	By User (Training)	150	3000	1500
10. Use of NEDAP Compost	By User (Training)	100	3000	1500
11. Bio Fertilizers/Bio-agents	24 Pkts	7	164	84
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Rhizobium + PSB				
iii) Trichoderma	2.5 kg/ha (Soil treatment)	136	340	170
12. Recommended dose of fertilizers				
25:60:30 NPK				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
	20 kg/ha	40	800	400
13. IPM		175	350	175
Spray of Neem Seed Kernal	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Insecticides/Fungicides	NA			

14. Harvesting			2500	1250
15. Threshing /Weighing			5000	2500
16. Storage			500	250

Name of Crop			Sudan Grass	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			5.00 ha	
Number of Demonstration			10	
Situation			Irrigated	
Seed Requirement			60 kg	
Seed Amount			4500	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	SSG (Pro-agro)/pioneer			
2. Sowing Time	March to July			
3. Required Seed	20 kg/ha	80	1600	800
4. Land Preparation				
5. Sowing Bullock/Seed drill	Line Sowing	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)	600	3600	1800
9. Use of Vermi-compost	By User (Training)	150	3000	1500
10. Use of NEDAP Compost	By User (Training)	100	3000	1500
11. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Rhizobium + PSB				
iii) Trichoderma				
12. Recommended dose of fertilizers				
25:60:30 NPK				

i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
13. IPM		175	350	175
Spray of Neem Seed Kernal				
Mataka Khad				
Insecticides/Fungicides	NA			

Name of Crop			Lucerne	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			2.00 ha	
Number of Demonstration			4	
Situation			Irrigated	
Seed Requirement			24 kg	
Seed Amount			2900	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	As per annexure-II			
2. Sowing Time	Oct to mid Nov			
3. Required Seed	15 kg/ha	100	1500	750
4. Land Preparation				
5. Sowing Bullock/Seed drill	-	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)			
9. Use of Vermi-compost	By User (Training)			
10. Use of NEDAP Compost	By User (Training)			
11. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84

ii) Rhizobium + PSB				
iii) Trichoderma				
12. Recommended dose of fertilizers				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	50 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
	20 kg/ha	40	800	400
13. IPM		175	350	175
Spray of Neem Seed Kernal				
Mataka Khad				
Insecticides/Fungicides				

5.2.2.5 Demonstrations on medicinal and aeromatic plants

Name of Crop			Aloe-Vera	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			1.00 ha	
Number of Demonstration			2	
Situation			Irrigated	
Rhizomes			35000	
Amount			70000	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Rhizomes			
2. Sowing Time	July			
3. Required Seed	30000 Rhizomes	0.50	15000	7500
4. Land Preparation				
5. Sowing Bullock/Seed drill	Line Sowing	-	-	-
6. Intercultural Operation	-	-	-	-

7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)	600	3600	1800
9. Use of Vermi-compost	By User (Training)	150	3000	1500
10. Use of NEDAP Compost	By User (Training)	100	3000	1500
11. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Rhizobium + PSB				
iii) Trichoderma	2.5 kg/ha (Soil treatment)	136	340	170
12. Recommended dose of fertilizers				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
	20 kg/ha	40	800	400
13. IPM		175	350	175
Spray of Neem Seed Kernal	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62
Insecticides/Fungicides	NA			
14. Harvesting			2500	1250
15. Threshing /Weighing			5000	2500
16. Storage			500	250

Name of Crop	Tulsi
Area under each Demonstration	0.50 ha
Total Area of Demonstration	1.00 ha
Number of Demonstration	2

Situation			Irrigated	
Seed Requirement			15 kg	
Seed Amount			3750	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Kali Tulsi			
2. Sowing Time	June to July			
3. Required Seed	5 kg/ha	500	2500	1250
4. Land Preparation				
5. Sowing Bullock/Seed drill	Line Sowing	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)	600	3600	1800
9. Use of Vermi-compost	By User (Training)	150	3000	1500
10. Use of NEDAP Compost	By User (Training)	100	3000	1500
11. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Rhizobium + PSB				
iii) Trichoderma	2.5 kg/ha (Soil treatment)	136	340	170
12. Recommended dose of fertilizers				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
	20 kg/ha	40	800	400
13. IPM		175	350	175
Spray of Neem Seed Kernal	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62

Name of Crop			Turmeric	
Area under each Demonstration			0.50 ha	
Total Area of Demonstration			2.00 ha	
Number of Demonstration			4	
Situation			Irrigated	
Rhizomes			15 q	
Amount			37500	
Detail of Demonstration	Intervention / Technology Adopted	Rate (Rs/kg/ Pkt)	Cost per ha (Rs)	Demonstration Cost (Rs)
1. Name of Varieties	Rhizomes			
2. Sowing Time	June to July			
3. Required Seed	5 q	3000	15000	7500
4. Land Preparation				
5. Sowing Bullock/Seed drill	Line Sowing	-	-	-
6. Intercultural Operation	-	-	-	-
7. Use Weedicide	-	-	-	-
8. Use of FYM	By User (Training)	600	3600	1800
9. Use of Vermi-compost	By User (Training)	150	3000	1500
10. Use of NEDAP Compost	By User (Training)	100	3000	1500
11. Bio Fertilizers/Bio-agents				
i) Azatobactor + PSB	12 Pkt + 12 Pkt	7	168	84
ii) Rhizobium + PSB				
iii) Trichoderma	2.5 kg/ha (Soil treatment)	136	340	170
12. Recommended dose of fertilizers				
i) DAP	100 kg/ha	9	900	450
ii) SSP				
iii) Urea	150 kg/ha	6	900	450
iv) MOP	50 kg/ha	7	350	175
	20 kg/ha	40	800	400

13. IPM		175	350	175
Spray of Neem Seed Kernal	At 15 days interval (10 kg)	30	300	150
Mataka Khad	15 + 15 + 15 + 15 + 2 kg/Lit Water, Neem leave, Cow dung, Cow urine and Gur (62 kg/lit)	2	124	62

5.2.2.6 Horticulture/agroforestry development

. Growing of crops in combination with woody perennial on same piece of land is called agroforestry and it is economically viable and way out to increase the permanent vegetal cover. The estimates for aonla, guava, lemon, bael, ber and silvi-pastoral systems are presented in Table 11.4 to 11.9.

Table 5.2: Estimate for development of aonla based agroforestry systems (100 trees/ha)

S.N.	Work items	Cost/unit (Rs.)	Amount (Rs./ha)
1.	Digging of pits of 0.75x0.75x0.75 m3	25.00	2500.00
2.	Average of cost of planting material	20.00	2000.00
3.	Carriage charges from nursery to the planting site	2.50	250.00
4.	Cost of planting+1st watering	4.00/plant	400.00
5.	Cost of raising agricultural crops @ Rs. 15,000.00 ha-1 yr-1	15000.00	15000.00
6.	Miscellaneous	Lump sump	2000.00
		G. Total	22150.00

Table 5.3: Estimate for development of guava based agroforestry systems (100 trees/ha)

S.N.	Work items	Cost/unit (Rs.)	Amount (Rs./ha)
1.	Digging of pits of 0.75x0.75x0.75 m3	25.00	2500.00
2.	An average of cost of planting material	15.00	1500.00
3.	Carriage charges from nursery to the planting site	2.50	250.00
4.	Cost of planting+1st watering	4.00/plant	400.00
5.	Cost of raising agricultural crops @ Rs. 15,000.00 ha-1 yr-1	15000.00	15000.00
6.	Miscellaneous	Lump sump	2000.00
		G. Total	21650.00

Table 5.4: Estimate for development of lemon based agroforestry systems (150 trees/ha)

S.N.	Work items	Cost/unit (Rs.)	Amount (Rs./ha)
1.	Digging of pits of 0.75x0.75x0.75 m ³	25.00	3750.00
2.	Average of cost of planting material	7.00	1050.00
3.	Carriage charges from nursery to the planting site	2.50	375.00
4.	Cost of planting+1st watering	4.00/plant	600.00
5.	Cost of raising agricultural crops @ Rs. 15,000.00 ha ⁻¹ yr ⁻¹	15000.00	15000.00
6.	Miscellaneous	Lump sump	2500.00
		G. Total	23275.00

Table 5.5: Estimate for development of bael based agroforestry systems (100 trees/ha)

S.N.	Work items	Cost/unit (Rs.)	Amount (Rs./ha)
1.	Digging of pits of 0.75x0.75x0.75 m ³	25.00	2500.00
2.	Average of cost of planting material	10.00	1000.00
3.	Carriage charges from nursery to the planting site	2.50	250.00
4.	Cost of planting+1st watering	4.00/plant	400.00
5.	Cost of raising agricultural crops @ Rs. 15,000.00 ha ⁻¹ yr ⁻¹	15000.00	15000.00
6.	Miscellaneous	Lump sump	2000.00
		G. Total	21150.00

Table 5.6: Estimate for development of ber based agroforestry systems (150 trees/ha)

S.N.	Work items	Cost/unit (Rs.)	Amount (Rs./ha)
1.	Digging of pits of 0.75x0.75x0.75 m ³	25.00	3750.00
2.	Average of cost of planting material	10.00	1500.00
3.	Carriage charges from nursery to the planting site	2.50	375.00
4.	Cost of planting+1st watering	4.00/plant	600.00

5.	Cost of raising agricultural crops @ Rs. 15,000.00 ha-1 yr-1	15000.00	15000.00
6.	Miscellaneous	Lump sump	2500.00
		G. Total	23725.00

Table 5.7: Estimate for development of silvopastoral systems (400 trees/ha)

S.N.	Work items	Cost/unit (Rs.)	Amount (Rs./ha)
1.	Digging of pits of 0.6x0.6x0.6 m3	13.00	5200.00
2.	Average of cost of planting material	7.00	2450.00
3.	Carriage charges from nursery to the planting site	2.50	1000.00
4.	Cost of planting+1st watering	3.00/plant	1200.00
5.	Cost of raising pasture @ Rs. 25,000.00 ha-1 yr-1 (About 38000 slips of different grasses will be required)	25000.00	25000.00
6.	Miscellaneous	Lump sump	3000.00
		G. Total	38200.00

5.3 Livelihood Option for Village Groups / Community

1. Vermi-compost unit

Capacity – 100 metric tonn per year

S. No.	Head of Expenditure	Unit	Quantity	Rate (Rs.)	Total Amount (Rs.)
1.	Land	Sq. Meter	4000	50000.00	50000.00
2.	Platform	Sq. Meter	240	-	40000.00
3.	Shed (Angle iron & Asbestos Sheet)		240	-	120000.00
4.	Hand pump / Well	-	01	-	40000.00
5.	Dung	Metric ton	100	500	50000.00
6.	Red worms (<i>Eisina fetida</i>)	Quintal	01	25000	25000.00
7.	Chhanna (Manual)	-	01	8000	8000.00
8.	Weight/Kanta	-	01	-	4000.00
9.	Implements- Spade, Tasala,	-	-	-	2000.00

	Hajara etc.				
10.	Other Expenses & Labour	-	-	-	25000.00
	Total				364000.00

Farmers share is 1- Land, 2- Plate form, 4- Hand pump/Well, 5- Dung & 10- Labour i.e Rs. 50000.00 + 40000.00 + 40000.00 + 50000.00 + 25000.00 = 205000.00 (Rs. Two lakh five thousand only). Remaining amount Rs. 1,59000.00 (Rs. One lakh fifty nine thousand only) will be provided by the project. Term and condition is applied that vermicompost unit will run in participatory mode by the Groups i.e. made by farming community for their livelihood improvement.

Farmers share – 205000.00

Project Share - 159000.00

Total (Rs.) 364000.00

2. Nursery unit

S. No.	Head of Expenditure	Unit	Quantity	Rate (Rs.)	Total Amount (Rs.)
1.	Land	Acre	1/2	90000.00	45000.00
2.	Fencing				
a.	Barbed wire	Quintal	1.5	6600.00	9900.00
b.	Concrete polls	No.	53	275.00	14575.00
c.	Lobour	No.	20	100.00	2000.00
3.	Boring / Well	No.	01	40000.00	40000.00
4.	Beds preparation, irrigation channels etc.	-	-	-	10000.00
5.	Low cost poly house (Bareja)	No.	01	-	5000.00
6.	Implements- khurpi, Spade, hajara etc.	-	-	-	2000.00
7.	Polythene begs	Kg	150	100.00	15000.00
8.	Manure (FYM)	Ton	2	1500.00	30000.00
9.	Chemicals	-	-	-	1000.00
	Total				174475.00

Farmers share is 1- Land, 2- Labour, 3- Boring/Well, 5- Bed & irrigation channels i.e Rs. 45000.00 + 2000.00 + 40000.00 + 10000.00 = 97000.00 (Rs. Ninety seven thousand only). Remaining amount Rs. 77475.00 (Rs. Seventy seven thousand four hundred seventy five only) will be provided by the project. Term and condition is applied that Nursery unit will be run in participatory mode by the Groups i.e. made by farming community for their livelihood improvement.

Farmers share – 97000.00

Project Share - 77475.00

Total **174475.00**

Month Wise Plan of Nursery Raising

Nursery development work takes six months to one year and monthly work for raising of plants is fixed. Here we detailed the plants in village condition of district Lalitpur (UP)

Months	Details of Plants & work
January	Collect the seeds of Sirash, Khair, Aonla, Teak, Bakain, Acacia, Amaltash plant from Forest Deppt. or other reliable sources
February	Seed Sowing – Bamboo, Shisham, Sirash, Gulmohar & Seed Treatment of Teak seed by Lime in pit
March	Plant Germinated Root Trainer in Polythene Bags for Shisham, Vilayati Babool and Aonla
April	Seed sowing should be done of Khair, Aonla, Bamboo and Arjun
May	Collect seeds of Kangi, Shemal and Gulmohar
June	One year or more old plant of Jamun, Kangi, Arjun and Shisham ready for the sale
July	For the next year Germination Plot should be prepared for the Ber, Gulmohar, Khair, Kathal, Jamun, Kangi, Neem etc. and germinated plants of two to three leaves should be transferred in to the Polythene bags
August	Sown seed in July transferred into the Polythene bags plots and Neem Seed should be cleaned from flesh and sown in the germinated plots.
September	Sowing of Neem, Kachnar, Acacia seeds etc. Polythene bags filling and collect seeds of Gauva
October	Polythene filling, Watering etc.
November	Polythene filling, Watering etc.
December	Polythene filling, Watering etc.

Seed collection and arrangement:

Months	Plants
January	Teak, Kagzi Neebu, Guava, Khair
February	Teak, Kagzi Neebu, Guava, Khair, Cutting of Teak, Aonla
March	Teak, Kagzi Neebu, Guava, Khairm Cutting of Teak, Aonla
April	Khair, Aonla, Bamboo and Arjun
May	Collect seeds of Kangi, Shemal and Gulmohar
June	Subabool, Babool, Shemal, Bamboo, Neem, Sheesham,
July	Neem, Vilayati Babool, Sesbania

3. Goat kids project

Shed Cost : Made by locally available material

S.No.	Particulars	Amount
1.	Thatch Structure / Khapparel Shed (Size: 15 X 300 Feet) with partition for one male	
	1. Khapperrel / Bamboo	4000.00
	2. Thatch, Puwal etc.	1000.00
	3. Rope Band & Patera	500.00
	4. Periphery boundary Kacchi / Stone / Pacca	3000.00
	5. Miscellaneous	1500.00
	Total	10000.00

Input Involved

S.No.	Particulars	Amount
1.	Kids goat No.- 20 @ 1000 / female	20000.00
2.	Adult Male	3000.00
	Total	23000.00

Recurring Cost

S.No.	Particulars	Amount
1.	Labour- Grazing of Goat (Mandays yearly: One person /day @ Rs. 100 / day	36000.00
2.	Feed Cost (@ Rs 4000 / month Annually -)	48000.00
	Barley & Wheat under size	
	Chickpea under size	
	Green fodder (Leaf of subabool, lobia, grasses, legumes etc)	
	Wheat Straw	
3.	Medicines & Health care (FMD, Deworming & Vaccinations) annually charges and Training	6000.00
4.	Insurance (annually)	1200.00
	Total	91200.00
	Total Expenditure	124200.00

Farmers share is 1- Shed, 2- Labour, 3- Feed cost i.e Rs. 10000.00 + 36000.00 + 48000.00 = 94000.00 (Rs. Ninety four thousand only). Remaining amount Rs. 30200.00 (Rs. Thirty thousand and two hundred only) will be provided by the project. Term and condition is applied that Goat unit will be run in participatory mode by the Groups i.e. made by farming community for their livelihood improvement.

Farmers share – 94000.00

Project Share - 30200.00

Total 124200.00

4. Goat rearing project

Goats create employment to the rural poor including effective utilization of unpaid family labour. Goat rearing is going on in Bundelkhand with traditional grazing system; these include grazing on non-cultivated land, grazing on community land close to the villages. In this system animals are housed at night and let loose for grazing in the daytime with no supplementation with concentrate mixture. The production per animal is low but margin of profit is high as no investment is involved on feeding. Growing habits of grasses, development of pasture on non-cultivated lands is essential in participatory mode. Intensive production system where no grazing land is available the goats are reared on stall feeding. Under this system there is no risk of parasite infestation, maximum protection from adverse weather conditions, however, some space is provided for exercise. When sufficient grazing area is not available supplementary feeding is done in form of concentration mixture or green and dry fodder.

The integration of livestock with crop production is a means of establishing sustainable system that aim to optimize resources use. The realization of such aims will maximize the degree of self-reliance of the system, since a variety of products will be obtained with minimum inputs to maintain soil fertility. The varied activities on the integration farm create employment opportunities for all members of the extended family. Use of native pasture, crop residue and fibrous agro products supplementary feeding whenever necessary for efficient rumen fermentation and high animal productivity. The tree crops are highly appropriate for this region. They capture a large amount of solar energy and they produce sustainable yield of biomass. They reduce erosion, improve soil structure and fertility and plant with shallow roots can be grown under the trees.

Structures

Made by locally available material

S.No.	Particulars	Amount
1.	Thatch Structure / Khapparel Shed (Size: 15 X 300 Feet) with partition for one male	
	1. Khapperrel / Bamboo	4000.00
	2. Thatch, Puwal etc.	1000.00
	3. Rope Band & Patera	500.00
	4. Periphery boundary Kacchi / Stone / Pacca	3000.00
	5. Miscellaneous	1500.00
	Total	10000.00

2. Input involved

S.No.	Particulars	Amount
1.	Adult Female No.- 10 @ 3000 / female	30000.00
2.	Adult Male	3000.00
	Total	33000.00

3. Recurring Cost

S.No.	Particulars	Amount
1.	Grazing of Goat (Mandate yearly: One person /day @ Rs. 100 / day	36000.00
2.	Feed Cost (@ Rs 4000 / month Annually –)	48000.00
	Barley & Wheat under size	
	Chickpea under size	

	Green fodder (Leaf of subabool, lobia, grasses, legumes etc)	
	Wheat Straw	
3.	Medicines & Health care (FMD, Deworming & Vaccinations) annually charges	6000.00
4.	Insurance (annually)	1200.00
	Total	91200.00

Total Expenditure 1, 2 & 3 = 134,200.00

Output / Receipts from Goat Rearing Project

S.No.	Particulars	Amount
	i. Milk Production:	
1.	Milk Production (10 Goat) (5 Month @ 1 lit / day / Goat = 1500 lit Sale @ Rs. 15/lit	22500.00
2.	Milk Production (4 Month) = 1200 lit @ Rs. 15/lit	18000.00
	Total	40,500.00
	B. Selling of Goat Kids (From six Month to 12 year)	
3.	First Production (after six month from starting) Average two kids (Assumed that ratio of male & female is 50:50) 10 male to be sale @ Rs. 1800 / kid 10 Female kids retain for next rearing (Rate calculated for next unit)	18000.00 30000.00
4.	Second Production (Av. two kids/ goat) 10 Old Stock Production – 20 kids (assumed that ratio of male & female is 50:50) a. 10 Male sale @ Rs. 1500 / kid b. 10 Female kids for next rearing @ 2000 / kid	15000.00 20000.00
	Total	83000.00
	C. Goat Manure	
5.	After one year 50 q (if not grazed) if grazing is going on then vermi-compost / NADEP Unit is compulsory with each unit	15000.00
	D. Permanent Parent Stock	
6.	11 Parent - one unit @ Rs. 4000 / Goat	44000.00
	Total	182500.00

Note:

1. Two Unit of Goat will be separated from this Unit after 14 months that input cost is included in lower side in respect of rates, which are prevailing in the market.
2. Next Two units will be further distributed to the Participatory groups.

3. One Acre of waste land will produce complete feed for one unit by the growing of Subabool (*Luceana leucocephala*) and grasses (Dhabroo, Dinanath etc.)
4. Growing of grasses and legumes on earthen work is compulsory (*Stylosanthes hamata*, Dina Nath, Dhabroo, *Cenchrus ciliaris*, etc.)
5. Farmers share is 50% of above cost

Net Return from Goat Rearing Project: 182,500 – 134200 = 48,300.00

Feeding cost should be included in net return if complete watershed approach adopted, so this return will be just double.

Information related to the Goat Rearing

1. Research Institute:

Central Goat Research Institute,
Farah, Makdooom,
Mathura U.P.

2. Local Market for Parent Materials: Jamunapari & Barberi

1. Chaura, Kalpi, Jalaun U.P.
2. Kosi, Mathura
3. Pukhranya, Kanpur, Dehat

5. Project on Cultivation of Medicinal & Aromatic Plants:

Name of Crop: Ashwaganda, Sarpgandha, Allovera (Gvarpatha)

Unit Economics:

Land Requirement: Five ha (Participatory)

Machinery & Apparatus: Spade, Bucket, Moter (Pump) etc. – 30,000.00

Input required:

a. Seed & Planting material	-	15,000.00
b. Manure	-	20,000.00
c. Miscellaneous	-	5,000.00
Total		40,000.00

Recurring Cost:

Electric / Pump set (Diesel etc.)	15,000.00
-----------------------------------	-----------

Worker & Labours

S. No.	Particulars	No.	Amount (Rs)
1.	Full time Labour	01 @ Rs. 100 / day	2600.00
2.	Casual Labour	05 for 20 days @ Rs. 100 / day	10000.00
	Total		12600.00

Other Expenditure:

a. Transportation	-	10,000.00
b. Maintenance & Storage etc.	-	10000.00
c. Stationary & Poster etc.	-	5000.00
Total		25000.00

Total Unit Cost

1. Machinery	-	30,000.00
2. Input -	-	40,000.00
3. Worker & labour	-	12600.00
4. Other Expenditure	-	25000.00
Total Expenditure		107600.00

Unit Profit

Total production from one ha is about Rs.	250,000.00
Yearly Income from Unit	142400.00

Address for Seed & Other Material used in Unit

1. Central Institute of Medicinal & Aromatic Plants (CIMAP)

P.O. – Ram Sagar, Mishara Nagar , Lucknow

6. Masala Grinding Project

1. Land Requirement; 1000 Sq Feet Rent Rs. 1500.00 per Month

2. Capacity:
 300 working days
 6480 kg Chilly Powder
 6000 kg Coriander Powder
 6960 kg Haldi
 1200 kg Garam Masal
 Job Work

3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Pulverizer (5 horse power)	01	37000.00	37000.00
2.	Packaging Machine	01	12000.00	12000.00
3.	Taraju, Bant etc	01	4500.00	4500.00
4.	Electrification	01	3500.00	3500.00
	Total			57000.00

Working Capital / Month**4. Raw Material**

S. No.	Items	Quantity	Rate	Amount (Rs)
1.	Chilly	540 kg	40 / kg	21600.00
2.	Haladi	580 kg	30 kg	17400.00
3.	Coriander	500 kg	35	17500.00
4.	Jeera	20 kg		5500.00
5.	Badi Ilaichi	30 kg		3500.00
6.	Kali Mirch	40 kg		9500.00
7.	Dal Chinni	30 kg		5000.00
8.	Laong	20 kg		2800.00
9.	Packaging Material	12.00		2500.00
	Total			85300.00

Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day	5550.00
2. Helper 02 @ Rs. 100 / Day	6000.00
Total	11550.00

5. Utilities Expenditure per Month

1. Electricity Expenditure	1000.00
2. Water etc.	1000.00
Total	2000.00

6. Other Expenditure per Month

1. Rent	1500.00
2. Postage / Stationary Expenditure	500.00
3. TA. Transportation etc.	2000.00
4. Insurance	500.00
5. Administrative expenses	1200.00
Total	5700.00

Capital Required per Month

1. Raw Material	85300.00
2. Worker & Labour	11550.00
3. Utilities Exp.	2000.00
4. Other Exp	5700.00
Total	104550.00

Total Project Cost

A. Machinery & Tools	57000.00
B. Capital Running	104550.00
Total	161550.00

Entrepreneur Share

– 50 %

Implementing agency share

- 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Coriander Powder	6000 kg	Rs 60 / kg	360000.00
Michi Powder	6480	Rs 65 / kg	421200.00
Haldi Powder	6960 kg	55 / kg	382800.00
Garam Masal	1200	165 / kg	192000.00
Job work			150000.00
	Total		1506000.00

7. Oil Expeller Project

1. Land Requirement;

1250 Sq Feet Rent Rs. 1200.00 per Month

2. Capacity:

300 working days

50 kg Mustard / hour

40 % Job Work

3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Oil Expeller (6 Volt Ave. 50 kg / hr) 7 HP Motor	01	48000	48000.00
2.	Filter Press	01	15000.00	15000.00
3.	Shaft, Patta etc.	-	7500.00	7500.00
4.	Electrification & furniture	-	15000.00	15000.00
	Total			85500.00

Working Capital / Month

4. Raw Material

S. No.	Items	Quantity	Rate	Amount (Rs)
1.	Mustard	4500 kg	18 / kg	81000.00
	Total			81000.00

5. Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day	5550.00
2. Helper 01 @ Rs. 100 / Day	2600.00
Total	8150.00

6. Utilities Expenditure per Month

1. Electricity Expenditure	3500.00
2. Water etc.	1000.00
Total	4500.00

7. Other Expenditure per Month

1. Rent	1200.00
2. Postage / Stationary Expenditure	500.00
3. TA. Transportation etc.	2000.00
4. Insurance	500.00
5. Administrative expenses	1200.00
Total	5400.00

8. Capital Required per Month

1. Raw Material	81000.00
2. Worker & Labour	8150.00
3. Utilities Exp.	4500.00
4. Other Exp	5400.00
Total	99050.00

Total Project Cost

A. Machinery & Tools	85500.00
B. Capital Running	99050.00
Total	184550.00

Entrepreneur Share	- 50 %
Implementing agency share	- 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Mustard Oil	19440	Rs 60 / kg	1166400.00
Cake	34590	Rs15 / kg	518850.00
Job Work	-	-	550000.00
	Total		2235250.00

8. Papad Making Unit

1. Land Requirement; 1000 Sq Feet Rent Rs. 1000.00 per Month

2. Capacity: 300 working days
6960 kg urd Papad
4620 kg Moong Papad

3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Papad Making Machine (with ¼ HP motor)	01	28000.00	28000.00
2.	Aata mixing machine (with motor)	01	25000.00	25000.00
3.	Loi making Machine (with motor)	01	27000.00	27000.00
4.	Loi Pressing Machine hand running	01	3500.00	3500.00
5.	Other Pans & Apparatus	-	-	5000.00
6.	Electrification	-	-	7500.00
7.	Furniture & Other	-	-	7500.00
	Total			103500.00

Working Capital / Month**4. Raw Material**

S. No.	Items	Quantity	Rate	Amount (Rs)
1.	Moong Aata	350 kg	30 kg	10500.00
2.	Urd Aata	495 kg	35 kg	17352.00
3.	Jeera	20 kg	55 kg	1100.00
4.	Papad Khar	33 kg	20 / kg	660.00
5.	Salt	33 kg	10 / kh	330.00
6.	Hing	1 kg		150.00

7.	Lal Mich, Kali Mirch,			2000.00
8.	Other packing material			5000.00
	Total			37092.00

Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day	5550.00
2. Helper 02 @ Rs. 100 / Day	5200.00
Total	10750.00

5. Utilities Expenditure per Month

1. Electricity Expenditure	750.00
2. Water etc.	1000.00
Total	1750.00

6. Other Expenditure per Month

1. Rent	1000.00
2. Postage / Stationary Expenditure	500.00
3. TA. Transportation etc.	2000.00
4. Insurance	500.00
5. Administrative expenses	1200.00
Total	5200.00

7. Capital Required per Month

1. Raw Material	37092.00
2. Worker & Labour	10750.00
3. Utilities Exp.	1750.00
4. Other Exp	5200.00
Total	54792.00

Total Project Cost

A. Machinery & Tools	103500.00
B. Capital Running	54792.00
Total	158292.00

Entrepreneur Share	- 50 %
Implementing agency share	- 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Moong Papad	4620 kg	Rs 66 / kg	304920.00
Urd Papad	6960 kg	Rs75 / kg	522000.00
	Total		826920.00

9. Wooden Furniture Unit

1. Land Requirement; 40 X 20 Feet Rent Rs. 2000.00 per Month
2. Capacity: 300 working days
3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Aari , Rabdha, Hammer, etc.	-	-	18000.00
2.	Small Aara Machine (1/2 HP Motor)	01	38000.00	38000.00
4.	Other Pans etc.	-	-	5000.00
	Total			61000.00

Working Capital / Month**4. Raw Material**

S. No.	Items	Quantity	Rate	Amount (Rs)
1.	Sheesham, Teak wood etc.	-	-	150000.00
2.	Keel, Pench, Primar, etc.	-	-	12000.00
3.	Favicole, Ply wood, Sun Mica etc.	-	-	25000.00
	Total			248000.00

5. Workers & Labours

1. skilled Karigar @ 250 / Day 7500.00
2. Labour 02 @ Rs. 100 / Day 5200.00
- Total 12700.00**

6. Other Expenditure per Month

1. Rent 2000.00
2. Postage / Stationary Expenditure 500.00
3. TA. Transportation etc. 2000.00
4. Insurance 500.00
5. Administrative expenses & Sale Rapper etc. 2500.00
- Total 7500.00**

7. Capital Required per Month

1. Raw Material	248000.00
2. Worker & Labour	12700.00
3. Other Exp	7500.00
Total	268200.00

Total Project Cost

A. Machinery & Tools	61000.00
B. Capital Running	268200.00
Total	329200.00

Entrepreneur Share	- 50 %
Implementing agency share	- 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Furniture made	-	Per month	2,62000.00
	300 days / Years		2620000.00
	Total		800000.00

10. Mini Dal Mill Unit

- 1. Land Requirement;** 1250 Sq Feet Rent Rs. 1200.00 per Month
- 2. Capacity:** 300 working days
10 quintal / day
40 % Job work (Community Basis)

3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Mini Dal Mill (IIPR Kanpur)	01	42000	42000.00
2.	Other Utensils	-	-	5000.00
3.	Shaft, Patta etc.	-	7500.00	7500.00
4.	Other (electric etc.)	-	-	3000.00
	Total			57500.00

Working Capital / Month

4. Raw Material

S. No.	Items	Quantity	Rate	Amount (Rs)
1.	Urd, Moong, chickpea, Pea	100 q	2500 / q	250000.00
	Total			250000.00

5. Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day 5550.00
2. Helper 01 @ Rs. 100 / Day 2600.00

	Total	8150.00
6. Utilities Expenditure per Month		
1. Electricity Expenditure	3500.00	
2. Sailling 7 Drying etc	7500.00	
	Total	11000.00
7. Other Expenditure per Month		
1. Rent	1200.00	
2. Postage / Stationary Expenditure	500.00	
3. TA. Transportation etc.	2000.00	
4. Insurance	500.00	
5. Administrative expenses	1200.00	
	Total	5400.00
8. Capital Required per Month		
1. Raw Material	250000.00	
2. Worker & Labour	8150.00	
3. Utilities Exp.	11000.00	
4. Other Exp	5400.00	
	Total	274550.00
Total Project Cost		
A. Machinery & Tools	57500.00	
B. Capital Running	274550.00	
	Total	332050.00
Entrepreneur Share	- 50 %	
Implementing agency share	- 50 %	

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Dal of different kind	1500 q	Rs Ave 3000 / q	4500000.00
Job Work	-	-	500000.00
	Total		5000000.00

11. Small Dairy Farm Unit

1. Land Requirement;

5 Buffaloes/Cows Unit Requires: 400 Sq Feet covered area (thatched) made by local material and Approximately 1000 sq feet open area

Rent Rs. 2000.00 per Month

2. Capacity: 5 Animal Unit

3. Live Stock & Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Buffaloes / Cows (Murra/ Tharparkar)	05/05	30000 / animal	150000.00
2.	Milk Can	06	500	3000.00
3.	Balty	10	150	1500.00
4.	Chaff cutter (with Motor)	01	3500	3000.00
5.	Other pans etc.	-	-	2000.00
	Total			159500.00

Working Capital / Month

4. Raw Material

S. No.	Items	Quantity	Rate	Amount (Rs)
1.	Bhusa / month	20 quintal	180 / q	3600.00
2.	Green Fodder / Concentrate Feed etc.	6 kg/ Buffalo & 4 kg / Cow Appro. 1000 kg	10 kg	10000.00
	Total			13600.00

5. Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day 5550.00

2. Helper 02 @ Rs. 100 / Day 2600.00

Total 8150.00

6. Other Expenditure per Month

1. Rent 2000.00

2. Postage / Stationary Expenditure 500.00

3. TA. Transportation etc. 2000.00

4. Insurance 1200.00

5. Administrative expenses 1200.00

Total 6900.00

7. Capital Required per Month

1. Raw Material 13600.00

2. Worker & Labour 8150.00

3. Other Exp 6900.00

Total	28650.00
Total Project Cost	
A. Live Stock & Machinery/Tools	159500.00
B. Capital Running	28650.00
Total	188150.00

Entrepreneur Share – 50 %
Implementing agency share - 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Milk sale (peak)	9000 lit	Rs 15 / lit.	135000.00
Dry Spell	4500 lit	Rs. 15 / lit	67500.00
	Total		202500.00

12. Small Poultry Unit

A. Capital Investment

1. Broiler House Tubular Structure

Approximately 1000 sq @ Rs 100 / sq feet = 1,00,000.00

2. Broiler Apparatus

a. Adult Feeder 25 Nos. @ Rs. 250 / No. 6250.00
b. Chick Feeder 25 Nos. @ 75 / No. 1875.00

3. Brooder Automatic 03 Nos. @ Rs. 1250 / No. 3750.00

4. Electric Fitting etc. 7500.00

Total 119375.00

B. Working Capital:

1. 1000 chicks one day old @ 12 / Chick 12000.00

2. Balanced Broiler Feed for 45 days @ 2.5 gm/ chick Rs. 6.00 / kg 15,000.00

3. Poultry Litter (wooden Powder) 2500.00

4. Medicines 2000.00

5. Transport 1000.00

6. Working Staff & labour 5500.00

7. Other Expenses 5000.00

Total 43000.00

Total Unit Cost

1. Capital Investment – 119375.00

2. Working Capital - 43000.00

Total 162375.00

Entrepreneur Share – 50 %
 Implementing agency share - 50 %

Returns

- | | |
|--|----------|
| 1. Broiler 1000 Birds (Live weight –1.30 kg) @ Rs. 70 / Bird | 70000.00 |
| 2. Poultry Manure | 1500.00 |
| 3. Feed Blank Gunny Bags | 2500.00 |

Total 74000.00

Total Five Crops will made in a year, So Net Return = 3,70,000.00

13. Motor Mechanic Workshop

- | | |
|----------------------|---|
| 1. Land Requirement; | 1250 Sq Feet Rent Rs. 1200.00 per Month |
| 2. Capacity: | 300 working days |
| | Moror Bike, Tractor, Diesel Engine etc |

3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Instruments			50000.00
2.	Shed etc	-	-	50000.00
	Total			100000.00

4. Workers & Labours

- | | |
|--------------------------------------|----------------|
| 1. Skilled Labour 01 @ Rs. 185 / day | 5550.00 |
| 2. Helper 01 @ Rs. 100 / Day | 2600.00 |
| Total | 8150.00 |

5. Utilities Expenditure per Month

- | | |
|----------------------------|---------|
| 1. Electricity Expenditure | 3500.00 |
|----------------------------|---------|

6. Other Expenditure per Month

- | | |
|-------------------------------------|----------------|
| 1. Rent | 1200.00 |
| 2. Postage / Stationary Expenditure | 500.00 |
| 3. TA. Transportation etc. | 2000.00 |
| 4. Insurance | 500.00 |
| 5. Administrative expenses | 1200.00 |
| Total | 5400.00 |

7. Capital Required per Month

- | | |
|--------------------|-----------------|
| 1. Worker & Labour | 8150.00 |
| 2. Utilities Exp. | 3500.00 |
| 3. Other Exp | 5400.00 |
| Total | 17050.00 |

Total Project Cost

A. Machinery & Tools	100000.00
B. Capital Running	17050.00
Total	117050.00

Entrepreneur Share – 50 %
Implementing agency share - 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Job work	Rs. 20000/Month		240000.00
Total			240000.00

14. Barber Shop

1. Shop area / rent ; Rs. 100.00 per Month
2. Capacity: 300 working days
3. Machinery Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Instruments & Mirrors etc.			50000.00
2.	Shed etc	-	-	50000.00
	Total			100000.00

4. Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day 5550.00

5. Utilities Expenditure per Month

1. Electricity Expenditure 3500.00

6. Other Expenditure per Month

1. Rent 1000.00
 4. Insurance 500.00
- Total 1500.00**

7. Capital Required per Month

1. Worker & Labour 5550.00
 2. Utilities Exp. 3500.00
 3. Other Exp 1500.00
- Total 10550.00**

Total Project Cost

A. Machinery & Tools	100000.00
B. Capital Running	10550.00
Total	110550.00

Entrepreneur Share	– 50 %
Implementing agency share	- 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Job work	Rs. 1500/Month		180000.00
Total			180000.00

15. Rope making Unit (Linseed)

1. Land Requirement; ½ acre
2. Capacity: 300 working days
3. Machinery, raw material & Building Required

S.No.	Particulars	No.	Rate	Total Amount (Rs)
1.	Rope making machine	01	35000	35000.00
2.	Decomposing structure	01	25000	25000.00
3.	Shed cum office	01	25000	25000.00
4.	Raw material (linseed stem)	20 ton	6000/ton	60000.00
	Total			145000-00

4. Workers & Labours

1. Skilled Labour 01 @ Rs. 185 / day	5550.00
2. Helper 01 @ Rs. 100 / Day	2600.00
Total	8150.00

5. Utilities Expenditure per Month

1. Electricity Expenditure	3500.00
----------------------------	---------

6. Other Expenditure per Month

1. Rent	1200.00
2. Postage / Stationary Expenditure	500.00
3. TA. Transportation etc.	2000.00
4. Insurance	500.00
5. Administrative expenses & marketing	1800.00
Total	6000.00

7. Capital Required per Month

1. Worker & Labour	8150.00
--------------------	---------

2. Utilities Exp.	3500.00
3. Other Exp	6000.00
Total	17650.00
Total Project Cost	
A. Machinery & Tools	145000.00
B. Capital Running	17650.00
Total	162650.00
Entrepreneur Share	– 50 %
Implementing agency share	- 50 %

Assumed Profit

Particulars	Quantity	Rate	Amount (Rs)
Rope	15 ton rope / yr	12000 / ton	180000.00
Job work	-		50000.00
	Total		230000.00

16. Organic Product Unit

S. No	Particulars	Description
1	Cereals	Duram Wheat – as grown by the local growers on small groups basis
2	Pulses	Chickpea, pea, lentil, Urd, Moong and Arhar
3	Fruits	Aonla

Above crops to be identified according to the Agro climatic situation (Land, situations, irrigations etc)

Work Plan

1. Identification of commodities groups
2. Informations of groups and their land and farming system approach
3. Certification process
4. Practices for organic growing

Certification Charges For Five Years

S.No.	Details of Certification	Amount (Rs)
1	1 st year – Travel & Inspection 7000 / day	49000.00
	Report Preparation	5000.00
	Certification	5000.00
	Others (Stationary etc)	1000.00
	Total	60000.00
2.	2 nd year	60000.00
3	3 rd year	60000.00
4	4 th Year	60000.00
5	5 th year	Self by the groups
	Total	240000.00
	PIA Share – 50 %	120000.00
	Group Share – 50 %	120000.00

17. Seed Production and Seed Bank

Existing Problem: Seed replacement

S. No.	Particulars	Analysis of Problem	
1.	Quality of Seed	Very poor	Low Yield of Crops
2.	Availability of Seed	Untimely	Effect the Yield of crops
3.	Seed Rate (at the time of sowing)	Higher 1.5 to 2.0 times then recommendation	Money loss
4.	Productivity	Very Low	Lack of awareness about seed and ICM
5.	Replacement rate of Seed	Nil	Low productivity

Objectives:

1. To improve the quality of uncertified seed (farmer's seed) or Truthful seed at village level.
2. To increase the production and productivity.
3. To create awareness among the farmers about quality seed, seed rate and method of sowing.
4. To generate employment for unemployed rural youth.
5. To save grain for extra use and income.
6. Multiplication of seed of newly released varieties suitable for microclimate.

Work Plan:

1. Formation of advisory committees
2. Selection of farmers for seed production in groups.
3. Selection of land according to crops requirement.
4. Arrangement of seed before the main season from different universities / states.
5. Field visits of farmers for truthful seed and for certification by certified agencies
6. Marketing of seed by groups or e marketing.

Seed Multiplication Table

S. No.	Crop	Required seed (q/ha)	Productivity q/ha	Area sown (ha)	Required seed (q)
1.	Durum Wheat	1.00	18.00	40	40.00
2.	Chickpea	1.00	12.00	20	20.00
3.	Field Pea	1.00	12.00	20	20.00
4.	Lentil	0.60	11.00	20	12.00
5.	Urd	0.50	4.00	10	5.00
6.	Moong	0.50	4.00	10	5.00

Input Required

1. Seed:

S. No.	Crop	Required seed (in quintal)	Approximately Rate of Seed (Rs./q)	Amount (Rs.)
1.	Durum Wheat	40.00	2500	100000
2.	Chickpea	20.00	6500	130000
3.	Field Pea	20.00	5400	108000
4.	Lentil	12.00	6000	72000
5.	Urd	5.00	5500	27500
6.	Moong	5.00	5600	28000
	Total			465500

2. Cost of Cultivation: From sowing to harvesting all activities should be done by the individual farmer under the Self help group.
3. Drying, Sorting & Cleaning at village level:
10 Labour Rs. @ 100 for one day for each crop for one ha produce for wheat
5 labour Rs. @ 100 for one day for each crop for one ha produce for pulses

Crop	Area (ha)	Labour for one ha	Amount (Rs.)
Durum Wheat	40.00	1000	40000.00
Chickpea	20.00	500	10000.00
Field Pea	20.00	500	10000.00
Lentil	12.00	500	6000.00

Urd	5.00	500	2500.00
Moong	5.00	500	2500.00
Total	102		71000.00

4. Registration Fees (@ Rs 450 /ha 45900.00

5. Packaging (hand Sieving machine) **5500.00**

6. Jute Bags (bags of 40 kg Total No. 3430) **51450.00**

7. Transportation & services charges etc. 20000.00

Total 122850.00

Income from one Unit & Area Expansion with good productivity

S. No.	Crop	Production	Rate / q	Total Amount (Rs.)	Area can be sown
1.	Durum Wheat	720	2000	1440000	720
2.	Chickpea	240	5000	1200000	240
3.	Field Pea	240	4500	1080000	240
4.	Lentil	132	4500	594000	220
5.	Urd	20	4000	80000	40
6.	Moong	20	4200	84000	40
	Total	1372		4478000	1500

- At least 2 units will be established in the whole cluster of watershed by the self help groups.
- Interested SHGs will be preferred and village community work for seed bank and deposit seeds for higher production and increasing the area of the watershed under the cluster approach.
- The production from seed production unit will be used as seed bank by SHGs and other villagers of productivity enhancement. The SHGs will get money from other farmers on behalf of their seed and the benefited farmers will take an oath to spread these seed for higher productivity in the watershed to other farmers.

Outcomes from Seed Production & Seed Bank programme

S. No.	Crop	Production	Total Amount (Rs.)	Two unit in cluster	Area can be sown (ha)
1.	Durum Wheat	720	1440000	2880000	1440
2.	Chickpea	240	1200000	2400000	480
3.	Field Pea	240	1080000	2160000	480
4.	Lentil	132	594000	1188000	440
5.	Urd	20	80000	160000	80
6.	Moong	20	84000	168000	80
	Total	1372	4478000	8956000	3000.00

- It is very clear from the production of seed and their bank which will run in participatory mode in the watershed

CHAPTER - 6

CAPACITY BUILDING PLAN

The capacity building of various stake holders will be given very high priority as the watershed is to be developed in participatory mode. Capacity building initiative plays very important role in human resource development of model watershed to replicate and train other watershed resource persons. The capacity building initiatives include training to NARS, government officials, CBOs, farmers and PIAs through field days, hands-on trainings, exposure visits to successful watersheds, training materials and etc. Need-based specialized training courses will be conducted. The details of the training is summarized in Table 6.1.

Table- 6.1: List of probable training institutes for capacity building

Sr. No.	Name of the Training Institute	Full Address with contact no, website & e-mail	Designation of the Head of Institute	Type of Institute	Area(s) of specialization
1.	Krishi Vigyan Kendra	Bharari, P.O.- Bhojla, Jhansi	Programme Coordinator	Ag. University	Extension
2.	National Research Centre for Agro-Forestry	Gwalior Road, Jhansi <i>www.nrcaf.ernet.in</i>	Director	ICAR (GoI)	Agro-Forestry/ Watershed Research and management
3.	Indian Grass Land & Fodder Research Institute	Gwalior Road, Jhansi	Director	ICAR (GoI)	Grass Land & Fodder Research
4.	Bundelkhand University (Agriculture Division)	Kanpur Road, Jhansi	Head (Agronomy)	State University	Teaching & Training
5.	Govt. Agriculture School	Chirgaon, Jhansi	DD (Ag.)	State Govt.	Training to Farmers
6.	Govt. Poly-technique	Gwalior Raod, Jhansi	Principal	State Govt.	Draft man training
7.	ITI	ITI, Colony, Jhansi	Principal	State Govt.	Draft man training

Table- 6.2: Training to stakeholders on participatory watershed management

Sl. No.	Client Group	Title of the Programme/Duration/ Time	Objectives	Coverage/Topics	Training Methodology	Training Institutions
1.	Watershed Committee Members / Watershed Secretaries / Presidents / Field Staff etc	Participatory watershed management Duration : 2 days on each topics	To familiarize the participants with various aspects of participatory management of watershed	Watershed concept, Salient features of guidelines, Organizing people's groups, Conducting meetings, Recording of proceedings, Office Management, Accounting Procedures, Book keepings and accounts, Maintenance of accounts and records, Participatory Planning, Preparation of schemes and estimates for SHGs, Implementation of works and activities, Assisting execution and recording of works, Effecting timely payments Awareness creation	Lectures on LCD Case discussion Group exercises CDs & LCD Show	KVK/ Research institutes/ NGOs

Table 6.3: Title of trainings to be organized for members of WC /WDT/field staff

<p>Durum wheat and low water requiring wheat varieties screening and ICM Interest of groups identification and implementation in collective manner. Applied Vermi-culture, NADEP and composting technologies for livelihood Advance vegetable production techniques Fish culture in water harvesting structures Post harvest and value addition</p>
<p>Advance oilseed production techniques. Cultivation of medicinal and aromatic Plants. Low cost feeding of milch animals</p>

Integrated pest management in <i>kharif</i> and <i>rabi</i> pulses
Goatary, Dairy, rabbit farming and poultry development. Integrated crop management in pulses and oilseeds
Advance pulse and oilseed production techniques Advance extension skills and use of GIS and GPS in watershed Training on information technology Computer in agriculture marketing (internet) Fabrication of gabion Construction of low cost checkdam, well recharging unit Monitoring and evaluation of impact of watershed management Preparation of reports, leaflets, bulletins, etc. Documentation of success stories Development of nursery tech.

Table 6.4: Title of trainings to be organized for members of WC/SHGs/UGs/AGs/WDT at local level

Title of the Programme & Duration	Objectives	Coverage/Topics	Training Institutions/Methodologies
Orientation Program on Participatory Planning and Management	<ul style="list-style-type: none"> To enhance the technical and managerial capability of participants 	<ul style="list-style-type: none"> Watershed concept, need and program Salient features of guidelines Roles and Responsibilities Leadership building Conducting meeting Farming systems approach Participatory planning for developments Preparation of group plan and Action Plan Group Formation and Management Conservation and Production measures Management of CPR Post Project Management of created assets Financial Arrangements INM,IPM Practices Benefit sharing 	<p>KVK/ Research institutes/ NGOs</p> <ul style="list-style-type: none"> Lecture-cum-discussions Practical exercise Demonstration Video film show <p>Field visit</p>

Capacity building programme will be continuous. For the sake of convenience each year may divided in two halves and training may be

organized on the topics mentioned in table 6.5.

Table 6.5: Title of trainings to be organized for stakeholders

First half yearly programme

- Integrated Crop Management (ICM) of oilseeds and pulses of winter
- Integrated Crop Management (ICM) in winter vegetables.
- Small Scale Dairy, goatary and poultry unit development for livelihood as option.
- Skill training on preservation of rural products (locally available) under household condition.
- Composite Fish Culture
- Production of Organic Mannure & their marketing
- Integrated pest management of wilt in pulses and gram pod borer in gram, yellow vein mosaic disease of urd and moong.
- Durum wheat and low water requiring wheat varieties screening and ICM
- Interest groups identification and implementation of units in collective manner.
- Applied Vermi-culture NADEP and composting technologies for livelihood and for sustainable development
- Integrated crop management in Groundnut and soybean
- Layout & plantation techniques of Aonla, Ber & Guava.
- Fodder production in *Kharif*
- Safe storage of grain and pulses
- Layout and construction / Rejuvenation of fishpond.

Second half yearly programme

- Integrated crop management in oilseed crops of *kharif* & *rabi* season
- Integrated crop management in vegetables of *kharif* season
- Green Fodder production in *Rabi*.
- Seed treatment and method of sowing in *Rabi* crops.
- Application of organic and inorganic fertilizers in fish culture ponds
- Soil and water conservation measures
- Control of collar rot disease in groundnut through seed treatment
- Integrated crop management in *Rabi* pulses.
- Integrated crop management in *Rabi* vegetables.
- Feeding technique of milch animals
- Balance use of feed for fish production
- Low cost balanced feed for milch animals.
- Identification and eradication of weeds and predatory fish from pond.
- Seed treatment with bio-fertilizers
- Major disease and insect of mustard crop and their management

Table 6.6 Income and employment generating training programs for SHGs

Seed production technologies for pulses, cereals and oilseed
Preparation of organic manures
Off season vegetable growing
Back yard poultry farming
Seasonal fruit (Guava, Ber, Aonla) and vegetables (Tomato, Cauliflower, Pea) preservation, packing and marketing
Composite fish farming
Bee keeping management techniques
Value addition in pulses, oilseed, durum wheat (small scale)
Use of computer and communication technology for agriculture marketing.
Seed production of groundnut.
Vegetable nursery management.
Goatary management.
Mini dal mill
Value addition of different types of masala making, packing and marketing
Integrated fish culture cum horticultural crops

CHAPTER - 7

PHASING OF PROGRAMME AND BUDGETING

7.1 Finanacial phasing including administrative cost

Financial Phasing – IWMP-XV, (MWS-07)

Sr. No.	Particulars	1st Year	2nd Year	3rd Year	4th Year	Total
1	Administrative Cost-10%	12.705	12.705	12.705	12.705	50.82
2	Monitering-1%	1.270	1.270	1.270	1.270	5.082
3	Evalution-1%	1.270	1.270	1.270	1.270	5.082
4	Entry Point Activity-4%	20.328	-	-	-	20.328
5	Institution & Capacity Building-5%	8.470	8.470	8.470	-	25.41
6	DPR-1%	5.082	-	-	-	5.082
7	Watershed Dev. Work-56%	71.148	71.148	71.148	71.148	284.592
8	Livelihood Activity-9%	15.246	15.246	15.246	-	45.738
9	Production System & Micro enterprises-10%	16.94	16.94	16.94		50.82
10	Consolidation-3%	-	-	7.623	7.623	15.246
	Total	152.459	127.049	134.672	94.016	508.2

7.2 Monitoring and Evaluation

Monitoring of the project will be done at each stage and it will be carried out for both, process and outcome. Some community members will be trained and will be involved in participatory monitoring of various parameters and processes and the crop yields. The interventions, expenditure and other information will be displayed in the watershed Micro-watershed through wall writings. Besides trained community members, PIA/DWDU will also monitor the physical and financial progress of watershed development programme. Frontier technologies viz. GIS and Remote Sensing techniques will be used by the PIA/DWDU for monitoring and evaluation. The PIA shall submit quarterly progress reports (countersigned by the Watershed Committee (WC) President) to the DWDU for further submission to the SLNA. Sustainable and unbiased monitoring will be ensured by involving an independent agency. About 1 per cent of the total budget will be used on this activity.

7.2.1 Plan for Evaluation

Watershed development activities bring about both tangible and intangible benefits. In order to quantify the benefits, impact analysis has been proposed.

Theme

It is presumed that as a consequence of watershed development activities there will be noticeable change in socio-economic status of inhabitants, cropping intensity, ground water recharge, crop diversification, fuel, fodder and small timber availability, livestock composition and milk production, etc. These indicators can be gauged over bench mark data both at the beginning and at the end of the project within the watershed.

Observations

The following indicators will be taken into account for quantitative and qualitative assessment. For the purpose, detailed questionnaires will be prepared and field observations will be carried out.

- Duration of availability of drinking water/irrigation and groundwater recharge
- Irrigation frequency and area under irrigation
- Changes in cropping pattern and cropping systems in the farmers fields along with productivity and incomes
- Soil health
- Satellite monitoring for vegetation cover and other parameters
- Fuel, fodder and small timber availability
- Livestock composition and productivity
- Periodic pest and disease monitoring will be done in major crops
- Socio-economic aspects including resource inventory
- Following indices will also be worked out as qualitative indicators of the watershed development:

- Land Improvement Index (LII)
- Crop Diversification Index (CDI)
- Cultivated Land Utilization Index (CLUI)
- Crop Fertilization Index (CFI)
- Induced Watershed Eco-Index (IWEL)

The concurrent and post-project monitoring and evaluation would be conducted to assess the status of watershed related interventions. It will be done by an independent agency having similar experiences. About 1 per cent of the total budget will also be used on evaluation.

7.3 Physical and Financial-Targets and Outlays

S. No.	Activities	Nos./area	Amount (Rs. In Lakh)
1	Preparatory Phase		
	Entry Point Programme	-	20.328
	Institution & Capacity building	As per details in chapter 6	25.410
Total			45.738
2	Watershed Works Phase		284.592
	Field/Contour /Graded Bunds (FB/CB/GB)	1271	50.8
	Marginal Bunds (MB), Peripheral Bunds (PB), Submerged Bunds (SB)	2115	105.5
	Earthen Check Dam (CD)/ Gully plug/ Water harvesting bunds (WHB)	849	57.592
	Checkdam/Drop Structure	14	42.2
	Drop spillway	14	28.5
	Field drainage structures	0	0
	Gabion	0	0
	Well recharge unit	0	0
	Through PIA	4235	284.592
	Through Convergence*	4235	284.592
1			
3	Livelihood Activities	As per details in chapter 7	45.738
4	Production System		
	Agriculture Production system		

	Demonstration**	320	10.0
	On Farm Testing**	240	6.00
	Seed Multiplication by community	160 ha	8.00
	Vegetable production	160 ha	4.00
	Horticulture		0.00
	Demonstration	32	8.82
	Orchard/Planatation (Fruit tree/Forest seedlings)	40 ha	4.00
	Animal Husbandry		0.00
	Animal camps	0	0
	Local Tharparkar / Gir Bull Breeding	0	0
		0	0
	Agroforestry		0.00
	Aonla based		
	Guava based		
	Lemon based		
	Bael based		
	Ber based		
	Through PIA		426.888
	Convergence*		0
			426.888
	Project Cost		0
	Preparatory Phase		5.082
	Administrative Cost-10%		50.82
	Evalution-1%		5.082
	DPR-1%		5.082
	Monitoring - 1%		5.082
	Consolidation-3%		15.246

	Activities under IWMP		508.2
	Total PIA		508.2
	Total Convergence*		0
	Total Project Cost		508.2
*Convergence under MNREGA, NHM, FSM, ATMA etc			

7.4 Year wise phasing of interventions/activities for development of watershed

Physical Target for Watershed Works			Year				
Activity			2012-13	2013-14	2014-15	2015-16	Total
Land Development	Agro-forestry	ha	0	0	0	0	0
	Horticulture	ha	0	0	0	0	0
	Agriculture	ha	1058.75	1058.57	1058.57	1058.57	4235.00
	Pasture	ha	0	0	0	0	0
Soil Moisture Conservation (SMC)	Contour Farming/Contour Bunding/ Graded Bunding/ Field Bunding	ha	317.75	317.75	317.75	317.75	1271
Engineering Measures	Earthen Checks	cu.m.	28680	28680	28680	28680	114721
	Gully Plugs	cu.m.	63985	63985	63985	63988	255943
	Gabion Structures	No	0	0	0	0	0
	Field Drainage Structures	No	0	0	0	0	0
	Drop Spill Way / Checkdam	No	7	7	7	7	28
	Well Recharge Unit	No	0	0	0	0	0
Livelihood	No. of on farm activates	No	17.46	17.46	34.92	0.00	69.84
	No. of beneficiaries	No	320.00	320.00	640.00	0.00	1280.00
	No. of off-farm activities	No	16.20	16.20	32.40	0.00	64.80

	No. of beneficiaries	No	40.00	40.00	80.00	0.00	160.00
Production System	Area	ha	1057.75	1057.75	1057.75	1057.75	4235
	No. of beneficiaries	No	1208	1208	1208	1208	4832

7.5 Year wise financial phasing of interventions/activities for development of watershed

Financial Target for Watershed Works		Quantit y	Uni t	Year				Rs in lacs
Activity				2012- 13	2013- 14	2014- 15	2015- 16	Total
Land Development	Agroforestry	0	Ha	0	0	0	0	0
	Horticulture	0	Ha	0	0	0	0	0
	Agriculture	4235	Ha	127.05	127.05	127.05	127.05	508.20
	Pasture	40	Ha	0.00	0.00	0.00	0.00	0.00
Soil Moisture Conservation (SMC)	Contour Farming/Contour Bunding/ Graded Bunding/ Field Bunding	1271	Ha	12.70	12.70	12.70	12.70	50.80
Vegetative and	Earthen Checks	255943	cum	14.397	14.397	14.397	14.397	57.592
Engineering Measures	Gully Plugs	114721	cum	26.375	26.375	26.375	26.375	105.5
	Gabion Structures	0	No.	0	0	0	0	0
	Field Drainage Structures	0	No.	0	0	0	0	0
	Drop Spill Way / Checkdam	28	No.	17.675	17.675	17.675	17.675	70.70
	Well Recharge Unit	0	No.	0	0	0	0	0
	To tal			71.147	71.147	71.147	71.147	284.592
Livelihood	No. of on farm activates		No	10.48	10.48	20.95	0.00	41.90

	No. of beneficiaries		No	-	-	-	-	-
	No. of off-farm activities		No	8.10	8.10	16.20	0.00	32.40
	No. of beneficiaries		No	-	-	-	-	-
Production System	Area		ha	12.705	12.705	12.705	12.705	50.82
	No. of beneficiaries		No	-	-	-	-	-
	Total			12.705	12.705	12.705	12.705	50.82

7.6 Plan of Convergence

Several schemes viz. MGNREGS, ATMA, Food Security Mission, NHM, etc. of Central and State Govt. are running in project area. To make the watershed programme successful, convergence of different schemes is necessary as the budgetary provision made under IWMP is not sufficient to saturate the watershed. In this case the convergence of Rs. 508.2 lakh s will be made through convergence of different schemes under different activities which details are as follows:

7.6.1 Year wise phasing of interventions/activities for development of watershed under convergence

Physical Target for Watershed Works			Year				
Activity			2012-13	2013-14	2014-15	2015-16	Total
Land Development	Agro-forestry	ha	0	0	0	0	0
	Horticulture	ha	0	0	0	0	0
Soil Moisture Conservation (SMC)	Contour Farming/Contour Bunding/ Graded Bunding/ Field Bunding	ha	0	0	0	0	0
Engineering Measures	Earthen Checks	cu.m.	0	0	0	0	0
	Gabion Structures	No	0	0	0	0	0
	Field Drainage Structures	No	0	0	0	0	0

	Drop Spill Way / Checkdam	No	0	0	0	0	0
Production System	Area	ha	0	0	0	0	0
	No. of beneficiaries	No	0	0	0	0	0

7.6.2 Year wise financial phasing of interventions/activities for development of watershed under convergence

Financial Target for Watershed Works		Quantity	Unit	Year				Rs in lacs
Activity				2011-12	2012-13	2013-14	2014-15	Total
Land Development	Agroforestry	0	Ha	0	0	0	0	0
	Horticulture	0	Ha	0	0	0	0	0
Soil Moisture Conservation (SMC)	Contour Farming/Contour Bunding/ Graded Bunding/ Field Bunding	0	Ha	0	0	0	0	0
Vegetative and	Earthen Checks	0	cum	0	0	0	0	0
Engineering Measures	Gabion Structures	0	No.	0	0	0	0	0
	Field Drainage Structures	0	No.	0	0	0	0	0
	Drop Spill Way / Checkdam	0	No.	0	0	0	0	0
	To tal	0		0	0	0	0	0
Production System	Area	0	ha	0	0	0	0	0
	No. of beneficiaries	0	No	0	0	0	0	0
	Total			0	0	0	0	0

7.7 Benefit Cost Analysis:
Crop outcomes Pre Project Scenerio

S.No .	Name of Crop (Season wise)	Area (ha)	Production (quintal)	Producti vity q/ha	Cost/ ha	Rat e Rs/q	Gross Return Rs	Total Cost Rs	Net Return	Net Retur n /ha	B:C Rati o
1	Til (Sesamum)	750.00	1275.00	1.70	5500	6500	8287500	4125000	4162500	5550	2.0
2	Urd	650.00	2210.00	3.40	7500	4200	9282000	4875000	4407000	6780	1.9
3	Moong	450.00	1395.00	3.10	7750	4600	6417000	3487500	2929500	6510	1.8
4	Arhar	260.00	1638.00	6.30	9580	4350	7125300	2490800	4634500	17825	2.9
5	Jawar	280.00	1344.00	4.80	4500	1400	1881600	1260000	621600	2220	1.5
6	Jawar + Arhar	340.00	2584.00	7.60	8544	3250	8398000	2904960	5493040	16156	2.9
	Total	2730.00	10446.00								
1	Lentil	1120.00	6328.00	5.65	8850	3850	24362800	9912000	14450800	12903	2.5
2	Field Pea	950.00	6887.50	7.25	7520	3200	22040000	7144000	14896000	15680	3.1
3	Chickpea	850.00	5406.00	6.36	7985	3150	17028900	6787250	10241650	12049	2.5
4	Wheat	1450.00	27187.50	18.75	11250	1275	34664063	16312500	18351563	12656	2.1
5	Barley	160.00	2752.00	17.20	9850	1025	2820800	1576000	1244800	7780	1.8
6	Linseed + Chickpea (Mixed)	210.00	1648.50	7.85	9845	3650	6017025	2067450	3949575	18808	2.9
7	Linseed + Lentil (Mixed)	260.00	1677.00	6.45	8954	3860	6473220	2328040	4145180	15943	2.8

8	Mustard / Rai	300.00	1350.00	4.50	9586	365 0	4927500	2875800	2051700	6839	1.7
	Total	5300.0 0	53236.50								
	Single crop Area	3770.0 0									
	Double crop area	2130.0 0									
	(Cucurbits, Cole crops, Egg Plant, Tomato, Potato etc)	40	950	23.75	13000	900	855000	520000	335000	8375	1.6
							16058070 8	6866630 0	9191440 8		2.34
	Total No. of families	3840	Per family Net Return from Agriculture		23936						
	Total cultivable area in MWS		6914.96		Over All B:C		2.34				
	Cropping Intensity	116.70	%								

Post Project Scenario

S.No.	Name of Crop (Season wise)	Area (ha)	Production (quintal)	Productivity q/ha	Cost/ ha	Rate Rs/q	Groos Return Rs	Total Cost Rs	Net Return	Net Return /ha	B:C Ratio
1	Til (Sesamum)	937.50	1828.13	1.95	5800	6500	11882813	5437500	6445313	6875	2.2
2	Urd	812.50	2965.63	3.65	7600	4500	13345313	6175000	7170313	8825	2.2
3	Moong	562.50	2036.25	3.62	7800	4950	10079438	4387500	5691938	10119	2.3
4	Arhar	325.00	2112.50	6.50	10350	4450	9400625	3363750	6036875	18575	2.8
5	Jawar	350.00	1820.00	5.20	6500	1650	3003000	2275000	728000	2080	1.3

6	Jawar + Arhar	425.00	3315.00	7.80	9544	3890	12895350	4056200	8839150	20798	3.2
	Total	3412.50	14077.50								
1	Lentil	1288.00	7444.64	5.78	9105	4560	33947558	11727240	22220318	17252	2.9
2	Field Pea	1092.50	7975.25	7.30	7842	3360	26796840	8567385	18229455	16686	3.1
3	Chickpea	977.50	6940.25	7.10	8023	3275	22729319	7842483	14886836	15230	2.9
4	Wheat	1667.50	33616.80	20.16	12620	1450	48744360	21043850	27700510	16612	2.3
5	Barley	184.00	3735.20	20.30	10236	1250	4669000	1883424	2785576	15139	2.5
6	Linseed + Chickpea (Mixed)	241.50	1987.55	8.23	10236	3750	7453294	2471994	4981300	20627	3.0
7	Linseed + Lentil (Mixed)	299.00	2200.64	7.36	9456	4012	8828968	2827344	6001624	20072	3.1
8	Mustard / Rai	345.00	1880.25	5.45	9541	3785	7116746	3291493	3825253	11088	2.2
	Total	6095.00	65780.58								
	Single crop Area	4252.46									
	Double crop area	2662.50									
	(Cucurbits, Cole crops, Egg Plant, Tomato, Potato etc)	55	6061	110.20	15260	650	3939650	839300	3100350	56370	4.7
							224832272	86189463	138642810		2.61
	Total No. of families	3840	Per family		36105						
			Net Return from								

			Agriculture								
	Total cultivable area in MWS		6914.96		Over All B:C		2.61				
	Cropping Intensity	138.29	%								

Animal outcomes

Pre Project Scenerio

Particulars	Cows	Buffaloes	Goat	Bullocks
Total Animals in Micro watershed Area	7000	5500	16000	1200
Milking Animals	3200	2360	4000	
Average Milk Production Lit. / day	4160	520.8	140	
Average Milk Production /Animal/ day	1.3	3.5	0.4	
Sale of Milk per day (Rs) @ Rs 15/Lit	62400	7812	2100	
Average 150 day milking days & Goat 90 days in a year (Total Rs)	9360000	78120	12600	
Meat Animals			8000	
Average rate of one kids Rs			2500	
Total Sale in a year Rs			20000000	
Working Animals (Bullocks)				1200

One year work one agriculture fields 180 days @ 200/ day (One pair)				36000
Total Work value of all working animals				21600000
Total value earned by animals in a year				51050720
Total INCOME/FAMILY	3840			13294.46
Total Expenditure / family				7020
B:C Ratio				1.89

Post Project Scenario

Particulars	Cows	Buffaloes	Goat	Bullocks
Total Animals in Micro watershed Area	8500	6500	22000	1600
Milking Animals	4300	3300	7500	
Average Milk Production Lit. / day	6880	11880	3750	
Average Milk Production /Animal/ day	1.6	3.6	0.5	
Sale of Milk per day (Rs) @ Rs 15/Lit	103200	178200	56250	
Average 150 day milking days & Goat 90 days in a year (Total Rs)	1.5E+07	1782000	337500	
Meat Animals			12500	
Average rate of one kids Rs			2800	
Total Sale in a year Rs			35000000	
Working Animals (Bullocks)				1600
One year work one agriculture fields 180 days @ 200/ day (One pair)				36000
Total Work value of all working animals				28800000
Total value earned by animals in a year				81399500
Total INCOME/FAMILY	3840			21197.79
Total Expenditure / family				7000
B:C Ratio				3.03

Net Income / Family	Pre Project Scenerio	Post Project Scenario
Agriculture	23936	36105
Animal Husbandry	13294	21198
Total (Ag+AH)	37231	57303
Over All B:C of MWS	Pre Project Scenerio	Post Project Scenario
Agriculture	2.34	2.61
Animal Husbandry	1.89	3.03
Over All B: C MWS	2.12	2.82



CHAPTER - 8

CONSOLIDATION AND WITHDRAWAL STRATEGY

8. Consolidation and Withdrawal Strategy

Success of any program depends on sustainability of the various watershed interventions and sustainability can only be achieved through active participation of community. Active participation and cooperation of community can be ensured by building their capacities through exposures and trainings. From the beginning emphasis will be on capacity building and empowerment of stakeholders. The Watershed Committee, SHGs, Area Groups, Users Group and other CBOs will be established, trained, and strengthened to continue development after withdrawal of PIA. By building economic activities through CBOs community participation will be sustained. The PR&D approach along with demand driven interventions will reduce dependency on subsidies. Contributions from the community will be ensured for the entire activities to develop sense of belongingness and these contributions will be deposited to the account of Watershed Development Fund. Watershed Development Fund will also be strengthening through donations from the individual and institutions and the CBOs will be trained to run watershed as business model on sustainable basis. The tangible economic benefits along with empowerment and hand holding by PIA will empower the CBOs to develop and sustain the watershed activities after withdrawal of the PIA. Community organizations will withdraw the money from the WDF to maintain the asset created during the implementation phase. The consolidation phase will also include writing of project completion report, documentation of success stories, making films, leaflets, bulletins and the lessons learnt. The expenditure will be done as per the Common Guidelines for Watershed Development Projects 2008.

CHAPTER - 9

EXPECTED PROJECT OUTCOME

9.1 Employment Generation and Checking Migration

There had been very heavy migration from Bundelkhand region. During drought years, It is as high as 39% against an average migration rate of 11%, in other regions of Uttar Pradesh towards northern part of the country, specially the states of Delhi, Punjab and Haryana, as agriculture labours, factory workers, rickshaw pullers etc. The major reason attributed to high rate of migration is continuous drought in the region and absence of any other alternate livelihood opportunity, in spite of several anti-poverty programmes.

Due to watershed management the cropping intensity will be increased by around 22 per cent, in turn acreage in agricultural activities will be increased by about 1363ha. Therefore, an additional employment of about 1,36,300 man days will be generated annually. Therefore, no migration in search of livelihoods is expected after implementation of watershed programme.

9.2 Other Expected Outcome*

The following tangible benefits are expected after implementation of the project:

- Runoff will be reduced by about 30 per cent, however soil and nutrient loss may be reduced up to 40 per cent from the watershed.
- Irrigation intensity may be increased to 40 per cent from present 20 per cent life saving irrigation.
- Surface water in nallah may be available for more than 10 months against 4-5 months at present.
- Average ground water recharge of about 4 m may be easily obtained after implementation of the programme
- Productivity of crops may be increased by about 30 per cent
- Significant saving of seeds may be obtained through crop demonstration with improved package of practices
- During implementation phase about 2,00,000 mandays will be created through the soil and water conservation measures and crop/agroforestry interventions.
- The over all B C ratio of the project is estimated to be 2.82 as compared to the 2.12 in pre project scenario (detailed analysis is given in Chapter 7)

***Above mentioned outcomes are based on the meta analysis of 636 watershed projects throughout the country done by ICRISAT, Hyderabad and practical experience of watershed management in Bundelkhand region.**

9.3 Questions to be answered

This project will answer the following questions :

1. Will the measures taken for water harvesting sufficient enough to recharge the perched water table?
2. Will the soil and water conservation practices be helpful in combating drought?

3. Will alternate land use such as agroforestry land use system result in self reliance/prosperity in drought prone areas?
4. Can the strategies based on watershed basis yield fruitful results?
5. Response of the villagers towards the project and their participation in sustaining developed resources after withdrawal of the project?
6. Will the formation of SHGs will help in savings and generation of self employment?
7. Will the watershed programmes improve the socio-economic conditions of the stake holders?
8. Will the watershed programme helps in capacity building of the stake holders for dissemination of various activities of watershed programme?
9. Will it sustain after project withdrawal?

9.4 Problems that could be solved as a results of this project/study

Following problems can be tackled in the proposed watershed :

1. Solving the problems of shortage of fuel, fodder, fruit and small timber requirement of villagers.
2. Creating water resources for ground water recharge availability of surface water for animal drinking and nistar purposes.
3. Increasing fertilizer consumption and improving NPK consumption ratio.
4. Optimizing crop productivity by putting more area under HYV and irrigation.
5. Increasing cropping intensity.
6. Promoting dairying through increased fodder availability.
7. Improving basic amenities and facilities like health, education, drinking water etc.
8. Increasing per capita income and thereby standard of living of farming community.
9. Increasing co-operative membership.
10. Increasing self employment.
11. Improving living standard of society.

CHAPTER - 10

DESIGN AND ESTIMATES OF ACTIVITIES




Fig. 1 Field Bunds: Cross Section – 1.22 (Not to Scale)




Fig. 2: Field Bunds: Cross Section – 1.36 (Not to Scale)




Fig. 3: Field Bunds: Cross Section – 1.67 (Not to Scale)




Fig. 4: Field Bunds: Cross Section – 2.00 (Not to Scale)

Annexure-1

Annexure-2

Design of Checkdam/Drop Structure						
HYDROLOGIC DESIGN						
Area (ha)	210					
slope	0.0071					
K	7.47					
a	0.17					
b	0.75					
n	0.96					
Time of Concentration						
		Le.77	Se-0.385			
L (m)	3500	535.71				
S	0.0071		6.7028			
		hour	Tc + b		(tc+b) power n	
Tc	69.913	1.1652	1.9152		1.8661	
Intensity						
		Tr power a				
Tr	15	1.5847				
I		6.3435				
Discharge						
			Taken			
	c	0.6	Coeff			
	I	63.435	mm/hr			
	A	210	ha			
	Q	22.202			Cumec	

HYDRAULIC DESIGN							
Length of crest weir (m)				9.5			
Weir height (m)				h			
			$Q = 1.71 * L * h^{\text{power } (3/2)}$				
			h power 3/2	1.3667			
			h	1.2313	1.25	h1	
			h + free board	1.3544	1.35		
Depth of gulley				3.38			
Height of water drop (H)				2.03		Say	2

STABILITY ANALYSIS								
Let			Top width (m)	t	1.2			
			Bottom width (m)	T	1.9			
Weight of dam per unit length (kg)				W	6820		W square	46512400
Horizontzl water pressure (Kg)				P	2000		P square	4000000
Uplift pressure (kg)				U	$(T * w * H) / 2$	1900		
Net downword force (kg)				Wn	W-U	4920	Wn Square	24206400
Resultant (kg)				R				5310.96978
				H	2			
				Xbar		0.788172		
				Z		0.330798		
Point of Resultant (xbar+Z)						1.11897		
				EA		1.111828		
				P*H/3		1333.333		
				W*EA		7582.667		

					b/6		0.316667		
					b/2		0.95		
		e = xbar+Z- b/2			e (OF)		0.16897		
		fmax = Wn/b(1+6*e/b)			fmax		3971.191		
A Safety against sliding									
					(mu*W)/P		1.23		
B Safety against overturning					(W*EA)/(P*H/3)		2.028756		
C Safety against Tension				e<b/6 or b/6-e should be +ive			0.147696		
D Safety against Crushing			Permiss comp Stress kg/sqm			say	10000		
			PCS-fmax should be +ive				6028.809		
Depth of Foundation									
			Normal scour depth, dn		0.473[Q/f]power1/ 3				
			Q (cumec)	22.20 2					
			Q (Cusec)	783.4 6					
			f is silt factor, take=		2				
			[q/f]		391.73				
			[q/f] power1/3		7.31693				
			dn (ft)		3.46091				
			dn (m)		1.05515				
		Maximum scour depth, dm			1.5*dn	1.58273			
							Technical Specification		
		Foundation depth, D			1.33 dm	2.10503		2.20	
Minimum length of headwall extension (m)				E=3h+0.6 or 1.5F whichever is greater					
			F is net drop from top of transverse sill to crest						
			St= height of transverse sill= h/3				0.45	0.50	

				F (m)	1.5					
				E (m)	4.65	or	2.25	say	5.00	
Length of Basin Lb										
			Lb (m)= F(2.28*h/F+0.52)			3.858		say	4.00	
Height of the sidewall at end sill is taken to be minimum 1.5h1,but more than H/2										
				J (m)	1.5h1	1.875	more than H/2	1	1.90	
Height of the sidewall at the weir end										
			Equal to gully depth		3.38				3.35	
				M (m)	2(F+1.33h-J)			2.791	2.80	
				K (m)	Lb+.1-M			1.309	1.80	
Length of Wing wall (WL)										
				WL = 2.25h				3.0375	3.00	
Depth of Toe Wall										
				h1+0.1				1.35	1.50	

WORK ABSTRACT									
Sl. No.	Item	Specification (m)			Quantity (cum)				
		Length	Breadth	Depth					
1	Clearing of site (Removal of trees, shrubs and bushes)	20.00	12.00						
2	Earth work								
	a) in hard soil Headwall Foundation	9.50	2.80	1.25	33.25	Effective depth will be 1.00 m			
	b) in hard soil RHS of Headwall extension	5.00	2.80	4.50	63.00				
	c) in hard soil LHS of Headwall extension	5.00	2.80	4.00	56.00				
	d) in hard soil cutoff wall	19.50	1.20	1.20	28.08				
	e) in hard soil side wall on both side	9.20	2.00	3.50	64.40	Effective depth will be 1.50 m			

	f) in hard soil Toe wall	9.50	1.60	2.00	30.40	Effective depth will be 1.50 m		
	g) in hard soil Wing wall on both side	6.00	1.80	4.50	48.60	Effective depth will be 1.50 m		
	h) Apron	4.00	9.50	1.20	45.60			
				Total	369.33			
3	Cement concrete							
	Cement Concrete (1:2:4)							
	a) cutoff wall	19.50	0.60	1.20	14.04			
	b) Head wall coping	9.50	1.20	0.05	0.57			
	c) Apron	4.00	9.50	0.05	1.90			
	d) Transverse sill coping	9.50	0.60	0.05	0.29			
				Total	16.80			
	Cement Concrete (1:4:8)							
	e) Toe wall	9.50	1.20	0.15	1.71			
	f) Apron	4.00	9.50	0.15	5.70			
	g) Side wall on both side	9.20	1.40	0.15	1.93			
	h) Wing wall on both side	6.00	1.20	0.15	1.08			
	i) Headwall and Headwall Extension	19.50	1.60	0.15	4.68			
				Total	15.10			
4	Requirement of sand to nullify the impact of cracks							
	a) Below cutoff wall	19.50	0.80	0.10	1.56			
	b) Below Headwall and headwall extension	19.50	1.60	0.10	3.12			
	c) Below side wall on both sides	9.20	1.40	0.10	1.29			
	d) Below wing wall on both side	6.00	1.20	0.10	0.72			
	e) Below apron	4.00	9.50	0.10	3.80			
	f) Below Toe wall	9.50	1.00	0.10	0.95			
				Total	11.44			
5	Stone Masonry in CM 1:4							
	a) Headwall and Headwall Extension on both side-	19.50	2.00	1.00	39.00			

	Foundation							
	b) Headwall+ Headwall Extension on both side above gully bed-super structure	19.50	1.55	2.00	60.45	Width=(1.2+1.9)/2= 1.55 m		
	c) Headwall Extension on both the side above crest	10.00	1.20	1.35	16.20			
	d) Foundation for side wall on both side	9.20	1.20	1.50	16.56			
	e) Side wall on both side -super structure (K Part)-I	3.60	1.00	1.90	6.84			
	f) Side wall on both side-above part-I mentioned in (e): (K Part)-II	3.60	0.80	1.00	2.88			
	g) Side wall on both side above part-II mentioned in (f): (K Part)-III	3.60	0.60	0.45	0.97			
	h) Side wall on both side-Super structure (M Part)-I	5.60	1.00	1.50	8.40			
	i) Side wall on both side above Part-I mentioned in (h): (M Part)-II	5.60	0.80	0.40	1.79			
	j) Side wall on both side above Part-II mentioned in (i): (M Part)-III	5.60	0.60	0.73	2.44	Avg. ht. of triangle portion=	0.73	
	k) Foundation for wing wall on both side	6.00	1.00	1.50	9.00			
	l) Wing wall on both side-Super structure- Part- I	6.00	0.80	0.80	3.84			
	m) Wing wall on both side-Above Part-I mentioned in (l): Part -II	6.00	0.60	0.55	1.98	Avg. ht. of triangle portion=	0.55	
	n) Toe wall: Part I	9.50	0.80	1.00	7.60			
	o) Toe wall: Part II	9.50	0.70	0.50	3.33			
	p) Transverse Sill	9.50	0.60	0.50	2.85			
	q) Apron	4.00	9.50	0.40	15.20			
					Total	199.33		
6	M S Bar (10 mm, q)				3.00			
7	Providing rough stone pitching in u/s (both side)	34.00	3.50	0.25	29.75			
8	Cement pointing to stone masonry in CM 1:3 (sqm)							
	a) Headwall both side	19.00		2.00	38.00			
	b) Side wall both side (RHS and LHS)-Part I	9.20		1.90	17.48			
	c) Side wall both side (RHS and LHS)-Part II	3.60		1.45	5.22			
	d) Side wall both side (RHS and LHS)-Part-III	5.60		0.73	4.06	Avg. ht. of triangle portion=	0.73	

	e) Wing wall both side-Part I	6.00		0.80	4.80			
	f) Wing wall both side-Part I	6.00		0.55	3.30	Avg. ht. of triangle portion=	0.55	
				Total	72.86			
9	Nala training wherever necessary (m)				0.00			
10	Filling of black clay soil in the up stream (free from any kind of gravel)				6.00	trolly		

MATERIAL ABSTRACT												
						Required Quantiy						
						Quantiy,cum	Cement,bags	Sand,cum	Conc ,cum	Khanda (cum)	Boulder(cum)	MS Bar (q)
1	Cement Concrete mix for cut-off wall (1:2:4): 12 mm conc.					16.80	107.49	7.56	15.12			
2	Cement Concrete mix for cut-off wall (1:4:8); 20 mm conc.					15.10	51.35	7.10	14.20			
3	Stone Maspnary in CM 1:4					199.33	498.31	67.77		199.33		
4	MS Bar for reinforcing											3.00
5	Boulder for pitching					29.75					29.75	
6	Cement pointing to stone masonry in CM 1:3 (sqm)					72.86	4.52	0.46				
7	Black clay soil (gravel free)					6.00						
8	Requirement of sand to nullify the impact of cracks							11.44				
					Total		661.66	94.32	29.31	199.33	29.75	3.00

COST ABSTRACT							
	Sl. No.	Item	Quantity	Unit	Rate (Rs./Unit)	Amount (Rs.)	
A	1	Cement	662	Bag	235.00	155491.19	
	2	Sand	94.32	m ³	750.00	70742.41	
	3	Concrete-12 mm	15.12	m ³	1300.00	19650.15	
	4	Concrete-20 mm	14.20	m ³	1150.00	16325.26	
	5	Khanda	199	m ³	1200.00	239190.00	
	6	M S Bar (10 mm Saria)	3.00	q	4000.00	12000.00	
	7	Boulder	29.75	m ³	700.00	20825.00	
	8	Filling of black clay soil in the up stream (free from any kind of gravel)	6.00		1500.00	9000.00	
						Total	543224.00
B	9	Water supply through tanker @ 3 % of material cost				16296.72	
C	9	Labour Charges @ 25%				135806.00	
						Total (A+B+C)	695326.72
	10	Misc. @ 3%				20859.80	
						G. Total	716186.53
		Say Rs. 716000/- (Rs. Seven lakh sixteen thousand only)					

Table 10.1: Cross section of different size of contour/graded/field bund under 0-3 per cent slope

Area under Treatment (ha)	Top width	Height	Bottom width	Cross Section (m2)
2020	0.50	0.75	2.75	1.22
	0.50	0.80	2.90	1.36
	0.50	0.90	3.20	1.67
	0.50	1.00	3.50	2.00
	0.60	0.80	3.00	1.44
	0.60	0.90	3.30	1.76
	0.60	1.00	3.60	2.10
	0.45	0.75	2.70	1.18
	0.45	0.80	2.85	1.32

Table 10.2 Cross section of different size of earthen checkdam/water harvesting bund under more than 5 per cent slope

Area under Treatment (ha)	Items	T	H	B	CS
659	Core wall	0.50	3.00	6.50	10.50
	Earthen Bund	3.00	3.50	22.25	44.19
	Stone Pitching		1.00	0.25	0.25
	Total (CD1)				
	Core wall	0.50	2.50	5.50	7.50
	Earthen Bund	3.00	3.00	19.50	33.75
	Stone Pitching		1.00	0.25	0.25
	Total (CD2)				
	Core wall	0.50	3.00	6.50	10.50
	Earthen Bund	3.00	3.50	22.25	44.19
	Stone Pitching		1.00	0.25	0.25
	Total (WHB1)				
	Core wall	0.50	2.50	5.50	7.50
	Earthen Bund	3.00	3.00	19.50	33.75
	Stone Pitching		1.00	0.25	0.25
	Total (WHB2)				
	Core wall	0.50	2.50	5.50	7.50
	Earthen Bund	3.00	3.00	19.50	33.75
	Stone Pitching		1.00	0.25	0.25
	Total (WHB3)				
	Core wall	0.50	2.50	5.50	7.50
	Earthen Bund	3.00	3.00	19.50	33.75
	Stone Pitching		1.00	0.25	0.25
	Total (WHB4)				




Fig. 39. Design of Earthen Checkdam (WHB₁)

Not to scale

MAPS

